

### Showcases


Showcase systems offer a wide selection of framing, lighting and door options that allow you to integrate the components of your choice into a custom showcase that meets your exact specifications. Experience in showcases has enabled us to perfect the alignment of each component into curved, clipped or straight configurations.

Curving Capabilities	2
Showcase Configurations	3
Aluminum Glass End Showcases	4
Aluminum Wood End Showcases	12
Light Reflectors	17
Lighting Accessories	29



## Curving

Bring it all together with a few carefully placed curves. Stylmark is able to curve virtually all of our products to meet your radius requirements. Simply provide us with dimensions as indicated below and watch your design come to life!



#### Required Information:

- · Orientation of part to be curved
- Radius (IR)
- Arc Length (S)
- Chord (c) or Included Angle (α)
- Straight Length (L)

#### Notes:


• Provide AutoCAD® or SolidWorks drawing if available


## Showcase Configurations

Stylmark's showcases are available in a variety of view and shape configurations. In addition to those shown below, Stylmark provides vertical cases up to 48" tall as well as octagonal, L-shaped and curved corner showcases. We can accommodate most heights and widths and our in-house engineering staff is always available to customize a case to fit your needs.

### **View Variations**







### Shape Variations - Top View -

Rectangular/Square

Customer Side

Double Clip
Customer Side

Left Hand Clip

Customer Side


Right Hand Clip

Customer Side

Curved
Customer Side




Creating sleek, contemporary displays is easy with Stylmark's glass end showcase products. Available in a variety of configurations and anodized finishes, our cases are secure due to top glass security channels and spot welded corner brackets. Glass end showcases are sold as knock-down, fabricated assemblies including frames, doors and reflectors.




Stylmark Showcases www.stylmark.com

Showcase Components
Typical Horizontal Section



### Showcase Components Typical Vertical Section




Notes: • Aluminum glass end showcase components are not sold individually.

800,328,2495




### **Rectangular Showcases**



**Rectangular Showcases** 

Model #	Reflector Location	Door Type	Bottom Profile (Standard or Low)	Jamb (Regular or Slotted)	Mullion (With or Without)
710111	Front Only	Rolling Door	Standard or Low	Regular or Slotted	With or Without
710112	Front and Rear	Rolling Door	Standard or Low	Regular or Slotted	With or Without
710113	Rear Only	Rolling Door	Standard or Low	Regular or Slotted	With or Without
710114	No Reflector	Rolling Door	Standard or Low	Regular or Slotted	With or Without
710115	Front Only	Wood Hinged Door	Standard or Low	Regular Only	With Mullion
710314	No Reflector	Glass Hinged Door	Standard or Low	N/A	Without Mullion


For lighting options, please refer to the showcase lighting section of this catalog




Notes:

- When ordering clipped, curved or custom showcases, please provide shop drawings.
- Aluminum glass end showcase components are not sold individually.
- Indicate bottom trim channel for inside of case.

### Single Clipped and Double Clipped Showcases




Right or Left Hand Clipped



**Double Clipped** 

#### Single and Double Clipped Showcases

Model #	Description	Reflector Location	Door Type	Bottom Profile Standard	Jamb (Regular or Slotted)	Mullion (With or Without)
710121	Single Clipped	Front	Rolling Door	Standard	Regular or Slotted	Without Mullion
710131	Double Clipped	Front	Rolling Door	Standard	Regular or Slotted	With or Without
710135	Double Clipped	Front	Wood Hinged Door	Standard	Regular Only	Without Mullion



Notes:


- When ordering clipped, curved or custom showcases, please provide shop drawings.
- Aluminum glass end showcase components are not sold individually.
- Indicate bottom trim channel for inside of case.



### **Showcase Options**

### **Top Frame Options**


Choose from the options shown below or combine a front and rear reflector in one showcase.



### **Door Options**

Fully framed security rolling doors are standard. Optional hinged doors can be ordered top, bottom or side hinged. Glass hinged door showcases typically have an extruded hinge. Piano hinge is an option. Glass and wood door panels are supplied by others.

Top or bottom hinged doors will allow for full width access to a 1/3 view case. Hinged doors with 1/4" thick panels, will accept Kenstan locks.



### Front Corner Options

Front vertical #110131 is standard on all rectangular showcases and is used on clipped cases. Vertical #110142 is used only on clipped cases.




9

### Aluminum Glass End Showcases

### **Showcase Options**


### **Bottom Frame Options**

Choose from the options shown below for your showcase's bottom frame. Trim Channel #110147 can be used with either bottom frame profile. The Trim Channel covers the bottom frame and assists in installation of a pad.



### Shoe and Lock Options

For standard aluminum glass end showcases with rolling doors you have the option of the shoe and lock combinations listed below.




800.328.2495 Stylmark Showcases

### **Showcase Options**

### **Rear Corner Options**

Rear posts serve as a clear wireway downtube, door jamb and slotted standard for brackets. Full height door bumpers are included. Mullions are required on cases over 63" and serve as dividers for hinged doors.



#### Hardware and Accessories

Part #550011 Shelf End Clip for 550010 Part #550012 Shelf Center Clip for 550010 Part #550013 Glass End Clip for 550006 Part #550014 Glass Center Clip for 550006









Part #450010 Slotted Standard




Part #450022 Rear Support for #450010



Part #510235 Shelf Support



Part #110224 Glazing, Jamb w/o Leg




#### Hardware and Accessories


# Part # 550006: Shelf Bracket This aluminum shelf bracket is typically used with 1/4" glass shelving. It is available in 6", 8", 10", 12", 14", and 16" depths, with or without a lip.

(Non-buffed or non-brush finishes only)

#550006 Shelf Bracket With Lip				
Part # 550006-01	6"			
Part # 550006-02	8"			
Part # 550006-03	10"			
Part # 550006-04	12"			
Part # 550006-05	14"			
Part # 550006-06	16"			



#550006 Shelf Bracket Without Lip				
Part # 550006-07	6"			
Part # 550006-08	8"			
Part # 550006-09	10"			
Part # 550006-10	12"			
Part # 550006-11	14"			
Part # 550006-12	16"			



#### Part # 550010

Heavy Duty Tubular Bracket
Our heavy duty tubular bracket adds a
contemporary look with the ability of supporting 3/8" to 1/2" thick glass shelves with
ease. It is available in 6", 8", 10",
12", 14", and 16" depths.
(Buffed or brushed finishes only)





Heavy Duty Tubular Brackets #550010 brackets are available in six sizes:				
Part # 550010-01	6"			
Part # 550010-02	8"			
Part # 550010-03	10"			
Part # 550010-04	12"			
Part # 550010-05	14"			
Part # 550010-06	16"			

Notes: • Part #550006 is available only in brushed finish



The classic beauty of Stylmark's anodized aluminum extrusions provides a subtle accent to finely crafted woods and laminates. Components are first fabricated and then finished and anodized. This assures that all reflectors, cover tees, glass channels, door hardware, brackets and standards match perfectly. Wood end showcase components are sold fabricated or in stock lengths for field fabrication.






13


### Aluminum Wood End Showcases

#### **Ordering Wood End Showcases**


Reflector	Rolling Door	Front Glass Frame	Top Glass
Assembly	Assembly	Assembly	Channel Assembly
See Page 18	See Rolling Door Catalog	Width x Height	Depth



Rectangular or Curved



Right or Left Hand Clipped



Double Clipped


Notes:

- When ordering clipped, curved or custom showcases, please provide shop drawings.
- Slotted standards and brackets are ordered separately (see page 16).

800.328.2495 Stylmark Showcases




Choose from the options below to customize a showcase to your exact specifications.



### Top and Side Glass Channel Assemblies

Top Front Frame with Top Front Frame with Lipop Front Frame .25 return (optional) (optional) (optional) #110137 #110192 #110107

Top and side glass supports require no routing of wood ends or base to install. Glass supports give you the option to provide security.




Notes: \*Indicates integrated cover tee reflectors.

14

cover tee - see assemblies below.

#### Hardware and Accessories



 $\sqrt{\ }$  = finished surface



#### Hardware and Accessories

Part #232023 Slotted Steel Standard, 36" (96" #232028)



Part #450010 Slotted Standard



Part #450020 Heavy Duty Slotted Standard




### Part #450021 Rear Support for #450020



Part #450022 Rear Support for #450010



Part #510089 Mounting Bracket Assembly for 110107/110192



Part #550007 Foot and Cap Assembly for

Aluminum Standard




Part #550008

Chrome Bottom Cap Assembly for Steel Standard



Part #550009 Chrome Top Cap Assembly for Steel Standard



Part #550011 Shelf End Clip for 550010




Part #550012 Shelf Center Clip for 550010




Part #550013 Glass End Clip

for 550006



Part #550014 Glass Center Clip for 550006



Part #550006

Aluminum Shelf Blade Bracket with and without lip Available in 6, 8, 10, 12, 14, 16" (See page 11)




Part #550010

Aluminum Tubular Shelf Bracket Available in 6, 8, 10, 12, 14, 16" (See page 11)



Stylmark's showcase lighting products are created with design flexibility in mind. Our product line accommodates a variety of mounting configurations and lighting options from traditional light sources to new marketplace trends, like LED. Reflector profiles are streamlined to maximize viewable display space. All of our showcase lighting is component recognized by UL or ETL to US and Canadian standards.




Notes:


- Grounded receptacles, part #230028, are sold separately (see page 32).
- LED reflectors ordered separately from showcase.




## Light Reflector Assemblies

### **Reflector Profiles**











683900 series (standard assembly)



683900 series (screw port assembly)



684200 series



685000 series


### **Light Source Specifications**


Lamp Type	Lamp Destination	Rated Watts	Nominal Lamp Lenght	Color Temp K	Color Rendering Index	Rated Lumens	Rated Lamp Life
	Preminum (24Vdc) 9.0W/ft 12" / 6" ANSI: MIG 24 3500K Bin	80+	700 lm/ft	50,000+ Hrs			
	Deluxe (24Vdc) MIG 24	4.6W/ft	12" / 6"	4000K Bin 5000K Bin	80+	350 lm/ft	50,000+ Hrs
LED	Preminum (24Vdc) NIGEL	6.7W/ft	20" / 12" / 4"	4" ANSI: 3500K Bin	80+	700 lm/ft	50,000+ Hrs
	Deluxe (24Vdc) NIGEL	3.8W/ft	20" / 12" / 4"	4000K Bin 5000K Bin	80+	500 lm/ft	50,000+ Hrs

800.328.2495 Stylmark Showcases 1




#### **Reflector Assemblies**







### Mounting Options for Aluminum Wood End Showcases




### Mounting Options for Aluminum Glass End Showcases




#### **Reflector Assemblies**




### Mounting Options for Aluminum Glass End Showcases




Glass End Endcap for 680400 and 680600 Series Assemblies #511041



### Mounting Options for Wood End Showcases




Wood End Mounting Brackets for 680400 and 680600 Series Assemblies #510073







#### **Reflector Assemblies**




### Mounting Options for Aluminum Glass End Showcases



Glass End Endcap for 680400 and 680600 Series Assemblies #511041




### Mounting Options for Wood End Showcases




Wood End Mounting Brackets for 680400 and 680600 Series Assemblies #510073



**Reflector Assemblies** 





#481057 LH and 481056 RH Endcaps for 683900 Series **Assemblies** 




Mounting Options for Aluminum Wood End Showcases

> 1 1/2" - #380270 1 3/8" - #480991

1 3/8" - #480960

Rotating Downtube Option (683700 Series Only)


(Extrusion #180144 and components are



Mounting Options for Aluminum Glass End Showcases

> 1 1/2" - #480951 1 3/8" - #481041 #480941






684200 series


LED Board	Model #	3500K	4000K	5000K
Deluxe 4"	242055			
Deluxe 12"	242056		-300	-400
Deluxe 20"	242057	-200		
Premium 4"	242058	-200		
Premium 12"	242059			
Premium 20"	242060			

### Mounting Options for Rotating Downtube




24

### Mounting Options for Wood End Showcase



Reflector Assemblies (LED only)




685000 series

#480989 Endcap for 685000 Series Assemblies










### Mounting Options for Aluminum Wood End Showcases













#### **Reflector Extrusion Profiles**


These profiles can be ordered as stock length extrusions.




Extrusion #110135




Extrusion #180139



Extrusion #110719



Extrusion #180147



Extrusion #180150



Extrusion #180133




Extrusion #180144


Installation of Downtube for 680100 Series 680400 Series, 680600 Series, 683900 Series, 684200 Series, 685000 Series.

#### Installation of Downtube

Series	Fixed "A"
680100 680400 680600	1-1/2"



#### Installation of Downtube




800.328.2495 Stylmark Showcases 27



Model 684200

#### Installation of Downtube


Series	Adj. Angle "A"	Fixed "A"
684200 with 1" Washer	1/4"	1/2"
684200 with 3/4" Washer	1/4"	3/8"




28 Stylmark Showcases www.stylmark.com

#### Hardware and Accessories


Part #110099 Reflector Strip




Part #110071 Showcase Channel




Part #110102 Top Rear Showcase Channel




Part #110107 Front Frame




Part #110127 Top Front Frame



Part #110137 Cover Tee



Part #110192 Front Frame with Lip



\*Part # 110495 Connector, Straight



Part #218035 Fender Washer 1-1/2" O.D.



Part #219039 Nut



Part #380491

LED 1" Reflector

Mount Bracket

\*Part #230056 3/8" I.D. Super Flex

Conduit, 250 ft.



\*#230056-01 3/8" I.D. Super Flex Conduit, 7 ft.

\*#230056-02 3/8" I.D. Super Flex Conduit, 4 ft.

\*#230056-04 3/8" I.D. Super Flex Conduit, per ft. \*Part #310124 90° Connector



Part #380270 LED 1-1/2" Reflector Mount Bracket



Part #380583 Connector



Part #410050 1/2" Downtube 3/8" I.D.





Notes:

\* Not UL Listed or Recognized Component

 $\sqrt{\ }$  = finished surface



#### Hardware and Accessories

**Part #480753** 3/8" Threaded Washer 1" O.D.



Part #480756 Support Puck



Part #480757 3/8" Downtube 9/32" I.D.



Part #480767 Rigid Connector 3/8" Downtube




Part #480941 7/16" Downtube 9/32" I.D.




Part #480942 Downtube Threaded 9/32" I.D.



Part #480943 7/16" Threaded Washer 1-1/4" O.D.



Part #510073 Mount Bracket Assembly



Part #510378 Downtube Flange



Part #510621 Flex Connector 3/8" I.D. Conduit




Part #510622 Rigid Connector 1/2" Downtube




**LED Power Supplies and Drivers** 

LED LOW VOLTAGE POWER CABLES (Connects power supply to LED reflector)




**Power Supplies** 



800.328.2495 Stylmark Showcases 31




### Single Ballast Box and Components




Notes: • #510600 - Single ballast box kit and accessories includes


part numbers #510599 and #510598


### **Double Ballast Box and Components**






Ballast Box Cover Plate
#310079 - Painted Black Steel
#310577 - Anodized Aluminum (See Stylmark
anodized color offerings)








#230085

Rocker Switch

#310085
Ballast Box Insert Tray for Double Ballast Box



Notes: • #510626 - Double ballast box kit and accessories includes part numbers #510625 and #510598