

# Hardware & Accessories


Assure that your installations and designs are completed in professional fashion by utilizing Stylmark's Hardware and Accessories. This catalog represents a collection of these items, which can also be found throughout the pages of our product catalogs in various applications. Don't accept anything less than Stylmark quality when choosing or replacing these items.

Curving	<u>2</u>
Angles	<u>3</u>
Channels	<u>10</u>
Flat Bars	<u>16</u>
Bracket Hardware	<u>21</u>
Locks & Latches	<u>22</u>
Pulls	<u>23</u>
Shelf Standards & Brackets	<u>24</u>
Tees & Tubes & Rods	<u>27</u>
Miscellaneous	<u>32</u>

### B stymark<sup>®</sup>

# Curving

Bring it all together with a few carefully placed curves. Stylmark is able to curve virtually all of our products to meet your radius requirements. Simply provide us with dimensions as indicated below and watch your design come to life!



Important Note: Not all extrusions can be curved. Some extrusions can be curved only in certain directions. Call your Stylmark Representative with any questions.

#### **Required Information:**

- Radius (IR)
- Arc Length (S)
- Chord (c) or Included Angle (α)
- Straight Length (L)

#### Notes:

• Provide AutoCAD® or SolidWorks drawing if available

An	gles		A -   A - Length	- Thickness -  B - 1	hickness
	"		-	B - Length ———	
	PART #	A - LENGTH	A - THICKNESS	B - LENGTH	B - THICKNESS
	110737*	1/4"	1/16"	1"	1/16"
	110090	3/8"	1/16"	7/8"	1/8"
	110182	3/8"	1/16"	1-1/4"	1/16"
	110180	7/16"	1/16"	5/8"	1/16"
_	110030	1/2"	1/16"	1/2"	1/16"
	110159	1/2"	1/16"	1"	1/16"
	110844	1/2"	1/16"	4"	1/16"
	110966	33/64"	.059"	23/32"	.059"
	110728	9/16"	.070"	1-17/32"	.070"
	110034	3/4"	1/16"	3/4"	1/16"
	110168	3/4"	1/8"	1-1/2"	1/8"
	110451	7/8"	1/16"	7/8"	1/16"
	120059	5/16"	3/64"	5/8"	3/64"
	111062	1"	1/4"	1"	1/4"
	110165	1"	1/16"	1"	1/16"
	110293	1"	1/16"	2-1/2"	1/16"
	190172	1"	1/8"	1"	1/8"
	110996	1-1/8"	1/8"	1-1/8"	1/8"
	111071	1-1/4"	1/8"	1-1/4"	1/8"
	110150	1-1/2"	1/8"	1-1/2"	1/8"
	110306**	1-1/2"	1/8"	1-1/2"	1/8"
	110167	2"	1/8"	2"	1/8"

#### **Notes:** • See following pages for specific profile information

- \* Part #110737 stock length is 120"
- \*\* Part #110306 is not a right angle
- \*\*\* Part #110622 stock length is 84"
- \*\*\*\* Part #111035 has a return


### B stylmark®

A	ngles		A 	- Thickness 	hickness
	PART #	A - LENGTH	A - THICKNESS	B - LENGTH	B - THICKNESS
	110622***	3/4"	1/8"	1-1/2"	1/8"
	110764	3/8"	1/8"	7/8"	1/8"
	110866	1-3/8"	.157"	1"	.157"
	110963	2"	1/8"	4-1/2"	1/8"
	110965	33/64"	.059"	1-17/64"	.059"
	110986	2"	1/8"	2-3/4"	1/8"
	110994	1/2"	1/8"	1"	1/8"
	110997	7/8"	1/8"	7/8"	1/8"
	111034	11/16"	3/32"	11/16"	3/32"
	111039	5-1/4"	1/8"	2-1/4"	1/8"
	111077	1/2"	1/8"	1-1/2"	1/8"
	111085	2"	1/4"	1"	1/8"
	111094	1"	1/8"	2"	1/8"
	111097	4"	1/8"	2"	1/8"
	111035****	1 3/16"	3/32"	1-15/16"	3/32"
	120086	3"	1/8"	1/2"	.063"
	111108	3/4"	1/8"	3/4"	1/8"


**Notes:** • See following pages for specific profile information


- \* Part #110737 stock length is 120"
- \*\* Part #110306 is not a right angle
- \*\*\* Part #110622 stock length is 84"
- \*\*\*\* Part #111035 has a return


# Angles



# Angles










Notes: • \*\* Part #110306 is not a right angle. • \*\*\* Part #110622 stock length is 84"

### B stylmark<sup>®</sup>

# Angles








PART #	A - LENGTH	B - LENGTH	THICKNESS
110691*	1/4"	1-3/8"	1/16"
111033	1/4"	1"	1/16"
110251	5/16"	5/16"	1/16"
110024	3/8"	7/16"	1/16"
110577	1/2"	3/8"	1/16"
110650	1/2"	9/16"	1/16"
110022	9/16"	5/8"	1/16"
110026	9/16"	7/16"	1/16"
111053*	5/8"	1-1/2"	1/8"
110080	3/4"	1"	1/16"
110162	3/4"	1-3/16"	1/16"
110683**	3/4"	1-23/32"	1/16"
110757	3/4"	3/4"	1/8"
110023	13/16"	5/8"	1/16"
110361	1"	1"	1/8"
110461	1"	2"	1/8"
170008	1-1/4"	1"	1/16"
111091	1"	1-1/4"	1/8"
111089***	2"	1-1/4"	1/8"
111072***	1-1/2"	1"	1/8"
110359*	1"	2"	1/8"

Notes: • See following pages for specific profile information


- \* Part #110691, #111053, #110359 & #111012 have returns.
- \*\* Part #110683 & #110962 stock length is 120"
- \*\*\* Part #111010, #111013, #111072 & #111089 are U Channels with grooves.




PART #	A - LENGTH	B - LENGTH	THICKNESS
111010***	1-3/4"	1"	1/8"
111013***	2"	1"	1/8"
110360	2"	1"	1/8"
110413	4"	3/4"	1/8"
110984	1-1/2"	1-1/2"	1/8"
110730	.594"	.539"	1/16"
110750	1-1/2"	7/8"	1/16"
110760	.313"	.938"	1/16"
110962**	1-7/8"	5/8"	1/8"
110981	1/2"	3/4"	1/8"
111012*	1"	2"	1/8"

Notes: • See following pages for specific profile information


- \* Part #110691, #111053, #110359 & #111012 have returns.
- \*\* Part #110683 & #110962 stock length is 120"
- \*\*\* Part #111010, #111013, #111072 & #111089 are U Channels with grooves.



Notes: • \* Part #110691 is a U Channel with returns.




\* Part #110359 is a U Channel with returns.
\*\* Part #110683 stock length is 120"



Notes: • \* Part #111053 is a U Channel with returns.

• "Part #111010, #111013, #111072 & #111089 are U Channels with grooves.  $\sqrt{}$  = finished surface

Drawings are not to scale



Notes: • \* Part #111012 is a U Channel with returns & grooves. • \*\* Part 110962 stock length is 120".


В	
	_⊢ A∣


PART #	A - LENGTH	B - LENGTH
111037	19/32"	3/32"
110810	1/4"	1/4"
110391	7/16"	1/8"
110398	7/16"	1/8"
110689	1/2"	1/2"
110693	1/2"	3/16"
110665	1/2"	1/4"
110099	3/4"	1/16"
110788	3/4"	1/4"
110050	1"	1/2"
110166	1"	1/8"
110648	1"	1"
110709	1-11/32"	1/2"
110538	1-21/32"	1/8"
110171	1-1/4"	3/32"
111029	1-1/4"	1/8"
111025	1-1/4"	3/16"
111078	1-1/4"	3/4"
110787	1-1/2"	1/8"


PART #	A - LENGTH	B - Length
110926	1-1/2"	1-1/2"
111040	1-3/4"	1/2"
110051	2"	1/2"
111095	2"	1/8"
111061	2-1/2"	.070
111073	2-1/2"	1/2"
110419	3"	1/8"
150012**	3-1/8"	3/32"
110229	3-1/2"	1/8"
111024 (.145 crown)	3-7/8"	1/8"
111026	3-7/8"	1/8"
111050	5"	1/8"
111051	5-3/4"	1/8"
111038	6-29/64"	1/2"
110655*	6-1/2"	1/4"
110305**	7"	.070"
110987	7"	.070"

**Notes:** • See following pages for specific profile information


- \* Part #110655 stock length is 120"
- \*\* Part #150012 & #110305 stock length is 96"









Notes: • \*Part #110655 stock length is 120". • \*\*Part #110305 & 150012 stock length is 96".




### Bracket Hardware




Used to assure easy adjustability.



Used to attach panels to posts. Anodized to match.




Gravity hinge for door panels not exceeding 35 pounds. Brass plated.



# Locks and Latches


Stylmark provides a Kenstan K-41 chrome finish lock as a standard component. Stylmark provides fabrication for Best lock 2S & 4S series. Stylmark shoe #110350 is designed to accommodate the Best 4S series lock. Best Locks not supplied by Stylmark.

Part # 510245 Push Latch This magnetic push latch is an alternate to the 510349 latch.



Part # 510199-01 Chrome Cam Lock Used with 110153 hinged door frame extrusion. 7/8" cam length, key retaining. Includes 2 keys. (Kenstan CLD03-type) Part # 510199-02

same as aboved except includes 6 keys



#### Part # 510269 'L' Cam Lock Used with #710000 Series Showcase side hinged door. 5/8" cam w/ 1/2" L-bend, key retaining. Includes 2 keys. (Kenstan CLD03-type).


Part # 510808 Chrome Plunger Lock Used with 110140, 110350 & 110412 rolling door shoe extrusions. 3/8" length plunger, key retaining. Includes 2 keys. (Kenstan PLD40-type)

#### Part # 511040


Chrome Plunger Lock Used with 110012 & 110067 rolling door shoe extrusions. Through-the-track plunger, key retaining. Includes 2 keys. (Kenstan PLD49-type)




#### Part # 510249 Offset Cam Lock Used with #710000 Series Showcase top or bottom hinged door. 7/8" cam w/ 1/4" offset, key retaining. Includes 2 keys. (Kenstan CLD03-type).



**Part # 530024** T-Bolt Plunger Lock




 $\sqrt{}$  = finished surface Drawings are not to scale






Part # 510349 Push Latch This mechanical push latch is used with hinged door or transparency frames. (2 per kit)



Drawings are not to scale

# Pulls

Stylmark's door and drawer pulls are available in 12 foot stock lengths that can be fabricated to any length. Many styles are available in pre-cut sizes—edges on these are finished because they're anodized after fabrication. A cut size of 3-3/4" includes two counter sunk holes for easy installation.






# Shelf Standards and Brackets

#### Aluminum Light Duty Standards and Brackets

Stylmark aluminum light duty standards and brackets are anodized to the same color and finish as other showcase components. They can also be ordered in complementary colors for contrast.



Part # 550006: Shelf Bracket This aluminum shelf bracket is typically used with 1/4" glass shelving. It is available in 6", 8", 10", 12", 14" and 16" depths, with or without a lip. (Non-buffed or brush finishes only)

#550006 Shelf	Bracket With Lip		#550006 Shelf Br	acket Without Lip
Part # 550006-01	6"	-	Part # 550006-07	6"
Part # 550006-02	8"		Part # 550006-08	8"
Part # 550006-03	10"		Part # 550006-09	10"
Part # 550006-04	12"		Part # 550006-10	12"
Part # 550006-05	14"		Part # 550006-11	14"
Part # 550006-06	16"		Part # 550006-12	16"
Par	rt #550006 - with lip		C Part	#550006 - without lip

Notes: • \*Part numbers #450010, 450022 and 450013 can be ordered as 12ft stock length or fabricated to length

### Shelf Standards and Brackets


#### Aluminum Heavy Duty Standards and Brackets

Stylmark's heavy duty aluminum standards with tubular brackets are as durable as steel showcase standards and brackets, but offer the added feature of color and finish options.

Part # 450020\* Heavy Duty Standard This standard is machined at the top and bottom to accept the #550007 foot and cap assembly. Slots measure 9/16" x 3/32" and are 1" on center.

> ■ 1/2" 3/4"

Part # 450021\* Standard Insert This insert for #450020 adds support and gives the standard a finished look. Part # 550007 Foot and Cap Assembly Used to fasten a standard at the top and bottom of the showcase. Gray plastic.



Part # 550010 Heavy Duty Tubular Bracket Our heavy duty tubular bracket adds a contemporary look with the ability of supporting 3/8" to 1/2" thick glass shelves with ease. It is available in 6", 8", 10", 12", 14" and 16" depths. (Buffed or brushed finishes only)



Heavy Duty Tubular Brackets #550010 brackets are available in six sizes:		
Part # 550010-01	6"	
Part # 550010-02	8"	
Part # 550010-03	10"	
Part # 550010-04	12"	
Part # 550010-05	14"	
Part # 550010-06	16"	

Steel Shelf Clips These shelf clips are designed with rubber grommets to cushion the glass resting on our tubular brackets. Available in chrome finish only.

Part #550011: End Clip Part #550012: Center Clip






Notes: • \*Part numbers #450020 and 450021 can be ordered as 12ft stock length or fabricated to length

# Shelf Standards and Brackets

#### Steel Standards and Brackets

When your design requires extra strength, these Knape and Vogt (K.V.) steel standards and brackets provide the support you need. These components have an anachrome finish and are not compatible with aluminum standards or brackets.

Steel Standard Part # 232023: 36" Part # 232028: 96" K.V. steel showcase standards have slotting for conventional brackets.



**Steel Shelf Clips** These shelf clips are designed with rubber grommets to cushion the glass resting on our shelf brackets. Available in chrome finish only.

Part #550013: End Clip Part #550014: Center Clip






Cap Assembly Attaches standard at top of showcase.



Part # 550009


Part # 550008 Foot Assembly Attaches standard at bottom of showcase.



Brackets K.V. steel brackets are available in six sizes: Part # 232006 6" 8" Part # 232008 Part # 232010 10" Part # 232012 12" Part # 232014 14" Part # 232016 16"




### Tees




Notes: • \*Part #110735 stock length is 120".


### B stylmark®

### Tees





### Tubes - Round




Part #	Diameter	Thickness
110087	1/2"	3/64"
110348	29/32"	3/64"
110423	1/2"	5/64"
111018	5/8"	.063
110863	1-1/4"	1/16"
180055	3/8"	1/16"
180127	0.448"	0.162"

## Rods


Part #	Diameter
110560	3/4"
110563	2"
111059	.312
110706	1-1/8"

### B stylmark


# Tubes - Square & Rectangular



PART #	A - LENGTH	B - LENGTH	THICKNESS
110113	1"	1"	1/16"
110114	1"	1"	1/16"
110160	1-3/4"	2-1/2"	.094"
110573	9/16"	3/8"	.040"
110705*	3/4"	5/8"	1/16"
110731	3/4"	1-5/8"	1/16"
110747	3"	3"	1/8"
110950	1-1/4"	1-1/4"	.090"
111046	0.375"	0.375"	N/A
110641	2"	2"	1/8"
111058	1"	3/4"	1/8"
111083	1-1/2"	1-1/2"	.120"
110789	1"	1"	1/8"




### Tubes - Square & Rectangular




Notes: • \*Part #110705 stock length is 96".

Part # 110107 Front Frame





Part # 110127 Top Front Frame





**Part # 110228** Front Frame Molding





Part # 110192


Front Frame

with Lip

– 1-1/16"<u>–</u>


,, 8/2

Part # 110061 Jamb





Part # 110216 Door Stop Jamb


**Part # 110196** Transparency Frame




Part # 110198 Face Frame









Part # 110300 Extended Face Frame




**Part # 110403** 3/8" Face Frame




Part # 110674 Shelf Sign



Part # 110993 Outside Corner 90°





1" Piano Hinge\*\*\*\* With Holes: **Part #419020** Without Holes: Part #224007




1-1/2" Piano Hinge\*\*\*\* With Holes: Part #224008 Without Holes: Part #224009

3/4"

1/4"


1-1/4" Piano Hinge\*\*\*\* With Unequal Legs Without Holes: Part #310351




 $\sqrt{}$  = finished surface Drawings are not to scale

**Notes:** • \*\*\*\*Stock length for piano hinges is 96".


Part # 110394 1/4" Glass Shelf Edging







Part # 110432 1" Diameter Half Round w/ 3/8" Channel

**Part # 110119** Security Channel



**Part # 110372** Single Channel with Leg Extension





Notes: • \*\*Part number 110124 uses #119004 glazing vinyl.

**Part # 119001** 3/16" Black Vinyl Glazing Tape



Use with glass from .182 - .199 inches thick. No ribs inside bottom of tape. (comes in 250 ft. coil) Part # 119003-01 7/32" Black Vinyl Glazing Tape Part # 119003-02 7/32" Grey Vinyl Glazing Tape



Use with glass from .216 - .233 inches thick. Two ribs inside bottom of tape. (comes in 250 ft. coil) Part # 119004 1/4" Black Vinyl Glazing Tape




Use with glass from .233 - .250 inches thick. Three ribs inside bottom of tape. (comes in 250 ft. coil)

Felt Tape		
Part #	Diameter	
226010-01 (Grey)	3/4" x 1/16" x 132"	
226010-02 (Brown)	3/4" x 1/16" x 132"	
226010-03 (Beige)	3/4" x 1/16" x 132"	
226011-01 (Grey)	1-3/4" x 1/16" x 84"	
226011-03 (Beige)	1-3/4" x 1/16" x 84"	
226012-01 (Grey)	1-3/16" x 1/16" x 84"	
226012-02 (Brown)	1-3/16" x 1/16" x 84"	
226012-03 (Beige)	1-3/16" x 1/16" x 84"	
226027-01 (Grey)	9/16" x 1/16" x 96"	

Part # 110181

135° Molding



Part # 110426 Glass End Stock Endcap

