

Rolling & Wardrobe Doors

Rolling Doors

For over 50 years the Stylmark rolling door has been recognized as the finest in the industry. These doors move effortlessly at the touch of a finger, while adding security to your showcases. They feature anti-jump, security rolling hardware, which engages the door bottom to flanges on the track and prohibits removal of the door when it is locked.


Wardrobe Doors

Wardrobe Doors from Stylmark are designed to give years of trouble free service. Wheel assemblies are incorporated into the bottom rail, providing a smooth-rolling, long-lasting unit. Additional features include cantilevered rollers to easily accommodate out-of-plumb field conditions and optional security door styles to provide additional protection.

Rolling Doors	2
Wardrobe Doors	16



Fully framed security rolling doors are a standard component of the Stylmark aluminum showcase system. Our industry leading doors feature anti-jump security rolling hardware, which engages the door bottom to the flanges on the track. This retainer also prohibits removal of the door while it is locked. Stylmark rolling door hardware and components are available in 12' stock lengths or may be custom fabricated to your specified lengths and requirements.



Ordering Rolling Doors

Model #	Refer to pages 2-14 of this brochure
Number of Door Panels	For Assemblies Over 63" Wide, Four Doors with a Center Mullion are Recommended
Lock Condition	Kenstan, Plunger Lock or Fabricated for Best Lock
Opening Size	Width x Height (Door verticals are required on doors over 36" in height)

Notes:

- When ordering rolling door hardware for clipped or curved showcases, please provide shop drawings.
- Rolling door cabinet hardware can be ordered in stock length material for customer fabrication.
- Lock and vinyl are sold separately when 12' assemblies are ordered.
- Door verticals are required on doors over 36" high.

Rolling Doors - Fabricated & Shipped Knocked Down

Rolling doors maybe purchased as knock-down, prefabricated kit of parts (glass / panels not included) or as a kit of stocked length (12') finished extrusion and components.

Model Components

						Includes:			
Rolling Door Model #	Top Channel	Door Top	Door Bottom	Wheels & Retainers	Bottom Track	Wheels	Retainers	Jambs	Verticals
610005-01	110007	419007	110012	510001	110007 110009	8	8	No	N/A
610007-01	110007	419007	110012	510001	110019	8	8	No	N/A
610060-01	110080	N/A	N/A	510041	110079	8	8	N/A	N/A
610099-01	110007	419007	110012	510001	110078	8	8	N/A	N/A
610143-01	110008	419030	110012	510001 410444	110178	TBD at time Op		Opti	onal
610144-01	110071	419030	110012	510001 410444	110178	TBD at time Options		onal	
610145-01	110102	419030	110012	510001 410444	110178	TBD at time Optiona		onal	
610146-01	110162	N/A	N/A	510041 410454	110208	8	8	N/A	N/A
610165-01	110022 110372	419007	110140	510041	110009 110022 110372	6	No	Opti	onal
610183-01	110102	419030	110412	510041 410381	110178	TBD at		Opti	onal
610184-01	110071	419030	110412	510041 410381	110178	TBD at		Opti	onal
610185-01	110008	419030	110418	510041 410381	110178	TBD at		Opti	onal
610187-01	110008	110024 419030	110140 510241	510041 410381	110178	8	8	Yes	Yes
610188-01	110071	110024	110140	510041 410381	110178	TBD at time Optional		onal	
610189-01	110102	110024	110140	510041 410381	110178	TBD at time Optional		onal	
610190-01	110008	110024 419030	110350 510331	510041 410381	110178	8	8	Yes	Yes
610191-01	110071	419030	110350	510041 410381	110178	TBD at		Opti	onal
610192-01	110102	419030	110350	510041 410381	110178	TBD at		Opti	onal

Notes: • Model # -01 indicates that components are fabricated prior to shipping per customer's dimensions

• Model # -02 indicates that components are shipped as 12' lengths



Rolling Doors - Stock Length


Model Components

(Lock and vinyl are sold separately when 12' assemblies are ordered)

							Incl	udes:	
Stock Length Rolling Door Model #	Top Channel	Door Top	Door Bottom	Wheels & Retainers	Bottom Track	Wheels	Retainers	Jambs	Verticals
610005-02	110007	419007	110012	510001	110007 110009	8	8	No	N/A
610007-02	110007	419007	110012	510001	110019	8	8	No	N/A
610060-02	110080	N/A	N/A	510041	110079	8	8	N/A	N/A
610099-02	110007	419007	110012	510001	110078	8	8	N/A	N/A
610146-02	110162	N/A	N/A	510041 410454	110208	8	8	N/A	N/A
610187-02	110008	110024 419030	110140 510241	510041 410381	110178	8	8	Yes	Yes
610190-02	110008	110024 419030	110350 510331	510041 410381	110178	8	8	Yes	Yes

Notes: • Model # -01 indicates that components are fabricated prior to shipping per customer's dimensions

[•] Model # -02 indicates that components are shipped as 12' lengths



Model #610005-01* Model #610005-02*

Standard assembly with removable track designed for easy cleaning


Channel

#110007

Top

Guide

#419007



Model #610007-01 Model #610007-02


Economy assembly using one piece double track

Top Channel

#110007

Top Guide

#419007




Model #610099-01 Model #610099-02

Standard rolling door assembly


Guide #419007 Channel #110007

Top Guide



Notes: • Model # -01 indicates that components are fabricated prior to shipping per customer's dimensions

- Model # -02 indicates that components are shipped as 12' lengths
- Model #610005 has several jamb options that would affect glass size. Please contact Stylmark Customer Care for assistance.





Model #610060-01 Model #610060-02

Double track for use when security is not required

Model #610146-01 Model #610146-02


Double track for use when security is required





Notes: • Model # -01 indicates that components are fabricated prior to shipping per customer's dimensions


• Model # -02 indicates that components are shipped as 12' lengths



These security rolling door assemblies are for 1/4" panels up to 50 pounds.

Model #610143-01

Features the 110008 header and 110012 shoe. Optional door verticals and jambs are available.




Glazing Tape


#119004

Track


Model #610144-01


Features the 110071 top header (back frame) and 110012 shoe.





Door Guide





Model #610145-01

Features the 110102 top header

(back frame) and 110012 shoe.

Top Channel

#110102

Notes: • Model # -01 indicates that components are fabricated prior to shipping per customer's dimensions


Shoe

#110012

Retainer


#410444






Model #610165-01

Multiple tracks allow maximum usage of opening by stacking the doors for open access.




Notes: • Jambs and door verticals are available with fabricated assemblies.


 Model # -01 indicates that components are fabricated prior to shipping per customer's dimensions



Model #610183-01


Features the 110412 shoe with 110102 top header (back frame).






Model #610184-01


Features the 110412 shoe with 110071 top header (back frame).







Model #610185-01

Features the 110412 shoe with 110008 top header (back frame).






Notes: • Model # -01 indicates that components are fabricated prior to shipping per customer's dimensions




Security heavy duty rolling doors for 1/4" panels up to 80 pounds. Door verticals are standard, but you may order without. Assembly numbers 610187, 610188 and 610189 require overlapping doors to allow for alignment of door verticals. In this case, a shoe filler is used in the rear shoe. This overlap also enables glass for both front and rear doors to remain the same size (shown in picture inset).




Notes: • Model # -01 indicates that components are fabricated prior to shipping per customer's dimensions

Model # -02 indicates that components are shipped as 12' lengths



These assemblies feature the 110350 shoe, which accommodates the 4S Bestlock (supplied by others). Used for 1/4" panels up to 80 pounds. Door verticals are standard, but you may order without.



Notes: • Model # -01 indicates that components are fabricated prior to shipping per customer's dimensions

• Model # -02 indicates that components are shipped as 12' lengths



Rolling Doors Door Panel and Glass Sizing Chart

	Wie	dth	Height
Hardware Assembly Number	With Sides & Center Verticals Deduct from Opening Width and Divide by 2	Without Sides & Center Verticals Add to Opening Width and Divide by 2	Deduct from Overall Height
*610005	1-7/8" ④	1" ③	1-15/32"
610007	1-7/8" ④	1" ③	1-7/32"
610060	-	1" ③	45/64"
610099	1-7/8" ④	1" ③	1-7/16"
610143	2-9/16" ①④	5/16" ①③	1-27/32"
610144	2-9/16" ①④	5/16" ①③	2-15/32"
610145	2-9/16" ①④	5/16" ①③	2-15/32
610146	-	1"	13/16"
610165	-	4 (Divide by 3) ②	1-15/16"
610183	-	1-5/16" ①②	2-15/16"
610184	-	1-5/16" ①②	2-15/16"
610185	-	1-5/16" ①②	2-5/16"
610187	2-9/16" ①④	1-5/16" ①②	2-5/16"
610188	2-9/16" ①④	1-5/16" ①②	2-15/16"
610189	2-9/16" ①④	1-5/16" ①②	2-15/16"
610190	5/8" ⑤	-	2-11/16"
610191	5/8" ⑤	-	3-5/16"
610192	5/8" ⑤	-	3-5/16"

Note: * Assembly 610005 has several jamb options that will affect glass size. Please contact Stylmark Customer Service for assistance.

(1) Jambs Included

(2) 2 " Door Overlap (3) 1" Door Overlap

(4) 9/16" Door Overlap


(5) 2 1/2" Door Overlap

Door Jambs and Mullions


Stylmark's door jambs serve as a filler when spaces are not completely plumb and provide a vertical accent. Door mullions are typically used for header support and are recommended for spans of 63" or greater. They also serve as a divider and stop for multiple door applications.

Door Edge Molding and Pulls

When completely framed door panels are desired, door pulls and U-channel edge moldings are used, as shown.



Hardware and Accessories




Notes: • Stock length shoes do not include lock fabrication. Lock hole fabricated by customer.

 $\sqrt{\ }$ = finished surface Drawings are not to scale



Hardware and Accessories



Notes:

- Stock length shoes do not include lock fabrication. Lock hole fabricated by customer.
- *Part #110066 and #110076 are special order only.

 $\sqrt{\ }$ = finished surface Drawings are not to scale

Hardware and Accessories

Part #119004

Part #221014

Part #221015

Part #511178

1

1/4" Black Vinyl Glazing Tape (250 ft)



Gray Bumper

Clear Bumper

STYLMARK

Top Guide Assembly

Part #410381



Security Door Retainer (use with 110140, 110350 or 110412 shoe) Part #410444



3/4" Security Door Retainer (use with 110012 shoe)

Part #410454



1-7/8" Security
Door Retainer

Part #419007



Top Guide

Part #419030



Vinyl Door Guide

Part #510001



Wheel Assembly for 110012

Part #510006



Door Bumper Assembly Part #510014



1/2" Heavy Duty Door Stop Assembly

Part #510015



3/4" Heavy Duty Door Stop Assembly Part #510041



Heavy Duty Wheel Assembly Part #510060



1/2" Heavy Duty
Door Stop Assembly

Part #510241



Endcap Assembly for 110140

Part #510331



Endcap Assembly for 110350

Part #510371



Endcap Assembly for 110412

Part #511040



Chrome Plunger Lock Assembly Part #510808



Chrome Plunger Lock Assembly

Notes:


• Stock length shoes do not include lock fabrication. Lock hole fabricated by customer.

 $\sqrt{\ }$ = finished surface Drawings are not to scale




Wardrobe Doors

Wardrobe Doors from Stylmark are designed to give years of trouble free service. Wheel assemblies are incorporated into the bottom rail, providing a smooth rolling, long lasting unit. Additional features include cantilevered rollers to easily accommodate out-of-plumb field conditions and optional security door styles to provide additional protection.



Cantilevered Rollers These wheels adjust easily to accommodate out-ofplumb field conditions and height variations plus 1 1/2" and minus 5/8"




Ordering Wardrobe Doors				
Model	Description	Dimensions: Width x Height		
630017	2 Door Conventional Style	Opening Size		
630019	2 Door Security Style	Opening Size		
630021	3 Door Conventional Style	Opening Size		
630022	3 Door Security Style	Opening Size		


- **Notes:** Assemblies do not have a vertical jamb member.
 - The maximum weight per door must not exceed 125 pounds in weight, which is equivalent to a 5' x 8' door panel glazed with a 1/4" mirror.
 - Security style doors accept up to 1" diameter locks.
 - Panels provided by others.

Wardrobe Doors


Conventional Door Stile - Part #130026 - 79" Part # 130028 - 95"



Part #130022 Wardrobe Door Header




Part #530024*
T-Bolt Plunger Lock
(Kenstan PLD40T1 Polished Nickel
with two keys)




Wardrobe door assemblies come complete with an accessory package that includes: Rubber bumper, top guide wheel assembly, screws and lock (security style only).

 $\sqrt{\ }$ = finished surface Drawings are not to scale

Security Door Stile - Part #130027 - 106"



Wardrobe Door Track





Part #139007 Glazing Vinyl for 1/4" Panels

Ordering Wardrobe Doors			
Part #	Description		
212030	8 x 1 Pan Head Screw		
212037	8 x 1-1/4 Pan Head Screw		
213036	8-32 x 1-9/16 Screw		
221015	Rubber Bumper		
330017-02	Flocked Top Guide		
530011	Wheel Assembly		

Notes: • *Part #530024 used exclusively with security doors.