

# 2019 Net Price List

Prices effective January 1, 2019

To learn more about the products in this price book, you can view the entire Stylmark product catalog on our website - stylmark.com.

Stylmark, Inc. 6536 Main Street NE, PO Box 32008 Minneapolis, MN 55432

Phone: 800-328-2495 763-574-7474 Fax: 763-574-1415 stylmark.com info@stylmark.com

Contents	Page
Terms & Conditions	. 3-5
Stylmark Warranty Statement	6
Price List Column Descriptions	7
Extrusions, Hardware and Accessories (listed numerically by part numbe	r) 8
Showcases Showcase Frames	
Programs 10 Business Days Wood End Showcase Program	70
Shelving Products	71
LED Light Boxes	
Print Frame	77
LED Mirror Solutions	83
Application for Credit	

Phone: 800-328-2495 763-574-7474 Fax: 763-574-1415 stylmark.com info@stylmark.com

# Terms & Conditions

# To place an ORDER or obtain a QUOTE, please call 800-328-2495 or 763-574-7474 Fax 763-574-1415 info@stylmark.com

# Placing an Order

You may place an order via email, fax or telephone. When placing an order, please specify the part number along with the finish number. Refer to our catalog to verify the stock lengths and the buffed/brushed finished surfaces. All buffed or brushed finishes may be purchased as non-buffed or non-brushed as well. Order acknowledgements will be sent for review. All order change requests are subject to incur a charge.

A minimum order charge of \$50.00 applies to all orders. Product minimums may apply.

### **Lead Times**

Product	<u>Lead Time</u>
Stocked (Finished) Extrusions	1 Business Day*
Stocked (Finished-to-Order) Extrusions	Typically 3 - 4 days
Fabricated Items	Typically 1 - 4 weeks
Curved Materials	Lead times may vary

To maintain the quoted shipping date, email or fax us a purchase order or approval to proceed within 24 hours of receipt of quote.

#### **Prices**

Prices are subject to change without notice. Orders are shipped at prevailing prices at the time of the order. Quotes are valid for 60 days from the date of quote, unless otherwise specified. Prices do not include applicable sales taxes and delivery charges, which will be added to your order.

### **Taxes**

Taxes are based on delivery address. If the company or job is tax exempt, please include a copy of the Tax Exemption Certificate with the order.

# **Methods of Payment**

With approved credit, we will ship your order on an open 30-day account. To open an account, simply request a credit application. The credit approval process may take 1-2 weeks. To expedite your first order, we recommend paying with cash-in-advance. Open accounts are subject to 1%-15 days/net 30 terms.

We accept Visa, Mastercard, and American Express. Prepayment by check is also an option, and we can accept checks via fax. Credit card, prepayment by check or checks via fax are not eligible for the prompt payment discount. Call our Customer Service Department for details.

# Delivery

All orders are shipped F.O.B. Stylmark. Larger orders and 12' lengths are shipped freight via truck lines selected by Stylmark, unless otherwise specified by the customer.

Smaller orders and extrusions cut to 8' or less are shipped best way parcel, prepaid & add unless otherwise specified. Shipping and handling charges for Fed Ex shipments are added to your invoice. Expedited shipping available upon request.

Stylmark reserves the right to ship customer pickup orders via best method if the order has not been picked up within three days of the scheduled date. Special delivery requirements? Please let us know - we will do everything we can to meet your needs.

All freight and processing fees will be charged to the customer if collect freight terms are no longer active or in good standing with the client's chosen freight company.

# Terms & Conditions

# To place an ORDER or obtain a QUOTE, please call 800-328-2495 or 763-574-7474 Fax 763-574-1415 info@stvlmark.com

# Prepay and Add Freight

Eliminate the hassles associated with collect freight deliveries and let us find the most economical rate to meet your requested delivery. We will share the benefits of our established relationships with multiple carriers and pass those savings on to you.

To take advantage of this new option, simply talk to your customer service representative when you are ready to place your order. Once your order is completed and in shipping, our staff will compare up to ten carriers' rates and service levels and select the one that best fits your needs. This option is available to customers with established terms or those that will remit via credit card. NOTE: A second debit for shipping charges will be charged against the credit card when the order ships. NOTE: Additional freight and accessorial charges prepaid by Stylmark may be invoiced separately.

### **International Shipping**

Preferred payment options for international customers are a wire transfer.

Stylmark currently does not arrange international transportation. Customers are responsible to coordinate transportation internationally to their locations.

### **Custom Color Charges**

Stylmark has an extensive library of colors. Special colors may be subject to an additional charge. If you have a color to match or would like a custom color, please call for details. Longer lead times may apply.

# **Quantity Tolerances: Special Orders**

Orders made with customer specified materials or for non-stock goods are subject to a quantity range tolerance of +/- 10%. Order quantities under 300 lbs. per shape are subject to a tolerance of +/- 25%. Please contact us if closer quantity tolerances are required.

# **Extrusion Dies and Tooling**

Unless otherwise designated in writing, all dies and tooling remains the property of Stylmark. We hold tooling for a minimum of two years. If no order is received in any two-year period, we reserve the right to dispose of the tooling.

# Design/ Engineering Charges

For special customer requests, a charge of \$150 per hour may apply. Contact Stylmark Customer Service for details.

#### **Patents**

On orders for customer-specified products, the customer agrees to protect and indemnify Stylmark against any infringement claims.

# Terms & Conditions

# To place an ORDER or obtain a QUOTE, please call 800-328-2495 or 763-574-7474 Fax 763-574-1415 info@stvlmark.com

# **Shortages and Damaged Shipments**

Claims for shortages and damages must be submitted in writing within 5 days of receipt. Provide signed BOL, photos of damaged material and packaging to process a replacement order. Stylmark will file a freight claim for damage and shortages on prepaid shipments if notified within 5 days of receipt. Keep damaged goods and packaging for inspection until advised by the carrier to dispose of them.

If you wish to order replacement parts, call us at 1-800-328-2495.

# **Return Policy**

Stylmark's goal is 100% customer satisfaction. Returned materials should be wrapped for protection and tightly bundled to prevent movement in shipping. We cannot accept returns of materials that have tape marks, scratches, cuts or other imperfections. Large quantity returns are subject to Stylmark approval. Follow these quick steps for a fast return:

- 1. Call 1-800-328-2495 and ask for a Return Material Authorization (RMA) number. Please do not return materials to us without first obtaining an RMA number. If possible, provide an order or invoice number.
- Return the materials to us (shipped prepaid) within 21 days of authorization, clearly marking each package with the RMA number. Include the RMA number on the packing slip. Returns shipped freight collect will be backcharged for freight.

- 3. Under normal conditions, returns are only allowed on standard stock items in standard finishes and will be subject to a restocking charge.
- 4. All material returned will be credited using quantity discount price unless referenced on invoice.
- 5. Upon inspection and approval a credit will be issued to your account.

# **Limited Warranty**

Stylmark products are warranted to be free from defects in workmanship and materials under normal use and service when properly installed. This warranty is limited to actual invoiced charges; we are not liable for any other damages or charges. Refer to Stylmark's complete warranty statement on page 6 for further details.



# Stylmark Warranty Statement

Stylmark, Inc. warrants this product to be free from defects due to workmanship or materials, under normal use and service, for the following warranty period from date of shipment.

#### **Lighting Products:**

- Showcase & Shelf Lights with 24V LED: twenty-four (24) months
- LED Showcase & Shelf Lights with Generation I through Generation IV LED: twelve (12) months
- LED Mirror Products: twenty-four (24) months
- Optima LED Light Boxes: twenty-four (24) months

All other products: thirty (30) days

Any product that is proven to be defective in workmanship or material is returned to Stylmark, Inc. within the applicable warranty period, in accordance with the procedure described below, Stylmark, Inc. will, at its option, either repair, replace or credit the customer for the purchase price of the product, in accordance with the procedure described below. This warranty extends only to persons or organizations that originally purchase the product from Stylmark, Inc.

The expressed warranty above constitutes the entire warranty of Stylmark, Inc. with respect to the products in this catalog and is in lieu of all other warranties, express or implied, including any warranty of merchantability or warranty of fitness for a particular purpose. In no event shall Stylmark, Inc. be responsible for any other costs or damages, including, but not limited to, lost revenue or profits, incidental, special or consequential damages of any nature whatsoever. Stylmark, Inc. products are designed to operate as a system. The use of other manufacturers' equipment in conjunction with Stylmark, Inc. products may be hazardous and therefore automatically voids all warranties. This warranty shall not apply to products that have been altered, improperly used or installed, subject to abnormal use or stress, or repaired by anyone other than Stylmark, Inc. authorized representative. Stylmark, Inc. will not pay labor charges or assume any responsibility for labor expended or material used to replace or repair any equipment without prior written authorization.

The following will apply to the return of any product to Stylmark, Inc. under this warranty:

- i. identified with Stylmark, Inc. Return Material Authorization Number;
- ii. listed individually with Sales Order Number or copy of invoice;
- packed separately from other returns and protected from shipping damage; iii.
- returned to Stylmark, Inc. within the applicable warranty period; iv.
- are received, transportation pre-paid (returns shipped collect will be back-charged for freight), within 21 days of ٧. authorization at (see address below):
- vi. and are found by Stylmark, Inc. inspection to be defective in workmanship or materials under normal use and service; will be handled in accordance with one of the two following procedures, as determined by Stylmark, Inc.:

Credit Procedure. Stylmark, Inc. will issue credit at the actual invoice amount if a copy of that invoice is attached to the packing list. Without an invoice, Stylmark, Inc. will credit using discount pricing.

Repair or Replacement Procedure. Stylmark, Inc. will, at its option, either repair or replace the product free of charge and return it or its replacement lowest cost transportation pre-paid. The replacement will be a functionally equivalent new product. Premium transportation will be used at customer's request and expense.

The warranty will not be honored if:

- product is damaged or missing parts or accessory items. i.
- ii. product exhibits evidence of field misapplications

Final disposition of any warranty claim will be determined solely by Stylmark, Inc. If inspection by Stylmark, Inc. does not disclose any defect covered by the warranty, the product will be returned or scrapped as instructed by the customer and Stylmark, Inc.'s regular service charges will apply. Products returned to the customer may be sent shipping charges collect.

If you have any questions relative to product returns to Stylmark, Inc., contact your Customer Service Representative: Stylmark, Inc.

Customer Care Department 6536 Main Street NE, PO Box 32008 Minneapolis, MN 55432 (800) 328-2495



# **Price List Column Descriptions**

Part Number	Description	Cat. Page Ref.	View	Min- Qty.	Finish	1-5	Discount	Quantity	y Pricing 25-99	8
Number	Descripcion	Ker.	7164		6 Non-Buffed Non-Brushed	1-3	0-10	11-24	23-77	1001
1	(2)	3	4	(5)(	7)Buffed or Brushed					

- 1 Part Number = Stylmark's part number for the item.
- (2) **Description** = Brief description of the item.
- 3 Catalog Page Reference = This is where you will find the item in the Stylmark Catalog. The following abbreviations are used to indicate a section of the catalog: SP=Shelving Products, S=Showcases, FP=Framing and Partition Systems, AT=Architectural Trim and Moldings, BD=Backlit Displays and Transparency Frames, FR=Fitting Rooms, HA=Hardware and Accessories
- 4 View = Side profile of the extrusion's shape. Views are representative only they are not to scale or in proportion to each other.
- Minimum Quantity = Items with a number in this column are special order items. They must be ordered in quantities of at least the number indicated. Please contact Stylmark for pricing on these items.
- Non-Buffed, Non-Brushed Finish = This includes Stylmark's Satin Natural Finish, number 020, and other non-buffed, non-brushed colored finishes. Minor material blemishes may appear in this finish, as it is not buffed or brushed.
- 7 Buffed or Brushed Finish = This includes the following Stylmark finishes:
- 8 Discount Quantity Pricing Price = This is the price of the item when ordered in quantities.. All extrusions are priced per 12 foot stock length, unless indicated otherwise.

110	Buffed Brite Natural	123	Buffed Satin Black	216 Brushed Brite Brown
111	Buffed Brite Brass	124	Buffed Satin White Gold	217 Brushed Brite Pewter
112	Buffed Brite Bronze	126	Buffed Satin Brown	218 Brushed Brite Stainless Steel
113	Buffed Brite Black	127	Buffed Satin Pewter	220 Brushed Satin Natural
114	Buffed Brite White Gold	128	Buffed Satin Stainless Steel	228 Brushed Satin Stainless Steel
116	Buffed Brite Brown	210	Brushed Brite Natural	11BRS80010 Buffed Brite
117	Buffed Brite Pewter	211	Brushed Brite Brass	Medium Light Brass
118	Buffed Brite Stainless Steel	212	Brushed Brite Bronze	11PWT80024 Buffed Brite
120	Buffed Satin Natural	213	Brushed Brite Black	Medium Light Pewter
121	Buffed Satin Brass	214	Brushed Brite White Gold	
122	Buffed Satin Bronze			

Many of the above listed finishes are sampled on our color/finish card; other sample color chips are available upon request.

Finishes other than those listed here are available. For painted, powder coated, or other custom colors and finishes, please call our Customer Service Department.



		Cat.				Discount Quantity Pricing						
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+		
110007	Double Channel 9/16", 12 ft.	RD13	>		Non-Buffed Non-Brushed	14.90	14.30	14.01	13.71	13.41		
110007	Double Chainlet 9716 , 121t.	KUIS			Buffed or Brushed	19.26	18.49	18.10	17.72	17.33		
110008	Double Channel 13/16", 12 ft.	RD13	>		Non-Buffed Non-Brushed	19.34	18.57	18.18	17.79	17.41		
110000	bouble charmet 13710 , 121t.	ND13			Buffed or Brushed	24.91	23.92	23.42	22.92	22.42		
110009	Drop-In Track, 12 ft.	RD13			Non-Buffed Non-Brushed	9.11	8.74	8.56	8.38	8.20		
110012	Shoe, 12 ft.	RD13	> -		Non-Buffed Non-Brushed	14.28	13.71	13.42	13.14	12.85		
110012	3110e, 12 ft.	SC9	. 8		Buffed or Brushed	20.95	20.11	19.69	19.27	18.85		
110014	Glide Shoe, 12 ft. (works with 110021 Glide	RD13	>		Non-Buffed Non-Brushed	11.55	11.09	10.86	10.62	10.39		
110014	Track and 310017 Guide)	KDI3			Buffed or Brushed	15.81	15.18	14.86	14.55	14.23		
110019	Dans Too 3/4", 42 ft	11424			Non-Buffed Non-Brushed	13.42	12.89	12.62	12.35	12.08		
110018	Deep Tee 3/4", 12 ft.	HA21	<u></u>		Buffed or Brushed	19.72	18.93	18.53	18.14	17.74		
110019	Double Track, 12 ft.	RD13			Non-Buffed Non-Brushed	13.37	12.84	12.57	12.30	12.03		
110021	Glide Track, 12 ft. (works with 110014 Glide Shoe and 310017 Guide)	RD13	الـالـ		Non-Buffed Non-Brushed	11.08	10.64	10.42	10.19	9.97		
110022	Single Channel 9/16", 12 ft.	HA7	_		Non-Buffed Non-Brushed	11.16	10.72	10.49	10.27	10.05		
110022	Single Chainet 9/16 , 12 ft.	RD13			Buffed or Brushed	15.39	14.78	14.47	14.16	13.85		
110022	12/14" Single Channel 12 ft	HA7	- N		Non-Buffed Non-Brushed	12.74	12.23	11.98	11.72	11.47		
110023	13/16" Single Channel, 12 ft.	RD13			Buffed or Brushed	19.37	18.60	18.21	17.82	17.43		
110024	Edge Molding, 12 ft.	RD13 HA7			Non-Buffed Non-Brushed	9.87	9.47	9.27	9.08	8.88		
113024	Luge moturing, 12 It.	SC5			Buffed or Brushed	13.13	12.61	12.35	12.08	11.82		
110026	Edge Molding, 12 ft.	HA26 RD13 SC5	√ √		Non-Buffed Non-Brushed	13.23	12.70	12.44	12.17	11.91		
113020	Lage motuning, 12 It.	\$8 \$8	\ \ \		Buffed or Brushed	17.97	17.25	16.89	16.53	16.17		

		Cat.					Discount	t Quantit	y Pricing	
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
110027	Door Pull, 12 ft.	HA17			Non-Buffed Non-Brushed	15.08	14.48	14.18	13.88	13.58
110027	D001 Futt, 12 It.	RD13	) <		Buffed or Brushed	20.84	20.01	19.59	19.17	18.76
110028	Flush Door Pull, 12 ft.	HA17 RD13	\ \( \sqrt{1} \)		Non-Buffed Non-Brushed	20.28	19.47	19.06	18.66	18.25
110020	rtasii booi ratt, 12 ft.	SC5			Buffed or Brushed	30.24	29.03	28.43	27.82	27.22
110029	Door Pull, 12 ft.	HA17	<b>√</b> ∫		Non-Buffed Non-Brushed	24.79	23.80	23.30	22.81	22.31
110027	2001 Tukk, 12 Tt.	RD13	<u></u>		Buffed or Brushed	34.46	33.08	32.39	31.70	31.01
110030	1/2" Angle, 12 ft.	HA3	7		Non-Buffed Non-Brushed	9.20	8.83	8.65	8.47	8.28
110030	172 Aligie, 12 It.	SC15	<u> </u>		Buffed or Brushed	13.36	12.82	12.56	12.29	12.02
110034	3/4" Angle 12 ft	HA3			Non-Buffed Non-Brushed	12.01	11.53	11.29	11.05	10.81
110034	110034 3/4" Angle, 12 ft.   F	TIAS	<u> </u>		Buffed or Brushed	16.96	16.29	15.95	15.61	15.27
110035	Slide Track, 12 ft.	RD13			Non-Buffed Non-Brushed	10.34	9.93	9.72	9.52	9.31
110033	(use with 119006)	KDIS			Buffed or Brushed	13.29	12.76	12.49	12.23	11.96
110036	Slide Double Channel, 12 ft.	RD13	>		Non-Buffed Non-Brushed	14.77	14.18	13.89	13.59	13.29
	State Boaste Chamilet, 12 1t.	NO 13	U U		Buffed or Brushed	16.88	16.21	15.87	15.53	15.19
110050	1" x 1/2" Bar, 12 ft.	HA11	<b>√</b>		Non-Buffed Non-Brushed	49.91	47.91	46.91	45.92	44.92
110030	1 × 1/2 but, 121c.	TIATT	7		Buffed or Brushed	55.35	53.14	52.03	50.93	49.82
110051	2" x 1/2" Bar, 12 ft.	HA11			Non-Buffed Non-Brushed	86.86	83.39	81.65	79.92	78.18
110031	Z X 17Z Bui, 121c.	TIATT	7 <		Buffed or Brushed	97.60	93.69	91.74	89.79	87.84
110061	Jamb, 12 ft.	HA24			Non-Buffed Non-Brushed	15.64	15.01	14.70	14.39	14.08
. 10001		RD13			Buffed or Brushed	20.75	19.92	19.50	19.09	18.67
110063	Double Channel Track, 12 ft.	RD13	7[[]		Non-Buffed Non-Brushed	14.75	14.16	13.86	13.57	13.27
113003	Bouble channel fluck, 12 ft.	ועוטו			Buffed or Brushed	20.72	19.89	19.48	19.06	18.65

		Cat.					Discount	t Quantit	y Pricing	
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
110065	Anti lumo Strip 12 ft	RD13	\		Non-Buffed Non-Brushed	8.58	8.24	8.07	7.89	7.72
110063	Anti-Jump Strip, 12 ft.	HA21			Buffed or Brushed	10.39	9.97	9.77	9.56	9.35
110066	19° Shoe, 12 ft.	RD14		116		Special (	Order - Ca	ll for Pric	ing	
110067	Doon Shoo 12 ft	DD14			Non-Buffed Non-Brushed	18.05	17.33	16.97	16.61	16.24
110067	Deep Shoe, 12 ft.	RD14			Buffed or Brushed	22.75	21.84	21.38	20.93	20.47
110069	Door Pull 12 ft	HA17 RD14			Non-Buffed Non-Brushed	18.86	18.11	17.73	17.35	16.98
110009	Door Pull, 12 ft.	SC5			Buffed or Brushed	25.24	24.23	23.73	23.22	22.72
110071	Showcasa Channel 12 ft	SC29	>[W][W]		Non-Buffed Non-Brushed	43.67	41.93	41.05	40.18	39.31
110071	Showcase Channel, 12 ft.	RD14			Buffed or Brushed	50.93	48.89	47.87	46.86	45.84
110076	35° Deep Shoe, 12 ft.	RD14		101		Special (	Order - Ca	ll for Pric	ing	
440070	Character 42.6	DD4.4	~ <u>  [] [] [</u>		Non-Buffed Non-Brushed	18.44	17.70	17.33	16.96	16.60
110078	Channel Track, 12 ft.	RD14			Buffed or Brushed	23.83	22.88	22.40	21.93	21.45
110079	Wood Door Track, 12 ft.	RD14			Non-Buffed Non-Brushed	13.95	13.40	13.12	12.84	12.56
440000	T 11.51 1.42.6	RD14			Non-Buffed Non-Brushed	15.22	14.61	14.30	14.00	13.70
110080	Top U-Channel, 12 ft.	SC5 HA7			Buffed or Brushed	20.14	19.33	18.93	18.53	18.13
440097	1/2" O.D. Tube, 3/64" thick,	11422	1		Non-Buffed Non-Brushed	12.35	11.85	11.61	11.36	11.11
110087	12 ft.	HA22	1		Buffed or Brushed	14.19	13.63	13.34	13.06	12.77
110090	Showcase Angle, 12 ft.	HA3			Non-Buffed Non-Brushed	13.15	12.62	12.36	12.10	11.83
110090	Showcase Aligie, 12 It.	CALL	Λ.		Buffed or Brushed	17.77	17.06	16.70	16.35	15.99
110093	13/16" Tee Molding, 12 ft	HA21			Non-Buffed Non-Brushed	11.48	11.02	10.79	10.56	10.33
110073	137 TO TEE MORNING, 12 TE	11041	77		Buffed or Brushed	15.28	14.67	14.36	14.06	13.75

		Cat.				Discount Quantity Pricing						
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+		
110000	3/4" x 1/16" Reflector Strip,	HA11	_		Non-Buffed Non-Brushed	7.91	7.59	7.43	7.27	7.12		
110099	12 ft.	SC29			Buffed or Brushed	12.13	11.65	11.40	11.16	10.92		
440403	Top Rear Showcase Channel,	RD29	\ \		Non-Buffed Non-Brushed	50.00	48.00	47.00	46.00	45.00		
110102	12 ft.	KD29			Buffed or Brushed	55.02	52.82	51.72	50.62	49.52		
110104	2/4" 4° Clant Ton	11447	> \		Non-Buffed Non-Brushed	31.71	30.45	29.81	29.18	28.54		
110104	3/4" - 4° Slant Top Drawer Pull, 12 ft.	HA17			Buffed or Brushed	37.67	36.16	35.41	34.65	33.90		
110105	13/16" Slant Top Drawer Pull,	HA17	> 🗍		Non-Buffed Non-Brushed	34.08	32.71	32.03	31.35	30.67		
110105	12 ft.	НА17			Buffed or Brushed	40.34	38.73	37.92	37.12	36.31		
440407	Mullion 42 G	RD14	78		Non-Buffed Non-Brushed	51.44	49.38	48.35	47.32	46.30		
110106 Mullion, 12 ft.	Multion, 12 ft.	HA24 SC15			Buffed or Brushed	57.27	54.98	53.83	52.69	51.54		
440407	5 5 42.6	SC15			Non-Buffed Non-Brushed	18.75	18.00	17.62	17.25	16.87		
110107	Front Frame, 12 ft.	HA24			Buffed or Brushed	23.38	22.45	21.98	21.51	21.04		
110108	3/4" Flat Guard Drawer Pull,	11447	>		Non-Buffed Non-Brushed	27.19	26.10	25.56	25.02	24.47		
110108	12 ft.	HA17			Buffed or Brushed	33.40	32.06	31.39	30.73	30.06		
110111	Drawer Pull with Label	HA17	> 🗇		Non-Buffed Non-Brushed	37.02	35.54	34.80	34.06	33.31		
110111	Holder, 12 ft.	ПАТ			Buffed or Brushed	40.92	39.28	38.46	37.64	36.83		
440442	4" Course Table 4/4/" Abial	11422	<b>V</b>		Non-Buffed Non-Brushed	26.87	25.79	25.26	24.72	24.18		
110113	1" Square Tube, 1/16" thick, 12 ft.	HA23	7		Buffed or Brushed	48.84	46.89	45.91	44.93	43.96		
110114	1" Square Tube with Leg, 12 ft.	HA23	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	78		Special (	Order - Ca	ll for Pric	ing			
110440	Cognitive Change 1 42 ft	SC15			Non-Buffed Non-Brushed	13.34	12.80	12.54	12.27	12.00		
110119	Security Channel, 12 ft.	HA27			Buffed or Brushed	17.12	16.44	16.10	15.75	15.41		



		Cat.				Discount Quantity Pricing					
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+	
440422	Top and Side Glass Support,	SC15			Non-Buffed Non-Brushed	25.60	24.58	24.07	23.55	23.04	
110122	12 ft.	HA27			Buffed or Brushed	28.43	27.29	26.72	26.15	25.59	
440424	Day Charact 42.6	11427	n		Non-Buffed Non-Brushed	15.86	15.22	14.90	14.59	14.27	
110124	Base Channel, 12 ft.	HA27	حــدددا حــ		Buffed or Brushed	20.70	19.87	19.46	19.04	18.63	
440425	Clarity Channel 42 G	11427	√ 		Non-Buffed Non-Brushed	13.17	12.64	12.38	12.11	11.85	
110125	Glazing Channel, 12 ft.	HA27			Buffed or Brushed	19.39	18.62	18.23	17.84	17.45	
440427	Too French French 42 ft	HA24			Non-Buffed Non-Brushed	13.29	12.75	12.49	12.22	11.96	
110127	Top Front Frame, 12 ft.	SC15			Buffed or Brushed	18.42	17.68	17.31	16.95	16.58	
440420	Ton France Dans 42 ft	SC5			Non-Buffed Non-Brushed	22.77	21.86	21.40	20.95	20.49	
110128 Top Frame Rear, 12 ft.	303			Buffed or Brushed	27.62	26.52	25.97	25.41	24.86		
440420	D. H	564	>		Non-Buffed Non-Brushed	16.82	16.15	15.81	15.47	15.14	
110129	Bottom Frame, 12 ft.	SC4			Buffed or Brushed	18.58	17.84	17.47	17.10	16.73	
110120	2 11 12 6	554			Non-Buffed Non-Brushed	53.59	51.45	50.38	49.31	48.23	
110130	Rear Header, 12 ft.	SC4			Buffed or Brushed	60.41	57.99	56.78	55.57	54.37	
440424	Front Ventinal 42 G				Non-Buffed Non-Brushed	18.64	17.90	17.52	17.15	16.78	
110131	Front Vertical, 12 ft.	SC8			Buffed or Brushed	22.53	21.63	21.18	20.73	20.28	
440422	December 1991 42.6	564	<u> </u>		Non-Buffed Non-Brushed	41.96	40.29	39.45	38.61	37.77	
110132	Rear Vertical, 12 ft.	SC4			Buffed or Brushed	50.42	48.40	47.39	46.39	45.38	
110122	Jamb 12 ft	SCA	\		Non-Buffed Non-Brushed	29.35	28.17	27.59	27.00	26.41	
110133	Jamb, 12 ft.	SC4	t   [		Buffed or Brushed	40.96	39.32	38.51	37.69	36.87	
110434	Channel Wirey 42 ft	SC 4			Non-Buffed Non-Brushed	9.71	9.32	9.13	8.94	8.74	
110134	Channel, Wireway, 12 ft.	SC4	<u> </u>		Buffed or Brushed	14.85	14.26	13.96	13.66	13.36	

		Cat.				Discount Quantity Pricing						
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+		
110135	Reflector Chall 12 ft	SC26	7 10		Non-Buffed Non-Brushed	30.71	29.49	28.87	28.26	27.64		
110133	Reflector, Shell, 12 ft.	3C20	- N		Buffed or Brushed	50.68	48.65	47.64	46.63	45.61		
110137	Cover T with 1/4" Return,	SC15	<b>√</b>		Non-Buffed Non-Brushed	13.84	13.29	13.01	12.74	12.46		
110137	12 ft.	HA24			Buffed or Brushed	15.92	15.29	14.97	14.65	14.33		
110140	Heavy Duty Shoe, 12 ft. (works with Endcap Assembly	SC5			Non-Buffed Non-Brushed	23.28	22.35	21.88	21.42	20.95		
110140	510241)	RD14	~       <		Buffed or Brushed	29.03	27.87	27.29	26.71	26.13		
110141	135° Rear Vertical, 12 ft.		> 2 2		Non-Buffed Non-Brushed	107.07	102.79	100.65	98.51	96.36		
110141	133 Real Vertical, 12 ft.		7 7		Buffed or Brushed	123.86	118.90	116.43	113.95	111.47		
110142	135° Front Vertical 12 ft	SC8	×î⁄a		Non-Buffed Non-Brushed	13.64	13.09	12.82	12.55	12.27		
110142	1142 135° Front Vertical, 12 ft. Si	300	/* <u>\</u>		Buffed or Brushed	18.94	18.18	17.80	17.42	17.04		
110143	Rear Top Frame, Extended,		5-7-3		Non-Buffed Non-Brushed	21.29	20.44	20.02	19.59	19.16		
110113	12 ft.				Buffed or Brushed	23.26	22.33	21.86	21.40	20.93		
110144	Jamb, Upright, 12 ft.	SC4	>		Non-Buffed Non-Brushed	13.65	13.10	12.83	12.56	12.28		
			U		Buffed or Brushed	18.10	17.38	17.02	16.66	16.29		
110145	Cover Channel, 12 ft.		<b>7</b> - <b>C</b>		Non-Buffed Non-Brushed	15.87	15.23	14.91	14.60	14.28		
110143	Cover channet, 12 ft.		^		Buffed or Brushed	21.05	20.20	19.78	19.36	18.94		
110146	Security Top Channel, 12 ft.	SC4	√ √		Non-Buffed Non-Brushed	14.76	14.17	13.88	13.58	13.29		
110140	Security top charmet, 12 fc.	304			Buffed or Brushed	18.99	18.23	17.85	17.47	17.09		
110147	Channel, 12 ft.	SC4	√ √		Non-Buffed Non-Brushed	12.06	11.58	11.34	11.10	10.85		
11014/	Charliet, 12 It.	304			Buffed or Brushed	15.22	14.61	14.31	14.01	13.70		
110150	1-1/2" x 1-1/2" x 1/8"	HA3			Non-Buffed Non-Brushed	36.56	35.10	34.37	33.64	32.91		
110150	Angle, 12 ft.	TIAS	<u> </u>		Buffed or Brushed	44.49	42.71	41.82	40.93	40.04		

		Cat.					Discount	t Quantit	y Pricing	
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
440452	Harry Date Halding 42 ft	S9	7		Non-Buffed Non-Brushed	28.45	27.32	26.75	26.18	25.61
110153	Heavy Duty Molding, 12 ft.	HA26			Buffed or Brushed	38.24	36.71	35.95	35.18	34.42
110156	Hinge Molding, 12 ft.	S8	> [] _		Non-Buffed Non-Brushed	20.60	19.78	19.36	18.95	18.54
110130	Tillige Motuling, 12 It.	HA26			Buffed or Brushed	25.63	24.61	24.10	23.58	23.07
110157	Glazing Strip, 12 ft.	SC8	<b>←</b>		Non-Buffed Non-Brushed	8.57	8.22	8.05	7.88	7.71
440450	1" x 1/2" x 1/16" Angle,	1142	7		Non-Buffed Non-Brushed	10.78	10.35	10.13	9.91	9.70
110159	12 ft.	HA3	<i>/</i>		Buffed or Brushed	15.38	14.76	14.46	14.15	13.84
	2-1/2" x 1-3/4" Tube,		√ 		Non-Buffed Non-Brushed	84.56	81.18	79.49	77.80	76.10
110160	12 ft.	HA23	7 2		Buffed or Brushed	107.05	102.77	100.63	98.49	96.35
		HA7			Non-Buffed Non-Brushed	17.78	17.07	16.72	16.36	16.00
110162	1-3/16" Top Channel, 12 ft.	RD14	7     4		Buffed or Brushed	24.28	23.31	22.82	22.34	21.85
					Non-Buffed Non-Brushed	7.72	7.41	7.26	7.11	6.95
110164	Hinge Plate, 12 ft.	HA26			Buffed or Brushed	13.92	13.37	13.09	12.81	12.53
110172	411 411 474411 4 4 2 6		7		Non-Buffed Non-Brushed	14.73	14.14	13.85	13.56	13.26
110165	1" x 1" x 1/16" Angle, 12 ft.	HA3	<u>γ</u>		Buffed or Brushed	18.74	17.99	17.62	17.24	16.87
440477	4" 4 /0" Chris 42 fb	11444	√		Non-Buffed Non-Brushed	14.51	13.93	13.64	13.35	13.05
110166	1" x 1/8" Strip, 12 ft.	HA11			Buffed or Brushed	19.61	18.82	18.43	18.04	17.65
110167	2" x 2" X 1/8" Angle, 12 ft.	HA3	7		Non-Buffed Non-Brushed	50.00	48.00	47.00	46.00	45.00
11016/	2 A 2 A 1/0 Aligie, 12 II.	CAFI	<u> </u>		Buffed or Brushed	61.85	59.38	58.14	56.91	55.67
140440	1-1/2" x 3/4" x 1/8" Angle,	1142			Non-Buffed Non-Brushed	26.08	25.04	24.52	24.00	23.48
110168	12 ft.	HA3	Λ		Buffed or Brushed	32.99	31.67	31.01	30.35	29.69

		Cat.				Discount Quantity Pricing					
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+	
440474	1-1/4" x 3/32" Flat Bar,	11444			Non-Buffed Non-Brushed	14.16	13.59	13.31	13.03	12.74	
110171	12 ft.	HA11			Buffed or Brushed	18.78	18.03	17.65	17.28	16.90	
440470	6 11 7 1 12 6	SC66	-1 N N 1		Non-Buffed Non-Brushed	23.08	22.16	21.70	21.24	20.77	
110178	Security Track, 12 ft.	RD14	- []		Buffed or Brushed	27.34	26.25	25.70	25.16	24.61	
110180	5/8" x 7/16" x 1/16" Angle,	HA3	7		Non-Buffed Non-Brushed	9.59	9.21	9.02	8.83	8.64	
110180	12 ft.	SC4	<u> </u>		Buffed or Brushed	14.20	13.63	13.35	13.06	12.78	
110181	135° Molding, 12 ft.	HA28			Non-Buffed Non-Brushed	31.59	30.32	29.69	29.06	28.43	
110181	133 Molding, 12 It.	ПАZO	7		Buffed or Brushed	40.32	38.70	37.90	37.09	36.28	
110192	4 4 / 4" y 2 / 9" y 4 / 4 6" Anglo	HA3	> [		Non-Buffed Non-Brushed	12.05	11.57	11.33	11.08	10.84	
110182	1-1/4" x 3/8" x 1/16", Angle 12 ft.	ПАЗ	TIAS		Buffed or Brushed	18.33	17.59	17.23	16.86	16.49	
110184	1-1/2" Radius Cover Trim, 12 ft.	FM16		37		Special (	Order - Ca	ll for Pric	ing		
110192	Front Frame with Lin 12 ft	SC15	\ 		Non-Buffed Non-Brushed	21.92	21.04	20.61	20.17	19.73	
110192	Front Frame with Lip, 12 ft.	HA24			Buffed or Brushed	26.63	25.56	25.03	24.50	23.97	
110194	Cover Strip 12 ft	G16			Non-Buffed Non-Brushed	18.07	17.35	16.99	16.63	16.27	
110194	Cover Strip, 12 ft.	GIO			Buffed or Brushed	19.12	18.35	17.97	17.59	17.21	
	Security Top and Side Glass	SC15	J		Non-Buffed Non-Brushed	24.05	23.09	22.60	22.12	21.64	
110195	Support, 12 ft.	HA27			Buffed or Brushed	26.86	25.78	25.24	24.71	24.17	
110104	Transparancy Frame 12 ft	S11			Non-Buffed Non-Brushed	37.27	35.78	35.03	34.29	33.54	
110196	Transparency Frame, 12 ft.	HA25	^		Buffed or Brushed	44.66	42.88	41.98	41.09	40.20	
110197	Z-Strip for 1/2" Panel, 12 ft.	HA25 S15			Non-Buffed Non-Brushed	17.96	17.24	16.88	16.52	16.17	
110198	Face Frame, 12 ft.	S15 HA25			Non-Buffed Non-Brushed	19.25	18.48	18.09	17.71	17.32	
110170	race frame, 12 ft.	11023			Buffed or Brushed	21.91	21.04	20.60	20.16	19.72	



		Cat.					Discount	Quantit	y Pricing	
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
440200	1-1/2" Diameter Half Round,	ATO	√ 		Non-Buffed Non-Brushed	21.54	20.68	20.25	19.82	19.39
110200	12 ft. (works with Endcap 310204 and Base 410443)	AT9			Buffed or Brushed	30.86	29.63	29.01	28.39	27.78
110201	2" Diameter Half Round,	AT9	<b>√</b>		Non-Buffed Non-Brushed	24.22	23.26	22.77	22.29	21.80
110201	12 ft. (works with Endcaps 310205 and Base 410443)	AI9			Buffed or Brushed	30.07	28.86	28.26	27.66	27.06
	3" Diameter Half Round,		<b>V</b>		Non-Buffed Non-Brushed	48.39	46.46	45.49	44.52	43.55
110202	12 ft. (works with Endcaps 310206, and Base 410540)	AT9			Buffed or Brushed	63.97	61.41	60.13	58.85	57.57
	Heavy Duty Hinge Plate,	HA26			Non-Buffed Non-Brushed	17.26	16.57	16.22	15.88	15.53
110204	12 ft.	S15			Buffed or Brushed	21.85	20.97	20.54	20.10	19.66
			0		Non-Buffed Non-Brushed	28.02	26.90	26.34	25.78	25.22
110208	Security Track, 12 ft.	RD14	7 <u> </u>		Buffed or Brushed	35.60	34.17	33.46	32.75	32.04
	4" Diameter Half Round,		<b>√</b>		Non-Buffed Non-Brushed	61.80	59.33	58.09	56.86	55.62
110210	12 ft. (works with Endcap 310207 and Base 410458)	AT10			Buffed or Brushed	82.04	78.75	77.11	75.47	73.83
	6" Diameter Half Round,		1		Non-Buffed Non-Brushed	97.73	93.82	91.86	89.91	87.96
110212	12 ft. (works with Endcap 310209 and Base 412002)	AT10			Buffed or Brushed	126.15	121.11	118.58	116.06	113.54
	Crown Wall Trim, 12 ft. (works with LH Endcap				Non-Buffed Non-Brushed	58.34	56.01	54.84	53.86	52.51
110214	310211, RH Endcap 310210, and Base 410458)	AT14	\[ \sum_{\nu} \]		Buffed or Brushed	61.91	59.43	58.19	56.95	55.71
			√  ¶_}		Non-Buffed Non-Brushed	138.39	132.85	130.09	127.32	124.55
110215	2-Way 180° Vertical, 12 ft.	G16			Buffed or Brushed	146.41	140.56	137.63	134.70	131.77
			√ n		Non-Buffed Non-Brushed	14.13	13.57	13.29	13.00	12.72
110216	Door Stop Jamb, 12 ft.	HA24			Buffed or Brushed	21.00	20.16	19.74	19.32	18.90
		C1.4	7,7		Non-Buffed Non-Brushed	75.61	72.59	71.07	69.56	68.05
110220	Face Frame Mullion, 12 ft.	S14 HA24	<u> </u>		Buffed or Brushed	79.80	76.61	75.01	73.42	71.82

		Cat.					Discount	t Quantit	y Pricing	
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
110223	1-3/8" x 21/64" Rectangular Trim, 12 ft. (works with	AT11	√ √		Non-Buffed Non-Brushed	18.43	17.69	17.32	16.95	16.58
110223	Endcap 310212 and Base 410443)	AIII	7 5 7 4		Buffed or Brushed	28.52	27.38	26.81	26.24	25.67
110224	Glazing, Jamb, without leg,	S10	<b>→</b>		Non-Buffed Non-Brushed	10.95	10.52	10.30	10.08	9.86
110224	12 ft.	310	7		Buffed or Brushed	14.39	13.81	13.53	13.24	12.95
110225	1-1/2" x 1/2" Rectangular Trim, 12 ft. (works with	AT11	√		Non-Buffed Non-Brushed	23.20	22.28	21.81	21.35	20.88
110223	Endcap 310213 and Base 410443)	AIII	7 2		Buffed or Brushed	32.47	31.17	30.52	29.87	29.22
110226	3" x 3/4" Rectangular Trim, 12ft. (works with Endcap	AT11	√ √		Non-Buffed Non-Brushed	45.60	43.77	42.86	41.95	41.04
110220	310214 and Base 410540)	AIII			Buffed or Brushed	63.11	60.59	59.32	58.06	56.80
440227	4" x 3/4" Rectangular Trim,	AT44	√		Non-Buffed Non-Brushed	60.29	57.88	56.67	55.47	54.26
110227	12 ft. (works with Endcap 310215 and Base 412272)	AT11	7		Buffed or Brushed	85.13	81.72	80.02	78.32	76.62
110228	Front Frame Molding, 12 ft.	HA24	>		Non-Buffed Non-Brushed	10.29	9.87	9.67	9.46	9.26
	3,				Buffed or Brushed	17.55	16.85	16.50	16.15	15.80
110229	3-1/2" x 1/8" Rectangular Bar,	HA11	√		Non-Buffed Non-Brushed	45.55	43.73	42.82	41.91	41.00
110227	12 ft.	IIAII			Buffed or Brushed	55.91	53.67	52.55	51.44	50.32
110232	4" x 2" Rectangular Trim, 12 ft. (works with Endcap	AT11	<b>√</b>		Non-Buffed Non-Brushed	53.72	51.57	50.50	49.42	48.35
110232	310218 and Base 410458)	AIII	7 ] <		Buffed or Brushed	64.32	61.74	60.46	59.17	57.89
110233	1-3/8" Inside Cove, 12 ft. (works with Endcap 310219 and Base 410443)	AT14		97		Special (	Order - Ca	ll for Pric	ing	
110234	4" Cornice Trim, 12 ft. (works with LH Endcap 310221, RH Endcap 310220 and Base 410458)	AT14		51		Special (	Order - Ca	ıll for Pric	ing	
110244	4-1/2" x 1-1/2" Stepped Trim, 12 ft. (works with LH Endcap	AT14			Non-Buffed Non-Brushed	62.80	60.29	59.03	57.78	56.52
110244	310228, RH Endcap 310227 and Base 410458)	ALIT	, ,		Buffed or Brushed	79.45	76.28	74.69	73.10	71.51
110245	3" x 1.5" Rectangular Trim, 12 ft. (works with Endcap 310229 and Base 410540)	AT11	7	43		Special (	Order - Ca	ıll for Pric	ing	



		Cat.					Discount	Quantit	y Pricing	
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
110248	1" X 1/2" Rectangular Trim, 12 ft. (works with Base	AT11	√ √		Non-Buffed Non-Brushed	19.88	19.09	18.69	18.29	17.90
110246	411331)	AIII	7		Buffed or Brushed	28.91	27.76	27.18	26.60	26.02
110251	Shoo Filler, 12 ft	RD14	√ 		Non-Buffed Non-Brushed	4.64	4.46	4.36	4.27	4.18
110231	Shoe Filler, 12 ft.	HA7			Buffed or Brushed	5.57	5.35	5.24	5.13	5.01
110258	Pull, 12 ft.	HA17	~		Non-Buffed Non-Brushed	47.55	45.64	44.69	43.74	42.79
110236	Putt, 12 It.	ПАТ			Buffed or Brushed	57.91	55.59	54.44	53.28	52.12
110240	5" x 3/4" Rectangular Trim,	AT42	√		Non-Buffed Non-Brushed	50.34	48.32	47.32	46.31	45.30
110260	12 ft. (works with Endcap 310233 and Base 412002)	AT13	> [		Buffed or Brushed	70.90	68.06	66.64	65.23	63.81
440247	3/4" Diameter Half Round,	470	<b>V</b>		Non-Buffed Non-Brushed	8.30	7.97	7.80	7.63	7.47
110267	12 ft. (works with Endcap 310395 and Base 411331)	AT9			Buffed or Brushed	11.66	11.20	10.96	10.73	10.50
110268	Z-Strip for 1/4" Panel, 12 ft.	HA25 S11			Non-Buffed Non-Brushed	14.00	13.44	13.16	12.88	12.60
110269	6" x 3/4" Rectangular Trim,	AT11	V		Non-Buffed Non-Brushed	88.86	85.31	83.53	81.75	79.97
110269	12 ft. (works with Endcap 310235 and Base 412002)	AIII	>11		Buffed or Brushed	130.43	125.22	122.61	120.00	117.39
110286	3" Radius Quarter Round, 12 ft. (works with LH Endcap	AT66			Non-Buffed Non-Brushed	48.98	47.02	46.04	45.06	44.08
110280	310242, RH Endcap 310239 and Base 410540)	AIOO			Buffed or Brushed	63.57	61.03	59.76	58.48	57.21
110289	Bottom Frame, Low Profile,	SC5			Non-Buffed Non-Brushed	14.52	13.94	13.65	13.36	13.06
110207	12 ft.	503	7 2 5		Buffed or Brushed	18.99	18.23	17.85	17.47	17.10
110290	1-1/2" Radius Quarter Round, 12 ft. (works with LH Endcap	AT6			Non-Buffed Non-Brushed	33.96	32.60	31.92	31.24	30.56
. 10270	310243, RH Endcap 310240, and base 410443)	0	J2		Buffed or Brushed	43.34	41.60	40.74	39.87	39.00
110293	2-1/2" x 1" Angle, 12 ft.	HA3	>		Non-Buffed Non-Brushed	30.33	29.12	28.51	27.90	27.30
			Λ.		Buffed or Brushed	42.21	40.52	39.67	38.83	37.99

		Cat.					Discount	t Quantity	y Pricing	
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
110294	1-1/2" x 1/2" Scalloped Rectangular, 12ft. (works	AT11	√ 		Non-Buffed Non-Brushed	20.25	19.44	19.03	18.63	18.22
110294	with Endcap 310241 and Base 410443)	AIII			Buffed or Brushed	28.45	27.31	26.74	26.17	25.60
110295	2" Half Round with 3/4" Returns, 12 ft. (works with	AT6			Non-Buffed Non-Brushed	33.60	32.26	31.59	30.91	30.24
	Endcap 310205 and Base 410443)	76			Buffed or Brushed	47.17	45.28	44.34	43.39	42.45
110296	3/4" Radius Quarter Round, 12 ft. (works with LH Endcap	AT11			Non-Buffed Non-Brushed	10.92	10.49	10.27	10.05	9.83
	310374, RH Endcap 310375 and Base 411331)	7			Buffed or Brushed	15.46	14.85	14.54	14.23	13.92
110298	1-1/2" Tee, 12 ft.	HA21			Non-Buffed Non-Brushed	33.35	32.02	31.35	30.68	30.02
110270	1-1/2 166, 12 10.	HAZI			Buffed or Brushed	44.56	42.78	41.89	41.00	40.11
440200	1-1/4" Radius Quarter Round, 12 ft. (works with LH Endcap	AT.			Non-Buffed Non-Brushed	28.11	26.99	26.43	25.86	25.30
110299	310245, RH Endcap 310244 and Base 410530)	AT6			Buffed or Brushed	42.30	40.61	39.76	38.92	38.07
		S11	[		Non-Buffed Non-Brushed	28.66	27.51	26.94	26.37	25.79
110300	Extended Face Frame, 12 ft.	HA25	7 <u>5</u> 7		Buffed or Brushed	36.60	35.14	34.40	33.67	32.94
110201	2-7/8" Fluted Trim, 12 ft.	AT1 4	√		Non-Buffed Non-Brushed	43.17	41.44	40.58	39.71	38.85
110301	(works with Endcap 310246 and Base 410540)	AT14			Buffed or Brushed	60.58	58.16	56.95	55.73	54.52
110304	2-1/4" x 1/2" Rectangular Trim, 12 ft. (work with	AT11	√		Non-Buffed Non-Brushed	35.96	34.52	33.80	33.08	32.36
110304	Endcap 310251 and Base 410443)	AIII	7		Buffed or Brushed	52.64	50.54	49.48	48.43	47.38
44020E	7" 4 /4/." Tains Chain 9 66	11444			Non-Buffed Non-Brushed	59.99	57.59	56.39	55.19	53.99
110305	7" x 1/16" Trim Strip, 8 ft	HA11			Buffed or Brushed	77.05	73.96	72.42	70.88	69.34
110207	1-1/2" x 1-1/2" x 1/8" 135°	1143			Non-Buffed Non-Brushed	39.63	38.04	37.25	36.46	35.67
110306	Angle, 12 ft.	HA3			Buffed or Brushed	54.48	52.30	51.21	50.12	49.03
110307	2" x 5/8" Rectangular Trim, 12 ft. (works with Endcap	AT11	V		Non-Buffed Non-Brushed	32.88	31.56	30.91	30.25	29.59
110307	310250 and Base 410443)	AIII	>		Buffed or Brushed	47.70	45.79	44.84	43.88	42.93



		Cat.					Discount	t Quantit	y Pricing		
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+	
110308	2" Radius Quarter Round, 12 ft. (works with LH Endcap 310253, RH Endcap 310252 and Base 410443)	AT6		54		Special (	Order - Ca	ıll for Pric	ing		
110309	2-1/2" Radius Quarter Round, 12 ft. (works with LH Endcap 310255, RH Endcap 310254and Base 410540)	AT6	J.	116		Special (	Order - Ca	Ill for Pric	ing		
110310	2-1/2" Diameter Half Round, 12 ft. (works with Endcap 310249 and Base 410540)	AT8	V	80		Special (	Order - Ca	Il for Pric	ing		
110311	2" x 2" Stepped Trim, 12 ft. (works with LH Endcap 310256, RH Endcap 310247 and Base 410443)	AT14		50	Special Order - Call for Pricing						
110315	1-1/2" Front Frame for Curving, 12 ft.		7	117	7 Special Order - Call for Pricing						
110325	3" x 1" Stepped Trim, 12 ft. (works with LH Endcap 310259, RH Endcap 310260 and Base 410443)	AT14		51	Special Order - Call for Pricing						
110328	1" Diameter Half Round, 12 ft. (works with Endcap	AT8	√ 		Non-Buffed Non-Brushed	13.51	12.97	12.70	12.43	12.16	
110326	310323 and Base 411331)	AIO			Buffed or Brushed	22.27	21.38	20.93	20.49	20.04	
110340	Reflector Strip, 12 ft.				Non-Buffed Non-Brushed	13.97	13.41	13.13	12.85	12.57	
110341	Edge Molding with Leg, 12 ft.	S13	~ [c]_		Non-Buffed Non-Brushed	19.17	18.40	18.02	17.63	17.25	
110341	Luge Moturing with Leg, 12 ft.	HA26			Buffed or Brushed	28.58	27.43	26.86	26.29	25.72	
110342	Shell Reflector, 12 ft.	SC26			Non-Buffed Non-Brushed	31.50	30.24	29.61	28.98	28.35	
110572	Siece Nerrector, 12 10.	3020			Buffed or Brushed	46.24	44.39	43.46	42.54	41.61	
110346	Frame Clip, 12 ft.	HA25			Non-Buffed Non-Brushed	15.66	15.03	14.72	14.41	14.10	
110347	1" Diameter Three Quarter Round, 10 ft.		VQ	162		Special (	Order - Ca	ll for Pric	ing		

		Cat.					Discount	t Quantit	y Pricing	
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
440240	13/16" I.D. Tube, .050" Thick,	11422			Non-Buffed Non-Brushed	17.83	17.12	16.76	16.40	16.05
110348	12 ft.	HA22			Buffed or Brushed	28.03	26.91	26.35	25.79	25.23
110350	Heavy Duty Shoe, 12 ft. (works with Endcap Assembly	SC9	\		Non-Buffed Non-Brushed	34.75	33.36	32.66	31.97	31.27
110330	510331)	RD10			Buffed or Brushed	44.10	42.33	41.45	40.57	39.69
110358	Anchor Channel for 2" WallMaker Sills, 12 ft.	G2			Non-Buffed Non-Brushed	41.93	40.25	39.42	38.58	37.74
110359	1"x2" WallMaker Flanged	G10			Non-Buffed Non-Brushed	62.75	60.24	58.98	57.73	56.47
110339	Header, smooth, 12 ft.	HA7			Buffed or Brushed	74.88	71.89	70.39	68.89	67.39
110360	1"x2" WallMaker Header,	G10			Non-Buffed Non-Brushed	45.14	43.34	42.44	41.53	40.63
110360	smooth, 12 ft.	HA7			Buffed or Brushed	65.12	62.52	61.21	59.91	58.61
440274	d", d" Welling on Cill 42 ft	G7			Non-Buffed Non-Brushed	27.65	26.54	25.99	25.43	24.88
110361	1"x1" WallMaker Sill, 12 ft.	HA7			Buffed or Brushed	38.57	37.03	36.26	35.48	34.71
110370	29/32" Diameter Solid Rod, 12 ft.	HA22	1	32		Special (	Order - Ca	ll for Pric	ing	
	Single Channel with Extended	RD14	n n		Non-Buffed Non-Brushed	16.45	15.79	15.46	15.13	14.80
110372	Leg, 12 ft.	HA27			Buffed or Brushed	21.61	20.74	20.31	19.88	19.45
110375	4" Quarter Round Sill, 12 ft. (works with Anchor 110358)	G15	> 1	11		Special (	Order - Ca	ıll for Pric	ing	
110381	2-5/8" x 1/2" Streamline, 12 ft. (works with Endcap 310286 and Base 410540)	AT14	> [	81		Special (	Order - Ca	ll for Pric	ing	
440303	2-5/8" x 1-3/4" Classic Cornice, 12 ft. (works with	AT4 4			Non-Buffed Non-Brushed	31.70	30.43	29.80	29.16	28.53
110382	RH Endcap 310288, LH Endcap 310287 and Base 410540)	AT14	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		Buffed or Brushed	59.47	57.10	55.91	54.72	53.53
140202	3" x 2-1/2" Classic Cove, 12 ft. (works with LH Endcap	AT4 F			Non-Buffed Non-Brushed	65.67	63.04	61.73	60.41	59.10
110383	310292, RH Endcap 310293 and Base 410540)	AT15	<b>1</b>		Buffed or Brushed	68.05	65.32	63.96	62.60	61.24



		Cat.					Discount	Quantit	y Pricing	
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
110384	2" x 5/8" New Wave, 12 ft. (works with Endcap 310289 and Base 410443)	AT15	7	89		Special (	Order - Ca	ll for Pric	ing	
110385	2-3/16" x 1/2" Classic Trim, 12 ft. (works with LH Endcap	AT15	~		Non-Buffed Non-Brushed	22.41	21.51	21.06	20.62	20.17
110363	310290, RH Endcap 310291 and Base 410443)	AIIJ	<b>)</b>		Buffed or Brushed	30.62	29.39	28.78	28.17	27.56
110391	Accent Strip for Curved	HA11	7		Non-Buffed Non-Brushed	5.25	5.04	4.93	4.83	4.72
110371	Lengths, 12 ft.	HATT	, ()		Buffed or Brushed	8.90	8.55	8.37	8.19	8.01
110394	1/4" Glass Shelf Edging,	HA27			Non-Buffed Non-Brushed	16.05	15.41	15.09	14.77	14.45
110371	12 ft.	117127	\[ \]		Buffed or Brushed	20.28	19.47	19.06	18.65	18.25
110395	3/8" Glass Shelf Edging,	HA27			Non-Buffed Non-Brushed	14.23	13.66	13.38	13.09	12.81
110393	12 ft.	ПАZ/	<u> </u>		Buffed or Brushed	20.46	19.64	19.23	18.82	18.41
110398	Accort Strip for Straight	HA11	√ \		Non-Buffed Non-Brushed	10.99	10.55	10.33	10.11	9.89
110396	Accent Strip for Straight Lengths, 12 ft.	ПАП			Buffed or Brushed	15.96	15.32	15.00	14.68	14.36
110399	1-3/4" Quarter Round Header, 12 ft.	G16		23		Special (	Order - Ca	ll for Pric	ing	
110400	2" x 1-1/2" Panel Molding, 12 ft. (works with LH Endcap	AT45	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		Non-Buffed Non-Brushed	34.88	33.48	32.78	32.09	31.39
110400	310386, RH Endcap 310385 and Base 410443)	AT15	P		Buffed or Brushed	39.18	37.61	36.83	36.04	35.26
110403	3/8" Face Frame, 12 ft.	HA25			Non-Buffed Non-Brushed	18.98	18.22	17.84	17.46	17.08
110403	376 race traine, 12 ft.	S8	<u>E</u> ,		Buffed or Brushed	24.12	23.15	22.67	22.19	21.71
110410	3/4" Square Trim, 12 ft.	AT44	√ 		Non-Buffed Non-Brushed	24.97	23.97	23.47	22.97	22.47
110410	(works with Endcap 310403 and Base 411331)	AT11			Buffed or Brushed	29.37	28.19	27.60	27.02	26.43
110412	Deep Pocket Shoe, 12 ft. (works with Endcap Assembly	RD14	7   4		Non-Buffed Non-Brushed	31.59	30.32	29.69	29.06	28.43
110412	510371)	ND14			Buffed or Brushed	47.66	45.75	44.80	43.85	42.89
110413	3/4" x 4" Channel, 12 ft.	HA7			Non-Buffed Non-Brushed	119.00	114.24	111.86	109.48	107.10
110-13	Jor A. Chamiet, 121t.	TIM/			Buffed or Brushed	129.54	124.35	121.76	119.17	116.58

		Cat.					Discount	Quantit	y Pricing	
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
			,		Non-Buffed Non-Brushed	44.12	42.36	41.48	40.59	39.71
110419	3" x 1/8" Bar, 12 ft.	HA11			Buffed or Brushed	52.51	50.41	49.36	48.31	47.26
110420	3" X 1" Radius Step Trim, 12 ft. (works with LH endcap 310378, RH endcap 310377 and base 410540)	AT15	]	69		Special (	Order - Ca	ll for Pric	ing	
440422	1 (2" O D T.b. 5 (( 4" 4bis)	11422	√ .		Non-Buffed Non-Brushed	14.49	13.91	13.62	13.33	13.04
110423	1/2" O.D. Tube, 5/64" thick, 12 ft.	HA22	,		Buffed or Brushed	15.35	14.74	14.43	14.13	13.82
110424	1-1/2" x 1-1/2" Corner Trim, 12 ft. (Works with base 410443)	AT15	^	115		Special (	Order - Ca	ll for Pric	ing	
110425	1-1/2" x 2-1/2" Corner w/Half Round, 12 ft. (works with Base 410443)			67		Special (	Order - Ca	ll for Pric	ing	
	Glass End Stock Endcap				Non-Buffed Non-Brushed	34.19	32.82	32.14	31.45	30.77
110426	Extrusion, 8 ft.	HA28			Buffed or Brushed	40.13	38.53	37.72	36.92	36.12
110428	Anchor Channel for 2-1/2" WallMaker Sills, 12 ft.	G6			Non-Buffed Non-Brushed	46.86	44.98	44.04	43.11	42.17
440422	1" Diameter Half Round with 3/8" Channel, 12 ft. (works	11427			Non-Buffed Non-Brushed	25.07	24.06	23.56	23.06	22.56
110432	with Endcaps LH 310324 and RH 310325)	HA27	<u> </u>		Buffed or Brushed	26.61	25.54	25.01	24.48	23.94
	2-9/16"x2-1/2" WallMaker		7		Non-Buffed Non-Brushed	139.44	133.87	131.08	128.29	125.50
110434	Header, 12 ft.	G12	<u> </u>		Buffed or Brushed	156.35	150.10	146.97	143.84	140.72
440444	A / All Tring Channel 42 G	CCE	<u> </u>		Non-Buffed Non-Brushed	10.23	9.82	9.61	9.41	9.20
110441	1/4" Trim Channel, 12 ft.	SC5			Buffed or Brushed	18.21	17.48	17.11	16.75	16.39
110451	7/8" x 7/8" x 1/16" Angle,	HA3	√ 		Non-Buffed Non-Brushed	13.76	13.21	12.94	12.66	12.39
110431	12 ft.	TIAS	7		Buffed or Brushed	20.54	19.71	19.30	18.89	18.48
110461	2" x 1" Channel, 12 ft.	HA7	7 2		Non-Buffed Non-Brushed	37.50	36.00	35.25	34.50	33.75
110-01	Z X 1 Charmet, 12 It.	110/	<i> </i>		Buffed or Brushed	46.67	44.80	43.87	42.93	42.00



		Cat.					Discount	Quantit	y Pricing	
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
110465	5-3/4" x 2-1/4" Traditional American, 12 ft. (works with	AT15	7.		Non-Buffed Non-Brushed	87.18	83.69	81.95	80.20	78.46
110403	LH Endcap 310399 RH Endcap 310400 and Base 412002)	ALID	۸ ل		Buffed or Brushed	139.73	134.14	131.35	128.56	125.76
110471	Upright, Center, 12 ft.		П		Non-Buffed Non-Brushed	21.84	20.97	20.53	20.09	19.66
110472	Upright, Wall, 12 ft.		<b>&gt;₽</b> *****		Non-Buffed Non-Brushed	66.06	63.42	62.10	60.78	59.46
110472	Oprigne, watt, 12 re.		<u> </u>		Buffed or Brushed	76.33	73.28	71.75	70.22	68.70
110481	2"x6" WallMaker Sill, 12 ft.	G10	V V		Non-Buffed Non-Brushed	236.41	226.95	222.23	217.50	212.77
110401	2 XO Wattmaker Sitt, 12 It.	010	7     ~		Buffed or Brushed	268.90	258.14	252.77	247.39	242.01
110482	2"x4" WallMaker Sill, 12 ft.	G9	V V		Non-Buffed Non-Brushed	186.37	178.91	175.18	171.46	167.73
110402	2 X4 Wattmaker Sitt, 12 It.	G9			Buffed or Brushed	211.96	203.48	199.24	195.00	190.76
110483	2"x1-3/4" WallMaker Header,	G9	> \		Non-Buffed Non-Brushed	73.05	70.13	68.67	67.21	65.75
110403	12 ft.	G9	/ / [k &]		Buffed or Brushed	88.55	85.01	83.24	81.47	79.70
110507	1-1/4" Dia. Half Round with 1/2" Return, 12 ft. (works	4	<b>√</b>		Non-Buffed Non-Brushed	20.05	19.24	18.84	18.44	18.04
110507	with Base 410530 and Recessed Base 411185)	AT8			Buffed or Brushed	26.85	25.78	25.24	24.70	24.17
110521	F.II. 6. : 40.6	63	7		Non-Buffed Non-Brushed	8.68	8.33	8.16	7.99	7.81
110521	Filler Strip, 12 ft.	G3	<u></u>		Buffed or Brushed	11.98	11.50	11.26	11.02	10.78
440522	Backframe Header without	5545	√ 		Non-Buffed Non-Brushed	54.98	52.78	51.68	50.58	49.48
110523	Top Glass, 12 ft.	SC15	> [[]		Buffed or Brushed	65.78	63.15	61.83	60.52	59.20
110535	Panel Trim, 12 ft.		<b>E</b>	122		Special (	Order - Ca	ll for Pric	ing	
110537	5/8" Half Round with Leg, 12 ft.	HA27		105		Special (	Order - Ca	ll for Pric	ing	
110538	1-21/32" x 1/8" Flat Stock, 12 ft (0.10 crown on surface	HA11	<b>V</b>		Non-Buffed Non-Brushed	24.29	23.32	22.83	22.34	21.86
	opposite grove)				Buffed or Brushed	31.81	30.54	29.90	29.27	28.63

		Cat.					Discount	t Quantit	y Pricing	
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
	Cover, Smooth, Inside "H",				Non-Buffed Non-Brushed	36.93	35.45	34.72	33.98	33.24
110547	12 ft.		> <b>V</b>		Buffed or Brushed	40.64	39.02	38.20	37.39	36.58
	Cover, Smooth, Outside "H",		_1 12		Non-Buffed Non-Brushed	27.24	26.15	25.61	25.06	24.52
110548	12 ft.		<u> </u>		Buffed or Brushed	32.69	31.38	30.73	30.07	29.42
			V		Non-Buffed Non-Brushed	45.24	43.43	42.53	41.62	40.72
110560	Rod, 3/4" Dia., 12 ft.	HA22			Buffed or Brushed	50.69	48.66	47.65	46.63	45.62
110563	Dod 2" 42 ft	HA22	<b>1</b>		Non-Buffed Non-Brushed	241.60	231.93	227.10	222.27	217.44
110363	Rod, 2", 12 ft.	ПАZZ	1		Buffed or Brushed	247.31	237.42	232.47	227.52	222.58
110568	1-3/4" x 4" Sill, 12 ft.	G15		12		Special (	Order - Ca	ıll for Pric	ing	
			√ 		Non-Buffed Non-Brushed	10.08	9.68	9.48	9.28	9.08
110573	Wireway Tube, 12 ft.	HA23			Buffed or Brushed	13.08	12.56	12.30	12.04	11.77
	Showcase Molding w/o Holes,	SC15	n n		Non-Buffed Non-Brushed	9.07	8.71	8.53	8.35	8.16
110577	12 ft. (with holes 410099)	HA7	7 2		Buffed or Brushed	13.13	12.61	12.34	12.08	11.82
110500	SI	6645	_		Non-Buffed Non-Brushed	34.98	33.58	32.88	32.18	31.48
110582	Showcase Rail, 12 ft.	SC15			Buffed or Brushed	37.20	35.71	34.97	34.22	33.48
110617	Sign Trim, 12 ft. (works with	AT1 E			Non-Buffed Non-Brushed	18.84	18.09	17.71	17.34	16.96
110617	Base 110618)	AT15	\[ \]		Buffed or Brushed	25.98	24.94	24.42	23.90	23.38
110618	Sign Trim Base, 12 ft. (works with Trim 110617)	AT16	(E		Non-Buffed Non-Brushed	12.27	11.78	11.54	11.29	11.05
110622	3/4" x 1-1/2" x 1/8", Angle, 84"	НА6	<u> </u>		Non-Buffed Non-Brushed	19.24	18.47	18.09	17.70	17.32
110639	2" x 1" x 2" Rectangular Trim, 12 ft. (works with Base	AT11	√ 		Non-Buffed Non-Brushed	30.57	29.35	28.74	28.12	27.51
110037	410443, 410466) (works with endcap 310735)	ALLI			Buffed or Brushed	42.33	40.64	39.79	38.95	38.10

		Cat.					Discount	t Quantit	y Pricing	
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
440740	Top Rear Showcase Channel,	5545	√		Non-Buffed Non-Brushed	55.21	53.00	51.90	50.79	49.69
110640	for 1/2" Glass, 12 ft.	SC15			Buffed or Brushed	72.40	69.50	68.05	66.60	65.16
110/11	2" Square Tube, 1/8" Thick,		√ -		Non-Buffed Non-Brushed	108.78	104.43	102.25	100.07	97.90
110641	12 ft.	HA23	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		Buffed or Brushed	109.36	104.99	102.80	100.61	98.43
110646	Trim, Drawer, 12 ft.				Non-Buffed Non-Brushed	10.13	9.73	9.52	9.32	9.12
440740	D. 41, 42,6	11144	<b>V</b>		Non-Buffed Non-Brushed	96.06	92.22	90.30	88.38	86.46
110648	Bar, 1" x 1", 12 ft.	HA11	7		Buffed or Brushed	103.22	99.09	97.03	94.96	92.90
1107.10	Security Channel for 3/8"	5540	<b>√</b>		Non-Buffed Non-Brushed	15.48	14.86	14.55	14.24	13.93
110649	Glass, 12 ft.	SC12			Buffed or Brushed	16.99	16.31	15.97	15.63	15.29
110/50	2/01/61	HA7	N N		Non-Buffed Non-Brushed	11.65	11.19	10.95	10.72	10.49
110650	3/8" Glass Channel, 12 ft.	SC15	7		Buffed or Brushed	14.05	13.49	13.21	12.92	12.64
110652	F Channel, 3/8" Glass 12 ft.		~ <u> </u>		Non-Buffed Non-Brushed	17.50	16.80	16.45	16.10	15.75
110032	r Chamet, 376 Glass 12 It.				Buffed or Brushed	25.13	24.12	23.62	23.12	22.61
110653	Front Frame with Security Lip	SC15	√ _ [		Non-Buffed Non-Brushed	23.58	22.64	22.16	21.69	21.22
110053	for 3/8" Glass, 12 ft.	3013			Buffed or Brushed	28.71	27.56	26.99	26.41	25.84
440/55	( 4 (2)	11144	V		Non-Buffed Non-Brushed	88.46	84.92	83.15	81.38	79.61
110655	6-1/2" x 1/4" Bar, 10 ft.	HA11			Buffed or Brushed	94.51	90.73	88.84	86.95	85.06
110661	5" Upright Wall, 12 ft.		>	20		Special (	Order - Ca	ll for Pric	ing	
	1/2" x 1/4" Rectangular Bar,		√ √		Non-Buffed Non-Brushed	22.62	21.71	21.26	20.81	20.36
110665	12 ft.	HD11	7 2		Buffed or Brushed	29.54	28.36	27.77	27.17	26.58
110///	2/9" Class "F" Charrel 42 "		√ [		Non-Buffed Non-Brushed	19.64	18.85	18.46	18.07	17.67
110666	3/8" Glass "F" Channel, 12 ft.		7		Buffed or Brushed	27.17	26.08	25.54	24.99	24.45

		Cat.					Discount	Quantit	y Pricing	
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
110660	2/4" Column Molding 12 ft	FM17			Non-Buffed Non-Brushed	71.67	68.80	67.37	65.93	64.50
110669	3/4" Column Molding, 12 ft.	FM17			Buffed or Brushed	80.27	77.06	75.45	73.85	72.24
110670	1/4" Glass Shelf Edging, 12 ft.		√		Non-Buffed Non-Brushed	21.20	20.35	19.93	19.50	19.08
110070	174 Glass Shell Edging, 12 It.		7		Buffed or Brushed	24.18	23.21	22.73	22.24	21.76
110671	1/4" Glass "F" Channel with		√ 		Non-Buffed Non-Brushed	20.83	20.00	19.58	19.16	18.75
110071	Unequal Legs, 12 ft.		>		Buffed or Brushed	26.35	25.30	24.77	24.24	23.72
110672	3/4" Trim (works with Base	AT11	√ √		Non-Buffed Non-Brushed	9.60	9.21	9.02	8.83	8.64
110072	412007), 12 ft.	AIII	7		Buffed or Brushed	12.10	11.62	11.38	11.14	10.89
110674	Shelf Sign Holder, 12 ft.	HA25	\		Non-Buffed Non-Brushed	23.34	22.40	21.94	21.47	21.00
110071	Shelt Sign Holder, 12 It.	TIALS			Buffed or Brushed	27.09	26.01	25.47	24.92	24.38
440493	1-23/32" x 3/4" U-Channel,	1147			Non-Buffed Non-Brushed	19.50	18.72	18.33	17.94	17.55
110683	10 ft.	HA7	<i> </i>		Buffed or Brushed	27.26	26.17	25.62	25.08	24.53
110689	1/2" x 1/2" Bar Sq., 12 ft.	HA11	7 2	83		Special (	Order - Ca	ll for Pric	ing	
110691	U-Channel with Returns, 12 ft.	HA7			Non-Buffed Non-Brushed	13.26	12.73	12.46	12.20	11.93
440003	4 /2" + 2 /4/" Flat Bar 42 ft	11444			Non-Buffed Non-Brushed	12.93	12.41	12.15	11.89	11.63
110693	1/2" x 3/16" Flat Bar, 12 ft.	HA11	۷.		Buffed or Brushed	14.07	13.51	13.23	12.95	12.67
110697	1-1/2" x 1-1/4" Anchor Channel, 10 ft.	G15			Non-Buffed Non-Brushed	33.62	32.28	31.61	30.93	30.26
440400	4.4.72" 4" Call 40.5	645			Non-Buffed Non-Brushed	136.17	130.72	128.00	125.27	122.55
110698	1-1/2" x 4" Sill, 10 ft.	G15			Buffed or Brushed	152.36	146.26	143.22	140.17	137.12
110/00	1-1/2" x 1-3/4" H Channel,	C4/			Non-Buffed Non-Brushed	90.85	87.22	85.40	83.58	81.77
110699	10 ft.	G16			Buffed or Brushed	114.83	110.24	107.94	105.64	103.35



		Cat.					Discount	Quantit	y Pricing	
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
440700	4.4/2", 4.2/4" To Chand	646	7		Non-Buffed Non-Brushed	53.27	51.14	50.07	49.01	47.94
110700	1-1/2" x 1-3/4" Top Channel, 10 ft.	G16			Buffed or Brushed	63.45	60.92	59.65	58.38	57.11
440705	5/8" X 3/4" x 1/16" Tube, 8	HA23	√ 		Non-Buffed Non-Brushed	13.68	13.14	12.86	12.59	12.31
110705	ft.	HAZ3	<u>,</u>		Buffed or Brushed	21.71	20.84	20.40	19.97	19.53
110704	1 1 /0" Diameter Ped 12 ft	11422	1		Non-Buffed Non-Brushed	99.68	95.69	93.70	91.70	89.71
110706	1-1/8" Diameter Rod, 12 ft.	HA22	1		Buffed or Brushed	105.90	101.67	99.55	97.43	95.31
440700	1-1/3" x 1/2" Rectangular Bar,	11144	√ - [		Non-Buffed Non-Brushed	66.75	64.08	62.75	61.41	60.08
110709	12 ft.	HA11	7		Buffed or Brushed	76.06	73.02	71.49	69.97	68.45
110710	5 (1	6647	7		Non-Buffed Non-Brushed	50.30	48.29	47.28	46.28	45.27
110719	Reflector Shell, 30° Opening with Security Glass Lip, 12 ft.	SC17			Buffed or Brushed	55.62	53.40	52.29	51.17	50.06
	Reflector Shell, 30° Opening				Non-Buffed Non-Brushed	53.44	51.30	50.23	49.16	48.09
110720	without Security Glass Lip, 12 ft.	SC17			Buffed or Brushed	66.97	64.29	62.95	61.61	60.27
			_		Non-Buffed Non-Brushed	16.09	15.44	15.12	14.80	14.48
110725	U Channel 3/8" Glass with Extended Leg, 12 ft.		7		Buffed or Brushed	19.86	19.07	18.67	18.27	17.88
110728	1-17/32" x 9/16" Angle, 12 ft.	HA3			Non-Buffed Non-Brushed	17.18	16.49	16.15	15.80	15.46
110726	1-17/32 x 9/16 Aligle, 12 lt.	ПАЗ			Buffed or Brushed	20.47	19.65	19.24	18.83	18.42
110730	Channel 3/8" Glass, 12 ft.		7	165		Special (	Order - Ca	ll for Pric	ing	
440==:	Tube, 1-5/8" x 3/4"	11:55			Non-Buffed Non-Brushed	35.14	33.73	33.03	32.33	31.62
110731	Rectangle, 12 ft.	HA23	<i>N</i>		Buffed or Brushed	46.93	45.06	44.12	43.18	42.24
110724	Too 2" v 4/2" 40 ft	11424	√ V		Non-Buffed Non-Brushed	29.83	28.64	28.04	27.44	26.85
110734	Tee, 2" x 1/2", 10 ft.	HA21			Buffed or Brushed	32.55	31.25	30.60	29.95	29.30

		Cat.				Discount Quantity Pricing						
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+		
110735	Too 3/4" v 1/2" 10 ft	HA21	√ 		Non-Buffed Non-Brushed	17.86	17.15	16.79	16.43	16.07		
110733	Tee, 3/4" x 1/2", 10 ft.	ПАСІ			Buffed or Brushed	29.34	28.16	27.58	26.99	26.40		
110736	Unequal, "L", 1" x 1/2", 10 ft.			94		Special (	Order - Ca	ll for Pric	ing			
110737	"L", 1" x 1/4", 10 ft.	HA3	>		Non-Buffed Non-Brushed	10.67	10.24	10.03	9.81	9.60		
110/3/	L, 1 x 1/4, 10 ft.	TIAS	^		Buffed or Brushed	20.73	19.90	19.49	19.07	18.66		
110738	H-Channel, 7/16" x 1-3/4", 12 ft.				Non-Buffed Non-Brushed	54.64	52.45	51.36	50.27	49.17		
110739	Trim, 1" x 1", 12 ft., (Works with base 412007)		> \[ \frac{1}{\lambda} \lambda \]	154		Special (	Order - Ca	ll for Pric	ing			
440744	Tin 28 B Harry 42 G	AT4.F	<b>√</b>		Non-Buffed Non-Brushed	68.09	65.37	64.01	62.65	61.28		
110741	Trim, 2" Bullnose, 12 ft.	AT15			Buffed or Brushed	73.73	70.78	69.30	67.83	66.36		
110747	3" X 3" Square Tube, 1/8"	HA23	√ ->		Non-Buffed Non-Brushed	145.91	140.07	137.15	134.24	131.32		
	Thick, 12 ft.		<u> </u>		Buffed or Brushed	166.74	160.07	156.73	153.40	150.06		
110750	U Channel, 7/8" x 1-1/2",		7 2		Non-Buffed Non-Brushed	27.03	25.95	25.41	24.86	24.32		
	12 ft.		<u> </u>		Buffed or Brushed	31.92	30.64	30.01	29.37	28.73		
110757	U Channel, 3/4" x 3/4", 12 ft.	НА7			Non-Buffed Non-Brushed	27.75	26.64	26.08	25.53	24.97		
110737	o chamici, 374 x 374 , 12 fc.	TIA/	<i>/</i> -		Buffed or Brushed	36.34	34.89	34.16	33.43	32.71		
110760	U Channel, .938" x .313",		7		Non-Buffed Non-Brushed	10.99	10.55	10.33	10.11	9.89		
	12 ft.		<u></u>		Buffed or Brushed	16.85	16.17	15.84	15.50	15.16		
110764	Angle, 7/8" x 3/8" x 1/8",		>		Non-Buffed Non-Brushed	16.81	16.14	15.80	15.46	15.13		
	12 ft.		٨		Buffed or Brushed	19.65	18.86	18.47	18.08	17.68		
110781	Angle, 3-1/2" x 1/2", 12 ft.			43		Special (	Order - Ca	ll for Pric	ing			

		Cat.					Discount	Quantit	y Pricing	
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
			√		Non-Buffed Non-Brushed	20.12	19.32	18.92	18.51	18.11
110787	Flat Bar, 1-1/2" x 1/8", 12 ft.	HA11	^		Buffed or Brushed	30.49	29.27	28.66	28.05	27.44
					Non-Buffed Non-Brushed	24.02	23.06	22.58	22.10	21.62
110788	Flat Bar, 3/4" x 1/4", 12 ft.	HA11	>		Buffed or Brushed	32.42	31.13	30.48	29.83	29.18
440790	T.b. 4" 4" 4 /0" 42 ft				Non-Buffed Non-Brushed	49.85	47.86	46.86	45.86	44.87
110789	Tube, 1" x 1" x 1/8" 12 ft.		7		Buffed or Brushed	65.46	62.84	61.53	60.23	58.92
110790	3.5" Bullnose, 12 ft.			26		Special (	Order - Ca	ll for Pric	ing	
	Cover T, 1/2" Secure Lip,		√ 		Non-Buffed Non-Brushed	23.77	22.82	22.34	21.86	21.39
110800	12 ft.	SC17			Buffed or Brushed	33.86	32.50	31.83	31.15	30.47
110010	D 4/411 4/411 42 6				Non-Buffed Non-Brushed	11.34	10.89	10.66	10.44	10.21
110810	Bar, 1/4" x 1/4", 12 ft.	HA11	7		Buffed or Brushed	15.14	14.53	14.23	13.93	13.63
			√		Non-Buffed Non-Brushed	112.60	108.09	105.84	103.59	101.34
110812	"J" Channel, 1.378" x 2.165", 12 ft		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		Buffed or Brushed	137.54	132.04	129.29	126.54	123.79
110813	Door Pull, Extended Grip,		√ → <b>(</b>		Non-Buffed Non-Brushed	28.20	27.07	26.51	25.94	25.38
110013	12 ft.		7 6		Buffed or Brushed	38.41	36.87	36.11	35.34	34.57
110842	Fluted Trim, 12 ft.		$\sim$	70		Special (	Order - Ca	ll for Pric	ing	
440044	Angle, 4.0" x 1/2" x 1/16",		> 1		Non-Buffed Non-Brushed	43.19	41.46	40.60	39.73	38.87
110844	12 ft.	HA3	,		Buffed or Brushed	53.79	51.64	50.56	49.49	48.41
440071	11.61		_		Non-Buffed Non-Brushed	42.67	40.97	40.11	39.26	38.41
110856	U Channel, 12 ft.				Buffed or Brushed	56.01	53.77	52.65	51.53	50.41
110863	Tubo Pound 1 1/4" dia v	Пүээ			Non-Buffed Non-Brushed	27.76	26.65	26.09	25.54	24.98
110003	Tube, Round, 1-1/4" dia x 1/16", 12 ft.	HA22			Buffed or Brushed	35.00	33.60	32.90	32.20	31.50

		Cat.					Discount	Quantit	y Pricing			
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+		
110864	Tube, Round, 3/4" dia x 1/16", 12 ft.	HA22	No.	154		Special Order - Call for Pricing						
110866	Angle, 1.380" x 1.00" x .157",		7		Non-Buffed Non-Brushed	37.04	35.56	34.82	34.08	33.34		
110000	12 ft.		<u> </u>		Buffed or Brushed	47.14	45.26	44.31	43.37	42.43		
110922	Bar, Rectangle, 4-1/4" x		√ V		Non-Buffed Non-Brushed	112.22	107.73	105.49	103.24	101.00		
110922	.255", 12 ft.		,		Buffed or Brushed	125.82	120.79	118.27	115.75	113.24		
110926	Bar, Square, 1-1/2" , 12 ft.				Non-Buffed Non-Brushed	224.13	215.16	210.68	206.20	201.71		
	Tube, Square, 1-1/4" x .09",		√ 		Non-Buffed Non-Brushed	46.68	44.81	43.88	42.94	42.01		
110950	12 ft.	HA23	7		Buffed or Brushed	65.06	62.46	61.16	59.86	58.56		
440054	Dans Bull 4/4" Class 42 ft		√		Non-Buffed Non-Brushed	30.30	29.09	28.48	27.88	27.27		
110951	Door Pull, 1/4" Glass, 12 ft.		<u> </u>		Buffed or Brushed	41.70	40.03	39.20	38.36	37.53		
110959	2/4" v 2/9" v4/9" Too 12ft	11424			Non-Buffed Non-Brushed	14.92	14.33	14.03	13.73	13.43		
110939	3/4" x 3/8" x1/8" Tee, 12ft	HA21	7		Buffed or Brushed	26.43	25.38	24.85	24.32	23.79		
110961	Trim, Fluted Rectangular, 4.00" x 1-1/2", 12 ft.		> [ -> [ -> [ -> [ -> [ -> [ -> [ -> [	40		Special (	Order - Ca	ll for Pric	ing			
110962	Channel, 5/8" X 1-7/8", 10 ft.		7 /	49		Special (	Order - Ca	ll for Pric	ing			
110963	Angle, 4-1/2" x 2", 12 ft.			26	Special Order - Call for Pricing							
110965	Angle, 1.27" x .512", 12 ft.		>	202	Special Order - Call for Pricing							
110966	Angle, .787" x .512", 12 ft.	НАЗ	7	282		Special (	Order - Ca	ll for Pric	ing			



		Cat.					Discount	Quantit	y Pricing	
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
110975	Tee, 1-1/4" x 1.00" x 1/8",		√ √		Non-Buffed Non-Brushed	32.04	30.76	30.12	29.48	28.84
110973	12 ft.				Buffed or Brushed	34.62	33.23	32.54	31.85	31.16
110981	Channel, 3/4" x 1/2" x .125", 12 ft.				Non-Buffed Non-Brushed	20.19	19.38	18.98	18.57	18.17
110984	Channel, 1-1/2" x 1-1/2" x	HA7	7		Non-Buffed Non-Brushed	55.33	53.12	52.01	50.90	49.80
110704	1/8", 12 ft.	TIA7	Λ.		Buffed or Brushed	58.26	55.93	54.76	53.60	52.43
110986	Angle, 2" x 2-3/4" x 1/8",	HA6	>		Non-Buffed Non-Brushed	54.82	52.63	51.53	50.43	49.34
110700	12 ft.	TIAO	Λ		Buffed or Brushed	61.84	59.37	58.13	56.89	55.66
110987	7" v 1/16" Trim Strip, 12 ft		√		Non-Buffed Non-Brushed	54.58	52.39	51.30	50.21	49.12
110967	7" x 1/16" Trim Strip, 12 ft				Buffed or Brushed	73.61	70.66	69.19	67.72	66.25
110993	Trim, Outside Corner, 90°, 12 ft.	HA25	1	105		Special (	Order - Ca	ll for Pric	ing	
110994	1/2" x 1" x .125" Angle, 12 ft.	HA6	<u>√</u> ∧	120		Special (	Order - Ca	ll for Pric	ing	
110995	2" x 7/8" Tee, 12 ft.	HA21	<u> </u>	60		Special (	Order - Ca	ll for Pric	ing	
110996	1-1/8" x 1-1/8" x 1/8 Angle, 12 ft.	HA3	√ ^	78		Special (	Order - Ca	ll for Pric	ing	
110997	7/8" x 7/8" x .125" Angle, 12 ft.			102	Special Order - Call for Pricing					
111000	Rect. Tube 2.5" x 1", with screwports, 12 ft.		> 10 V	29	Special Order - Call for Pricing					
		_			Non-Buffed Non-Brushed	335.56	322.13	315.42	308.71	302.00
111007	2"x8" WallMaker Sill, 12 ft.	G11	7 2		Buffed or Brushed	364.44	349.87	342.58	335.29	328.00

		Cat.					Discount	t Quantit	y Pricing		
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+	
	1"x1-3/4" WallMaker Header		R R		Non-Buffed Non-Brushed	44.25	42.48	41.59	40.71	39.82	
111010	w/ groove, 12 ft.	G7	7		Buffed or Brushed	51.58	49.51	48.48	47.45	46.42	
111011	2-1/2"x8" WallMaker Sill,	G13	V V		Non-Buffed Non-Brushed	384.14	368.78	361.09	353.41	345.73	
111011	12 ft.	GIS	7 2		Buffed or Brushed	412.64	396.13	387.88	379.63	371.38	
111012	1"x2" WallMaker Flanged	G8			Non-Buffed Non-Brushed	66.82	64.15	62.81	61.47	60.14	
111012	Header w/ groove, 12 ft.	00	<u> </u>		Buffed or Brushed	70.56	67.74	66.32	64.91	63.50	
111013	1"x2" WallMaker Header w/	G8			Non-Buffed Non-Brushed	49.49	47.51	46.52	45.53	44.54	
111013	groove, 12 ft.	do			Buffed or Brushed	66.12	63.47	62.15	60.83	59.51	
111014	2-1/2"x6" WallMaker Sill,	G13			Non-Buffed Non-Brushed	309.18	296.82	290.63	284.45	278.27	
111014	12 ft.	013	7 2		Buffed or Brushed	317.09	304.41	298.07	291.72	285.38	
444045	2-1/2"x4" WallMaker Sill,	C42			Non-Buffed Non-Brushed	202.99	194.87	190.81	186.75	182.69	
111015	12 ft.	G12			Buffed or Brushed	228.35	219.22	214.65	210.09	205.52	
111018	5/8" O.D. Tube, .063" thick, 12 ft.	HA22	Ŏ	187		Special (	Order - Ca	Il for Prici	ing		
111022	Post, Open Sell Rear		> <b> </b>		Non-Buffed Non-Brushed	68.38	65.65	64.28	62.91	61.55	
111022	Post, Open sett Real		<u> </u>		Buffed or Brushed	82.82	79.51	77.85	76.20	74.54	
111022	Post Open Sall Front		> ~ ~		Non-Buffed Non-Brushed	73.30	70.37	68.90	67.44	65.97	
111023	Post, Open Sell Front		<u> </u>		Buffed or Brushed	87.74	84.23	82.48	80.72	78.97	
444004	2.7/0" 4 /0" " D 40"	114.64	- V		Non-Buffed Non-Brushed	59.83	57.44	56.24	55.05	53.85	
111024	3-7/8" x 1/8" " Bar, 12ft. (.145 crown)	HA11	, , , , , , , , , , , , , , , , , , ,		Buffed or Brushed	66.06	63.41	62.09	60.77	59.45	
111025	1-1/4" x 3/16" Flat Bar, 12 ft.	HA11	><	88	Special Order - Call for Pricing						
111026	.125" x 3-7/8", Rectangle Bar, 12 ft.	HA11		43		Special (	Order - Ca	Il for Prici	ing		



		Cat.					Discount	t Quantit	/ Pricing	
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
	1" x 1/2" x 1/8" T-Shape, 12		_ \/		Non-Buffed Non-Brushed	18.62	17.87	17.50	17.13	16.76
111027	ft.	HA21	> <		Buffed or Brushed	23.82	22.87	22.39	21.91	21.44
111000	1-3/8" x 1/2" x 1/8" T-Shape,		_ √ _ <		Non-Buffed Non-Brushed	22.98	22.06	21.60	21.14	20.68
111028	12 ft.	HA21	>		Buffed or Brushed	31.42	30.17	29.54	28.91	28.28
111029	1-1/4" x 1/8" Flat Bar, 12 ft.	HA11	>	132		Special (	Order - Ca	ll for Pric	ing	
111033	1" x 1/4" U-Channel, 12ft.	HA7	7		Non-Buffed Non-Brushed	12.29	11.80	11.55	11.30	11.06
111033	1 x 1/4 U-Channet, 121t.	ПАЛ	, , , , , , , , , , , , , , , , , , ,		Buffed or Brushed	18.30	17.57	17.21	16.84	16.47
	11/16" x 11/16" x 3/32"		√ ■		Non-Buffed Non-Brushed	13.95	13.39	13.11	12.83	12.55
111034	Angle, 12 ft.		7 4		Buffed or Brushed	23.07	22.15	21.69	21.23	20.77
444025	1-3/16" x 1-3/16" x 3/32"		√ ->		Non-Buffed Non-Brushed	29.09	27.93	27.35	26.76	26.18
111035	Angle with 3/4" Return, 12 ft.		✓		Buffed or Brushed	42.44	40.74	39.90	39.05	38.20
444026	1.594" x 0.719" x 3/32" Tee,		√ >∏3		Non-Buffed Non-Brushed	23.92	22.96	22.49	22.01	21.53
111036	12 ft.	HA21	7 <		Buffed or Brushed	35.42	34.00	33.29	32.58	31.88
111027	2 (20)		√ ×		Non-Buffed Non-Brushed	11.30	10.84	10.62	10.39	10.17
111037	3/32" x 0.594" Bar, 12 ft.	HA11	>		Buffed or Brushed	20.42	19.61	19.20	18.79	18.38
444020	( 45H 4 (2H D 42 G		V		Non-Buffed Non-Brushed	323.00	310.08	303.62	297.16	290.70
111038	6.45" x 1/2" Bar, 12 ft.	HA11	7		Buffed or Brushed	339.90	326.30	319.50	312.70	305.91
	5-1/4" x 2-1/4" x 1/8" Angle,				Non-Buffed Non-Brushed	85.41	81.99	80.28	78.58	76.87
111039	12ft.		~		Buffed or Brushed	103.85	99.70	97.62	95.54	93.47
111040	1 2 / 4" v 1 / 2" P = - 42 ft		<b>√</b>		Non-Buffed Non-Brushed	89.25	85.68	83.90	82.11	80.33
111040	1-3/4" x 1/2" Bar, 12 ft.		7		Buffed or Brushed	103.69	99.54	97.47	95.39	93.32

		Cat.				Discount Quantity Pricing						
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+		
111046	3/8" x 3/8" Square Bar with	H23	7 0 2		Non-Buffed Non-Brushed	18.15	17.43	17.06	16.70	16.34		
111046	0.110" dia hole, 12 ft.	HZ3			Buffed or Brushed	25.31	24.30	23.79	23.28	22.78		
111048	Door Pull, 1.5" x 3/4", 12 ft.		> \[ \lambda \]	90		Special (	Order - Ca	ill for Prici	ing			
111050	.125" x 5", Rectangle Bar,	HA11	√		Non-Buffed Non-Brushed	74.26	71.29	69.81	68.32	66.84		
111030	12 ft.	HATT	<u></u>		Buffed or Brushed	78.00	74.88	73.32	71.76	70.20		
111051	.125" x 5-3/4", Rectangle Bar,	HA11	√		Non-Buffed Non-Brushed	83.46	80.13	78.46	76.79	75.12		
111031	12 ft.	IIAII			Buffed or Brushed	87.22	83.73	81.99	80.24	78.50		
444052	Charged Hat Hander				Non-Buffed Non-Brushed	32.58	31.28	30.63	29.97	29.32		
111053	111053 Channel, Hat Header, 1.5" x .625", 12 ft.		7		Buffed or Brushed	41.91	40.23	39.40	38.56	37.72		
444050	Tube, Rect. 1" x 3/4" x 1/8",	11422	<b>V</b>		Non-Buffed Non-Brushed	45.33	43.52	42.61	41.70	40.80		
111058	12 ft.	HA23	7		Buffed or Brushed	52.44	50.34	49.30	48.25	47.20		
			1		Non-Buffed Non-Brushed	12.02	11.54	11.30	11.06	10.82		
111059	Rod, .312 Dia., 12 ft.	HA22			Buffed or Brushed	19.04	18.28	17.90	17.52	17.14		
			√		Non-Buffed Non-Brushed	37.02	35.54	34.80	34.06	33.32		
111060	Door Pull, 2.5" x 3/4", 12 ft.		7 2 1 7 2		Buffed or Brushed	50.55	48.53	47.52	46.51	45.50		
			,		Non-Buffed Non-Brushed	25.40	24.38	23.87	23.37	22.86		
111061	Bar, 2.5" x .070", 12ft.	HA11			Buffed or Brushed	29.18	28.01	27.43	26.84	26.26		
			V		Non-Buffed Non-Brushed	29.51	28.33	27.74	27.15	26.56		
111062	Angle, 1" x 1" x .25", 12 ft.	HA2	><		Buffed or Brushed	36.55	35.09	34.36	33.63	32.90		
					Non-Buffed Non-Brushed	40.02	38.42	37.62	36.82	36.02		
111068	Molding Y, 1" x 1" x 1", 12 ft.	F14			Buffed or Brushed	46.98	45.10	44.16	43.22	42.28		



		Cat.				y Pricing				
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
111071	Angle, 1-1/4" x 1-1/4" x 1/8",	HA2	7		Non-Buffed Non-Brushed	30.91	29.68	29.06	28.44	27.82
111071	12 ft.	ПАZ	<u></u>		Buffed or Brushed	40.96	39.32	38.50	37.69	36.87
111072	Channel, 1" X 1-1/2" with		7		Non-Buffed Non-Brushed	50.53	48.51	47.50	46.49	45.48
111072	Groove		1 1		Buffed or Brushed	57.53	55.23	54.08	52.93	51.78
111073	Por 1/2" v 2 5" 12 ft	HA11	√ ×		Non-Buffed Non-Brushed	124.35	119.38	116.89	114.41	111.92
111073	Bar, 1/2" x 2.5", 12 ft.	ПАТТ	,		Buffed or Brushed	137.86	132.35	129.59	126.84	124.08
111077	Angle, 1/2" x 1-1/2" x 1/8",		7		Non-Buffed Non-Brushed	28.55	27.41	26.84	26.27	25.70
111077	12 ft.		^		Buffed or Brushed	35.58	34.15	33.44	32.73	32.02
111078	Bar, Rectangle 1-1/4" x 3/4",		7		Non-Buffed Non-Brushed	91.31	87.66	85.83	84.00	82.18
111076	12 ft.				Buffed or Brushed	104.82	100.63	98.53	96.43	94.34
111082	Edge Moulding, .563 Column		√ ->■		Non-Buffed Non-Brushed	70.18	67.37	65.97	64.56	63.16
111062	Eage Moutaing, .363 Cotumn				Buffed or Brushed	77.13	74.05	72.50	70.96	69.42
111083	Tube, Square 1.5" x 1.5" x	HA23	7		Non-Buffed Non-Brushed	74.66	71.68	70.18	68.69	67.20
111003	.120, 12 ft.	111123	ļ.		Buffed or Brushed	88.15	84.63	82.86	81.10	79.34
111085	Angle, 2" x 1", Unequal Walls		√   		Non-Buffed Non-Brushed	11.71	11.24	11.01	10.77	10.54
111003	Angle, 2 x 1, Onequal watts				Buffed or Brushed	19.97	19.17	18.77	18.37	17.97
444000	Channel, 1.25" x2.00", with	G7			Non-Buffed Non-Brushed	47.58	45.39	44.44	43.50	42.55
111089	Groove, 12 ft. (End cap Part number 412456)	HA10	7		Buffed or Brushed	68.93	66.17	64.79	63.42	62.04
111001	Channel, 1.25" x1.00", 12 ft.	G8			Non-Buffed Non-Brushed	30.40	29.18	28.58	27.97	27.36
111091	(End cap Part number 412457)	HA10	7		Buffed or Brushed	42.66	40.96	40.11	39.25	38.40
119001	3/16" Black Vinyl Glazing Tape, (comes in 250 ft. coil)	HA28			Black Vinyl	.23/ft.	.23/ft.	.23/ft.	.23/ft.	.21/ft.

		Cat.					Discount	t Quantit	y Pricing	
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
119003-01	7/32" Black Vinyl Glazing Tape (comes in 250 ft. coil)	HA28			Black Vinyl	.14/ft.	.14/ft.	.14/ft.	.14/ft.	.13/ft.
119003-02	7/32" Grey Vinyl Glazing Tape (comes in 250 ft. coil)	HA28			Grey Vinyl	.16/ft.	.16/ft.	.16/ft.	.16/ft.	.15/ft.
119004	1/4" Black Vinyl Glazing Tape (comes in 250 ft. coil)	HA28 RD15 FM15			Black Vinyl	.20/ft.	.20/ft.	.20/ft.	.20/ft.	.15/ft.
119006	Black Vinyl Track Slide Insert, 12 ft. (used with 110035)	FM15			Black Vinyl	11.00	11.00	11.00	11.00	11.00
119029	Vinyl Bumper - Natural Color 6 ft.	HA28 SC15			Natural Color	11.36	11.36	11.36	11.36	11.36
			√ √		Non-Buffed Non-Brushed	7.79	7.48	7.32	7.17	7.01
120016	Division Bar, 12 ft.		<u> </u>		Buffed or Brushed	10.20	9.79	9.59	9.39	9.18
420020	E: 111: E 40.6	<b>-</b> 1111			Non-Buffed Non-Brushed	30.14	28.93	28.33	27.73	27.12
120029	Fixed Mirror Frame, 12 ft.	FM11	> [		Buffed or Brushed	40.92	39.28	38.46	37.64	36.82
420020	T:V 5 4270	<b>-</b> 1111			Non-Buffed Non-Brushed	36.56	35.10	34.36	33.63	32.90
120030	Tri-Vue Frame, 137"	FM11	> [c]		Buffed or Brushed	47.34	45.44	44.50	43.55	42.60
120031	Top Hanger, 124"	FM11			Non-Buffed Non-Brushed	16.43	15.77	15.44	15.11	14.78
120032	Lower Hanger, 124"	FM11			Non-Buffed Non-Brushed	14.08	13.52	13.24	12.96	12.67
420024	Daniel Tring 422"	F1444	√		Non-Buffed Non-Brushed	13.53	12.99	12.72	12.45	12.17
120034	Panel Trim, 132"	FM11	\\		Buffed or Brushed	20.02	19.22	18.82	18.42	18.01
420044	5/16" J Molding Without	E.1.1.E	√ <u> </u>		Non-Buffed Non-Brushed	9.95	9.55	9.36	9.16	8.96
120041	Holes, 12 ft. (see 420068 - with holes)	FM15			Buffed or Brushed	14.99	14.39	14.09	13.79	13.49
120050	Mirror Frame, 12 ft.	FM14	> [		Buffed or Brushed	31.55	30.29	29.66	29.03	28.40
120052	Mount Bracket, 12 ft.	FM14			Non-Buffed Non-Brushed	9.03	8.66	8.48	8.30	8.12



		Cat.					Discount	t Quantit	y Pricing	
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
120054	Mirror Frame, 12 ft.	FM14	7		Buffed or Brushed	22.74	21.83	21.38	20.92	20.47
120055	5/8" J Molding Without Holes,	FM15	√ ~		Non-Buffed Non-Brushed	13.17	12.64	12.38	12.12	11.85
120055	12 ft. (see 420107 with holes)	FMID			Buffed or Brushed	17.35	16.66	16.31	15.96	15.62
120057	Mirror Molding 12 ft	FM15			Non-Buffed Non-Brushed	9.97	9.57	9.37	9.18	8.98
120037	Mirror Molding, 12 ft.	FMID			Buffed or Brushed	13.85	13.29	13.02	12.74	12.46
120058	Column Edge Molding 12 ft	FM15			Non-Buffed Non-Brushed	29.92	28.72	28.12	27.53	26.93
120036	Column Edge Molding, 12 ft.	FMID			Buffed or Brushed	47.15	45.27	44.32	43.38	42.44
		FM14	7		Non-Buffed Non-Brushed	8.29	7.96	7.80	7.63	7.46
120059	5/16" x 5/8" Mirror Trim Angle, 12 ft.	HA5	7		Buffed or Brushed	13.84	13.29	13.01	12.73	12.46
100011					Non-Buffed Non-Brushed	15.33	14.72	14.41	14.10	13.80
120061	Mirror Divider Trim without holes, 12 ft.	FM15	<u> </u>		Buffed or Brushed	19.41	18.63	18.25	17.86	17.47
420072	45° Trim Nimon 42 6	HA4			Non-Buffed Non-Brushed	16.67	16.01	15.67	15.34	15.01
120062	45° Trim Mirror, 12 ft.	FM17	^		Buffed or Brushed	21.40	20.54	20.12	19.69	19.26
120042	Column Corner without Slots,	FM14			Non-Buffed Non-Brushed	39.46	37.88	37.09	36.31	35.52
120063	150"	FM16	\ \		Buffed or Brushed	46.51	44.65	43.72	42.79	41.86
42007.4	1-1/2" Radius Column Corner,	<b>5114</b>	-/_		Non-Buffed Non-Brushed	48.10	46.18	45.21	44.25	43.29
120064	12 ft.	FM16			Buffed or Brushed	49.56	47.58	46.59	45.60	44.61
400045	90° Column Mirror Trim,				Non-Buffed Non-Brushed	33.75	32.40	31.73	31.05	30.38
120065	12 ft.	FM17	> 1		Buffed or Brushed	42.35	40.65	39.81	38.96	38.11
4000::	135° 5 1 2	<b>-</b> ,			Non-Buffed Non-Brushed	27.10	26.02	25.48	24.94	24.39
120066	135° Column Trim, 12 ft.	FM17			Buffed or Brushed	43.67	41.93	41.05	40.18	39.31
120067	Outside Corner Molding, 12 ft.	FM17			Non-Buffed Non-Brushed	28.95	27.79	27.21	26.63	26.05

		Cat.					Discount	t Quantit	y Pricing	
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
120070	T. V. W. H	F1144			Non-Buffed Non-Brushed	31.50	30.24	29.61	28.98	28.35
120070	Tri-Vue Wing Horizontal, 137"	FM11			Buffed or Brushed	40.73	39.10	38.28	37.47	36.66
129006	Gray Plastic Glazing Clip, 12 ft.	FM16			Non-Buffed Non-Brushed	12.49	12.49	12.49	11.49	11.49
130022	Header, Door Wardrobe, 12ft.	RD17	7		Non-Buffed Non-Brushed	63.86	61.30	60.03	58.75	57.47
130022	neader, boor wardrobe, 121t.	KU17			Buffed or Brushed	77.41	74.31	72.76	71.21	69.66
130023	Threshold, Wardrobe Door, 12ft.	RD17	Π_ΛΛ_Π		Non-Buffed Non-Brushed	35.36	33.95	33.24	32.53	31.82
420024	Top Rail, Wardrobe Door,		الما		Non-Buffed Non-Brushed	21.60	20.73	20.30	19.87	19.44
130024	12ft.		7[]~		Buffed or Brushed	28.62	27.48	26.90	26.33	25.76
420025	Bottom Rail, Wardrobe Door,		[અ]_		Non-Buffed Non-Brushed	40.15	38.55	37.74	36.94	36.14
130025	12ft				Buffed or Brushed	47.20	45.31	44.37	43.42	42.48
130026	Stile, Wardrobe Door, 79"	RD17	7 2		Non-Buffed Non-Brushed	16.95	16.28	15.94	15.60	15.26
130020	Stile, Waldrobe Dool, 79	KD17	57		Buffed or Brushed	26.75	25.68	25.15	24.61	24.08
130027	Stile, Wardrobe Door, 106"	RD17	7		Non-Buffed Non-Brushed	39.91	38.31	37.51	36.72	35.92
130027	serie, Wardrobe Boor, 100	NO 17	54		Buffed or Brushed	60.58	58.15	56.94	55.73	54.52
130028	Stile, Wardrobe Door, 95"	RD17	7 2		Non-Buffed Non-Brushed	18.98	18.22	17.84	17.46	17.08
130026	Stile, Wardrobe Door, 93	KU17	57		Buffed or Brushed	28.78	27.62	27.05	26.47	25.90
139007	1/4" Black Vinyl Glazing, (comes in 500/ft. roll)	RD17			Black Vinyl	.18/ft.	.18/ft.	.18/ft.	.18/ft.	.18/ft.
150012	3-1/8" x 5/64" Strip, 8 ft.	HA11			Non-Buffed Non-Brushed	31.20	29.95	29.33	28.70	28.08
130012	3 170 X 3704 Strip, 0 1t.	IIAII	V		Buffed or Brushed	45.87	44.04	43.12	42.20	41.28
150014	1-1/2" x 3/4" Tubular Bracket	HA21			Non-Buffed Non-Brushed	19.74	18.95	18.55	18.16	17.76
130017	Endcap, 12 ft.	11021	<u></u>		Buffed or Brushed	25.80	24.77	24.25	23.73	23.22



		Cat.					Discount	t Quantit	y Pricing	
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
150015	1" x 1/2" Tubular Bracket		ļ		Non-Buffed Non-Brushed	34.65	33.26	32.57	31.87	31.18
150015	Hanger, 8 ft.		7 <		Buffed or Brushed	53.06	50.93	49.87	48.81	47.75
470000	Wall Jamb Without Holes, 12	1147			Non-Buffed Non-Brushed	20.40	19.58	19.17	18.76	18.36
170008	ft. (see 470012 for Wall Jamb with holes)	HA7			Buffed or Brushed	28.23	27.10	26.54	25.97	25.41
170009	Hander Can 42 ft	FM3	√		Non-Buffed Non-Brushed	15.97	15.33	15.01	14.69	14.37
170009	Header Cap, 12 ft.	FMS			Buffed or Brushed	23.26	22.33	21.87	21.40	20.94
470044	6 2 7 6	<b>5</b> 112	> <b>\</b>		Non-Buffed Non-Brushed	40.46	38.84	38.03	37.22	36.41
170011	Corner Post, 7 ft.	FM3			Buffed or Brushed	49.36	47.38	46.40	45.41	44.42
			l a 1		Non-Buffed Non-Brushed	26.21	25.16	24.64	24.11	23.59
170012	Jamb Header, 12 ft.	FM3	7		Buffed or Brushed	32.09	30.80	30.16	29.52	28.88
470042	Filler Chris for 470044 7 fb	E442	<b>V</b>		Non-Buffed Non-Brushed	8.43	8.09	7.92	7.76	7.59
170013	Filler Strip for 170011, 7 ft.	FM3			Buffed or Brushed	11.11	10.66	10.44	10.22	10.00
170013-01	Filler Strip for 170011, 96"	FM3	$\checkmark$		Non-Buffed Non-Brushed	9.16	8.79	8.61	8.43	8.24
170013-01	The strip for 170011, 70	1 MS			Buffed or Brushed	11.73	11.26	11.03	10.79	10.56
170013-02	Filler Strip for 170014, 12 ft.	FM3	$\checkmark$		Non-Buffed Non-Brushed	11.42	10.96	10.73	10.51	10.28
170013 02	Trace Strip for 17001 i, 12 fc.	17113			Buffed or Brushed	13.77	13.22	12.94	12.67	12.39
170014	Corner Post 42 ft	FM3	> <b>F</b>		Non-Buffed Non-Brushed	78.91	75.75	74.17	72.60	71.02
170014	Corner Post, 12 ft.	r <sub>W</sub> 3			Buffed or Brushed	88.96	85.40	83.62	81.84	80.06
400055	3/8" O.D. Tube, 0.100" Thick,		<b>√</b>		Non-Buffed Non-Brushed	15.53	14.91	14.60	14.29	13.98
180055	12 ft.	HA22	O		Buffed or Brushed	20.49	19.67	19.26	18.85	18.44
190042	1 1/4" Too 12 ft				Non-Buffed Non-Brushed	36.13	34.69	33.96	33.24	32.52
180063	1-1/4" Tee, 12 ft.				Buffed or Brushed	48.78	46.82	45.85	44.87	43.90
180077	1-1/4" Enlongated Reflector,	SC18	<b>*</b>		Non-Buffed Non-Brushed	30.80	29.57	28.95	28.33	27.72
100077	12 ft.	5010	>		Buffed or Brushed	38.89	37.33	36.55	35.78	35.00

		Cat.					Discount	t Quantit	y Pricing	
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
180070	Shell Reflector, 1-1/2" Dia.,	CC10	1		Non-Buffed Non-Brushed	31.22	29.97	29.35	28.72	28.10
180079	12 ft.	SC18			Buffed or Brushed	36.71	35.24	34.51	33.77	33.04
180107	Shell Reflector, 1" Dia., 12 ft.	SC17			Non-Buffed Non-Brushed	17.29	16.60	16.26	15.91	15.56
180107	Shelt Reflector, 1 Dia., 12 ft.	3017	E.		Buffed or Brushed	25.81	24.78	24.27	23.75	23.23
180115	Shell Reflector, Large, 12 ft.	SC7	V		Non-Buffed Non-Brushed	27.89	26.78	26.22	25.66	25.11
160113	Shell Reflector, Large, 12 ft.	307			Buffed or Brushed	43.24	41.51	40.65	39.78	38.92
180116	Shell Reflector with	SC18	V V		Non-Buffed Non-Brushed	31.33	30.08	29.45	28.83	28.20
100110	Integrated Tee, 12 ft.	3010			Buffed or Brushed	49.23	47.26	46.27	45.29	44.31
400447	Chall Deflactor Creal 42 ft	5649	7		Non-Buffed Non-Brushed	23.83	22.88	22.40	21.92	21.45
180117	Shell Reflector, Small, 12 ft.	SC18	3 100		Buffed or Brushed	28.04	26.91	26.35	25.79	25.23
180118	Shell Reflector Small with	SC18			Non-Buffed Non-Brushed	31.64	30.37	29.74	29.11	28.48
180118	Integrated Tee, 12 ft.	3010			Buffed or Brushed	44.48	42.70	41.81	40.92	40.03
180127	0.448" O.D. Tube, 0.162"	HA22	√ V		Non-Buffed Non-Brushed	12.29	11.80	11.55	11.31	11.06
100127	thick, 12 ft.	TIAZZ			Buffed or Brushed	15.02	14.42	14.12	13.82	13.52
180133	Shell Reflector 1" Dia. 12 ft.	SC18	1		Non-Buffed Non-Brushed	17.68	16.97	16.61	16.26	15.91
100133	Shell Reflector 1 Bld. 12 fc.	5010			Buffed or Brushed	24.33	23.35	22.87	22.38	21.90
180139	Shell Reflector, Top Front	SC18	> \[ \sqrt{1} \]		Non-Buffed Non-Brushed	42.47	40.77	39.92	39.07	38.22
100137	Frame, 12 ft.	5010			Buffed or Brushed	49.31	47.34	46.35	45.36	44.38
180144	Shell Reflector, 1.3" Dia.	SC18	\ \( \sigma_1 \)		Non-Buffed Non-Brushed	26.24	25.19	24.66	24.14	23.61
.50144	12 ft.	5010			Buffed or Brushed	34.80	33.41	32.71	32.02	31.32
180147	Shell Reflector Teardrop,	SC18	\ \tag{\frac{1}{5}}		Non-Buffed Non-Brushed	43.11	41.39	40.53	39.66	38.80
.50147	1.5" Dia., 12 ft.	5010	Sur		Buffed or Brushed	47.30	45.41	44.46	43.51	42.57

		Cat.					Discount	Quantit	y Pricing	
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
180150	Shell Reflector Teardrop,	SC18			Non-Buffed Non-Brushed	44.00	42.24	41.36	40.48	39.60
180130	1.5" Dia., 12 ft.	3010	[5]		Buffed or Brushed	50.91	48.87	47.85	46.83	45.82
190001	Tube, 1" x 1", 12 ft.	G23	7		Non-Buffed Non-Brushed	25.77	24.74	24.22	23.71	23.19
170001	Tube, F X F, 12 IC.	G23	<u> </u>		Buffed or Brushed	29.81	28.62	28.02	27.42	26.83
190003	Sa Tubo 1" V 1" with Flance	G23	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		Non-Buffed Non-Brushed	38.10	36.58	35.82	35.05	34.29
190003	Sq. Tube, 1" X 1" with Flange, 12 ft.	GZ3			Buffed or Brushed	47.80	45.88	44.93	43.97	43.02
190007	Sq. Tube, 1" x 1" with 2	G23	7		Non-Buffed Non-Brushed	41.58	39.92	39.08	38.25	37.42
190007	Flanges at 180°, 12 ft.	G23			Buffed or Brushed	61.23	58.79	57.56	56.34	55.11
190014	Square 1" with Channel,	G23	√ -		Non-Buffed Non-Brushed	36.37	34.91	34.19	33.46	32.73
190014	12 ft.	G23	\ \ \ \ \ \ \ \ \ \ \ \		Buffed or Brushed	42.92	41.20	40.34	39.48	38.63
190015	Double Square 1" with	G23			Non-Buffed Non-Brushed	34.64	33.25	32.56	31.86	31.17
190013	Channel, 12 ft.	GZ3	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		Buffed or Brushed	40.45	38.83	38.02	37.21	36.40
	Channel, Single, 1" x 1-1/2",		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		Non-Buffed Non-Brushed	41.01	39.37	38.55	37.73	36.91
190019	12 ft.	G23			Buffed or Brushed	53.93	51.77	50.69	49.61	48.53
			>		Non-Buffed Non-Brushed	75.49	72.47	70.96	69.45	67.94
190022	Channel, 2" x 2" at 90°, 12 ft.	G24	>		Buffed or Brushed	81.89	78.61	76.98	75.34	73.70
	Channel, 1-1/2" x 2" at 90°,		7 1		Non-Buffed Non-Brushed	59.31	56.93	55.75	54.56	53.38
190023	12 ft.	G24			Buffed or Brushed	74.39	71.42	69.93	68.44	66.96
10000	0.51	65.1	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		Non-Buffed Non-Brushed	54.29	52.11	51.03	49.94	48.86
190026	2-Channel, 1" x 2", 12ft.	G24			Buffed or Brushed	65.03	62.43	61.13	59.83	58.53

		Cat.					Discount	Quantit	y Pricing	
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
400043	2-Channel, 1-1/2" x 1-1/2",		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		Non-Buffed Non-Brushed	50.85	48.82	47.80	46.79	45.77
190042	12 ft.		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		Buffed or Brushed	67.12	64.43	63.09	61.75	60.41
190054	Frame, .080" x 1", 8.5 ft.				Non-Buffed Non-Brushed	11.99	11.51	11.27	11.03	10.79
170034	11ame, 1000 X 1, 0.3 ft.		> (2		Buffed or Brushed	15.51	14.89	14.58	14.27	13.96
190056	Back Frame, 1" Print Frame, 8.5 ft.		\ <u>}</u>		Non-Buffed Non-Brushed	9.18	8.81	8.63	8.44	8.26
100061	Snap Frame, 1-3/8", 8.5 ft.		√		Non-Buffed Non-Brushed	15.72	15.10	14.78	14.47	14.15
190061	Snap Frame, 1-3/8 , 8.5 ft.		> &		Buffed or Brushed	20.64	19.82	19.40	18.99	18.58
190128	Channel, .750" x 1.063",		7 -		Non-Buffed Non-Brushed	28.30	27.17	26.60	26.04	25.47
190126	12 ft.				Buffed or Brushed	43.17	41.44	40.58	39.72	38.85
190129	Double Channel, .750" x		>		Non-Buffed Non-Brushed	36.56	35.09	34.36	33.63	32.90
190129	1.378", 12 ft.		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		Buffed or Brushed	52.52	50.42	49.37	48.32	47.27
190172	Anglo 1" v 1" v 125 12 ft	HA3	[		Non-Buffed Non-Brushed	24.04	23.08	22.60	22.12	21.64
190172	Angle, 1" x 1" x .125, 12 ft.	ПАЗ	<u> </u>		Buffed or Brushed	37.72	36.21	35.46	34.70	33.95
100103	Frame, Tension Fabric -		귀		Non-Buffed Non-Brushed	51.29	49.23	48.21	47.18	46.16
190183	2" deep, 12 ft.		> 1		Buffed or Brushed	58.16	55.83	54.67	53.51	52.35
211042	Flat Head Machine Screw #6-32 x 3/8" Phil	S15			Zinc Plated Steel	0.05	0.05	0.05	0.05	0.05
218035	Fender Washer 1-1/2" O.D.	SC29	0			0.10	0.10	0.10	0.10	0.10
221014	Gray Bumper	FM11 RD15			Gray Rubber	0.30	0.30	0.30	0.30	0.30
221015	Clear Bumper	RD15			Clear Rubber	0.30	0.30	0.30	0.30	0.30

		Cat.					Discount	t Quantit	y Pricing	
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
222012	1/8" x 3/16" Rivet				Steel Zinc	0.30	0.30	0.30	0.30	0.30
224007	1" Piano Hinge without Holes, 8 ft. (see 419020)	HA26			Non-Buffed Non-Brushed	14.59	14.59	14.59	14.59	14.59
224008	1-1/2" Piano Hinge with Holes, 8 ft.	HA26 S15			Non-Buffed Non-Brushed	20.33	19.52	19.11	18.70	18.30
224009	1-1/2" Piano Hinge without Holes, 8 ft.	HA26 \$15	Ö		Non-Buffed Non-Brushed	17.88	17.16	16.81	16.45	16.09
224022	3-1/2" Brushed Nickel Butt Hinge	FM4	<b>9 9 9</b>		Brushed Nickel	14.59	14.59	14.59	14.23	13.86
226010	Felt Tape: 3/4" x 1/16" x 132"	HA28	Felt Tape Available in -01 Grey, -02 Brown and -03 Beige		Felt Tape	5.57	5.57	5.57	5.43	5.29
226011	Felt Tape: 1-3/4" x 1/16" x 84"	HA28	Felt Tape Available in -01 Grey and -03 Beige		Felt Tape	9.03	9.03	9.03	8.80	8.58
226012	Felt Tape: 1-3/16" x 1/16" x 84"	HA28	Felt Tape Available in -01 Grey, and -03 Beige		Felt Tape	7.40	7.40	7.40	7.21	7.03
226013	WallMaker Glazing Vinyl, 1/2" (comes in 125ft. per roll)	G4	•		Black Rubber	.48/ft.	.48/ft.	.48/ft.	.47/ft.	.46/ft.
226014	Setting Block, 1/2" x 5/8" x 4"	G5			Black Rubber	0.52	0.52	0.52	0.51	0.49
226015	Setting Block, 1/4" x 5/8" x 4"	G5			Black Rubber	0.40	0.40	0.40	0.39	0.38
226016	WallMaker Glazing Vinyl, 3/8" (comes in 125 ft. roll)	G4	<b>*</b>		Black Rubber	.54/ft.	.54/ft.	.54/ft.	.53/ft.	.51/ft.
226021	3/8" Glazing Strip	G4	T		Black Rubber	.35/ft.	.35/ft.	.35/ft	.34/ft.	.33/ft.
226022	3/8" Glazing Strip with Hook	G4	7		Black Rubber	.35/ft.	.35/ft.	.35/ft	.34/ft.	.33/ft.
226023	Glass Setting Tape, 100 ft. Roll				Black	.29/ft.	.29/ft.	.29/ft.	.28/ft.	.27/ft.
226024	Outside Rubber Glazing, 1/2" Glass	G4	•		Black Rubber	.30/ft.	.30/ft.	.30/ft.	.29/ft.	.29/ft.

		Cat.					Discount	Quantit	y Pricing	
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
226025	Inside Rubber Glazing, 1/2" Glass	G4	4		Black Rubber	.30/ft.	.30/ft.	.30/ft.	.29/ft.	.29/ft.
226027-01	9/16" x 1/16" Grey Felt, 8 ft.	G8			Grey Felt	8.01	8.01	8.01	7.81	7.61
230028	Receptacle, Grounded	SC32				2.39	2.39	2.39	2.39	2.39
230056	Super Flex Conduit (3/8" I.D.), 250ft roll (No UL Listing / Recognition on conduit) Per Roll	SC31	CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC		Galvanized Steel	125.00	120.00	117.50	115.00	112.50
230056-01	Super Flex Conduit (3/8" I.D.), (No UL Listing / Recognition on conduit) 7 ft.	SC31	COLORDON		Galvanized Steel	5.25	5.04	4.94	4.83	4.73
230056-02	Super Flex Conduit (3/8" I.D.), (No UL Listing / Recognition on conduit) 4 ft.	SC31			Galvanized Steel	3.00	2.88	2.82	2.76	2.70
230056-04	Super Flex Conduit (3/8" I.D.), (No UL Listing / Recognition on conduit) Per ft.	SC31	COCOLOGICA		Galvanized Steel	.93/ft.	.90/ft.	.88/ft.	.86/ft.	.84/ft.
230085	Switch, Rocker 20A 125-277 VAC	SC32				4.50	4.50	4.50	4.50	4.50
232006	Steel Bracket, 6" Anochrome	SC15 HA20 SH7	<b>Ei</b>		Steel	3.77	3.77	3.77	3.68	3.59
232008	Steel Bracket, 8" Anochrome	SC15 HA20 SH7	<u>ki</u>		Steel	3.98	3.98	3.98	3.88	3.78
232010	Steel Bracket, 10" Anochrome	SC15 HA20 SH7	<b>Ei</b>		Steel	4.18	4.18	4.18	4.08	3.97
232012	Steel Bracket, 12" Anochrome	SC43 HA20 SH7	<b>Ei</b>		Steel	6.02	6.02	6.02	5.87	5.72
232014	Steel Bracket, 14" Anochrome	SC43 HA20 SH7	<b>Ei</b>		Steel	7.14	7.14	7.14	6.96	6.78
232016	Steel Bracket, 16" Anochrome	SC43 HA20 SH7	<b>Ei</b>		Steel	7.65	7.65	7.65	7.46	7.27
232023	Slotted Steel Standard, 3 ft.	SC16 HA20 SH7	&		Plated Steel	7.55	7.55	7.55	7.36	7.17
232028	Slotted Steel Standard, 8 ft.	SC16 HA20 SH7	& The state of the		Plated Steel	13.87	13.87	13.87	13.53	13.18



		Cat.					Discount	Quantit	y Pricing	
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
232045	135° Rectangular Glass Clip for 3/8" & 1/2" glass	G20			Buffed or Brushed	26.55	26.55	26.55	25.22	25.22
232056	Alu Clip	G23			Cast Zinc	4.34	4.34	4.34	4.23	4.12
232087	Clip, Series M510				Plastic	5.87	5.87	5.87	5.72	5.57
232091	Clip, Series M410				Plastic	5.87	5.87	5.87	5.72	5.57
241001-01 241001-02 241001-03	3-Channel Endcap, Plastic (01) Black, (02) White, (03) Grey	G25			Plastic	0.92	0.92	0.92	0.90	0.87
241003	Endcap for PRO-3625, Black				Plastic	0.45	0.43	0.42	0.41	0.40
241004-01 241004-03	Endcap for 190026, Plastic (01) Black, (03) Grey	G25			Plastic	0.92	0.92	0.92	0.90	0.87
241005	Endcap for 190013, Grey Plastic				Plastic	0.61	0.61	0.61	0.60	0.58
241014-01	Endcap for 190014, Plastic (01) Black	G25			Plastic	0.92	0.92	0.92	0.90	0.87
241015-01 241015-03	Endcap, .995", Square (01) Black, (03) Grey	G25			Plastic	0.92	0.92	0.92	0.90	0.87
310017	Glide (works with 110014 Glide Shoe and 110021 Guide Track)					0.42	0.42	0.42	0.41	0.40
310052	Retaining Ring for 511040				Carbon Spring Steel	0.77	0.77	0.77	0.75	0.73
310079	Ballast Box Cover	SC33			Black	6.38	6.38	6.38	6.22	6.06
310080	Ballast Box Tray	SC32			Galvanized Steel	2.55	2.55	2.55	2.49	2.42

		Cat.					Discount	Quantit	y Pricing	
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
310085	Ballast Box Insert Tray for Double Ballast Box	SC33			Galvanized Steel	6.33	6.33	6.33	6.33	6.33
310124	90° Connector for 230056 (No UL Listing / Recognition on connector)	SC29	00		Black	0.95	0.95	0.95	0.92	0.90
310130	Hinge Pin	S8			Zinc Plated	2.82	2.82	2.82	2.74	2.67
310204	Endcap for 110200	AT8			Buffed or Brushed	12.00	12.00	12.00	11.70	11.40
310205	Endcap for 110201 and 110295	AT8			Buffed or Brushed	9.83	9.83	9.83	9.58	9.34
310206	Endcap for 110202	AT8			Buffed or Brushed	10.57	10.57	10.57	10.31	10.05
310207	Endcap for 110210	AT8			Buffed or Brushed	11.40	11.40	11.40	11.12	10.83
310209	Endcap for 110212	AT8			Buffed or Brushed	11.23	11.23	11.23	10.95	10.67
310210	Endcap for 110214 - RH (LH-310211)	AT14			Buffed or Brushed	16.41	16.41	16.41	16.00	15.59
310211	Endcap for 110214 - LH (RH - 310210)	AT14			Buffed or Brushed	16.41	16.41	16.41	16.00	15.59
310212	Endcap for 110223	AT11	F		Buffed or Brushed	8.93	8.93	8.93	8.71	8.48
310213	Endcap for 110225	AT11	777 :: krz		Buffed or Brushed	10.95	10.95	10.95	10.68	10.40
310214	Endcap for 110226	AT11			Buffed or Brushed	11.68	11.68	11.68	11.39	11.10
310215	Endcap for 110227	AT11			Buffed or Brushed	12.36	12.36	12.36	12.05	11.74
310218	Endcap for 110232	AT14	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		Buffed or Brushed	12.53	12.53	12.53	12.22	11.90
310219	Endcap for 110233	AT14			Buffed or Brushed	21.29	21.29	21.29	20.75	20.22
310227	Endcap for 110244 - LH (RH 310228)	AT14			Buffed or Brushed	16.85	16.85	16.85	16.43	16.01



		Cat.					Discount	t Quantit	y Pricing	
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
310228	Endcap for 110244 - RH (LH 310227)	AT14			Buffed or Brushed	16.85	16.85	16.85	16.43	16.01
310233	Endcap for 110260	AT14			Buffed or Brushed	10.97	10.97	10.97	10.69	10.42
310235	Endcap for 110269	AT11			Buffed or Brushed	13.39	13.39	13.39	13.06	12.72
310239	Endcap for 110286 - RH (LH 310242)	AT6			Buffed or Brushed	14.88	14.88	14.88	14.51	14.14
310240	Endcap for 110290 - RH (LH 310243)	AT6			Buffed or Brushed	12.03	12.03	12.03	11.73	11.43
310241	Endcap for 110294	AT11			Buffed or Brushed	21.91	21.91	21.91	21.36	20.82
310242	Endcap for 110286 - LH (RH 310239)	AT6			Buffed or Brushed	14.88	14.88	14.88	14.51	14.14
310243	Endcap for 110290 - LH (RH 310240)	AT6			Buffed or Brushed	12.03	12.03	12.03	11.73	11.43
310244	Endcap for 110299 - RH (LH 310245)	AT6	201		Buffed or Brushed	10.15	10.15	10.15	9.90	9.65
310245	Endcap for 110299 - LH (RH 310244)	AT6			Buffed or Brushed	11.04	11.04	11.04	10.76	10.49
310247	Endcap for 110311 - RH (LH 310256)	AT14	gd		Buffed or Brushed	19.96	19.96	19.96	19.46	18.96
310249	Endcap for 110310	AT8			Buffed or Brushed	14.60	14.60	14.60	14.24	13.87
310250	Endcap, Rectangular for 110307	AT11	uuus Vuuu		Buffed or Brushed	8.58	8.58	8.58	8.36	8.15
310251	Endcap for 110304	AT9	E#3		Buffed or Brushed	13.72	13.72	13.72	13.38	13.03
310252	Endcap for 110308 - RH (LH 310253)	AT6			Buffed or Brushed	9.47	9.47	9.47	9.24	9.00
310253	Endcap for 110308 - LH (RH 310252)	AT6			Buffed or Brushed	9.47	9.47	9.47	9.24	9.00
310256	Endcap for 110311 - LH (RH 310247)	AT14			Buffed or Brushed	19.96	19.96	19.96	19.46	18.96

		Cat.					Discount	t Quantit	y Pricing	
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
310286	Endcap for 110381	AT14			Buffed or Brushed	15.40	15.40	15.40	15.02	14.63
310287	Endcap for 110382 - LH (RH 310288)	AT14			Buffed or Brushed	11.51	11.51	11.51	11.22	10.93
310288	Endcap for 110382 - RH (LH 310287)	AT14			Buffed or Brushed	11.51	11.51	11.51	11.22	10.93
310292	Endcap for 110383 - LH (RH 310293)	AT15			Buffed or Brushed	13.36	13.36	13.36	13.03	12.69
310293	Endcap for 110383 - RH (LH 310292)	AT15			Buffed or Brushed	13.36	13.36	13.36	13.03	12.69
310323	Endcap for 110328	AT8			Buffed or Brushed	6.19	6.19	6.19	6.03	5.88
310324	Endcap for 110432 - LH (RH 310325)				Buffed or Brushed	7.60	7.60	7.60	7.41	7.22
310325	Endcap for 110432 - RH (LH 310324)				Buffed or Brushed	7.60	7.60	7.60	7.41	7.22
310342	WallMaker Vertical Bracket				Non-Buffed Non-Brushed	2.86	2.86	2.86	2.78	2.71
310351	1-1/4" Piano Hinge w/ Unequal Legs (without holes) 8 ft.	HA26 S15	Cast Control of the C		Non-Buffed Non-Brushed	15.65	15.65	15.65	15.26	14.86
310354-01	90°Corner Bracket	G4	• 000		Zinc	27.95	27.95	27.95	27.25	26.55
310354-02	135° Corner Bracket	G4			Zinc	45.90	45.90	45.90	44.75	43.61
310354-03	120° Corner Bracket	G4			Zinc	30.60	30.60	30.60	29.84	29.07
310374	Endcap for 110296 - LH (RH 310375)	AT6			Buffed or Brushed	8.99	8.99	8.99	8.77	8.54
310375	Endcap for 110296 - RH (LH 310374)	AT6			Buffed or Brushed	8.99	8.99	8.99	8.77	8.54
310377	Endcap for 110420 - RH (LH 310378)	AT15			Buffed or Brushed	16.90	16.90	16.90	16.48	16.06



		Cat.					Discount	t Quantit	y Pricing	
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
310378	Endcap for 110420 - LH (RH 310377)	AT15			Buffed or Brushed	16.90	16.90	16.90	16.48	16.06
310395	Endcap for 110267	AT8			Buffed or Brushed	15.86	15.86	15.86	15.46	15.07
310399	Endcap for 110465 - LH (RH 310400)	AT15			Buffed or Brushed	21.02	21.02	21.02	20.49	19.97
310400	Endcap for 110465 - RH (LH 310399)	AT15			Buffed or Brushed	21.02	21.02	21.02	20.49	19.97
310403	Endcap for 110410	AT11			Buffed or Brushed	14.04	14.04	14.04	13.69	13.34
310471	WallMaker Vertical Bracket 4" x 6"					4.25	4.25	4.25	4.14	4.04
310577	Ballast Box Cover	SC33				5.78	5.78	5.78	5.64	5.49
310735	Endcap for 110639	AT11			Buffed or Brushed	12.25	12.25	12.25	11.94	11.64
330017-01	Unflocked Top Guide				Black Nylon	0.30	0.30	0.30	0.30	0.30
330017-02	Flocked Top Guide	RD17			Black Nylon	2.75	2.75	2.75	2.75	2.75
370006	SteelCoat Hook	FM4			Zinc	9.23	9.23	9.23	9.00	8.77
370008	Chrome Door Latch	FM4			Satin Chrome	18.16	18.16	18.16	17.70	17.25
370012	Strike Plate	FM4	0 0		Zinc	3.77	3.77	3.77	3.68	3.59
370013	Shoulder Screw				Zinc	0.25	0.25	0.25	0.25	0.25
380269	Endcap for 6815xx Series Reflector Assemblies	SS24			Buffed or Brushed	11.55	11.55	11.55	11.26	10.97

		Cat.					Discoun	t Quantity	y Pricing	
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
380270	LED 1-1/2" Reflector Mount Bracket (180079 Reflector)	SC29				4.75	4.75	4.75	4.63	4.51
380583	Connector	SC29	6			17.00	17.00	17.00	16.58	16.15
380697	Anchor, Rotating Downtube Connector	SC23	<b></b>		Non-Buffed Non-Brushed	9.50	9.50	9.50	9.27	9.03
390031-01 390031-03	Endcap 190019 Plastic (01) Black) (03) Grey	G25			Plastic	0.51	0.51	0.51	0.50	0.48
110001	2.2/41.5		<u> </u>		Non-Buffed Non-Brushed	5.00	5.00	5.00	4.88	4.75
410001	2-3/4" Door Pull	HA17			Buffed or Brushed	6.00	6.00	6.00	5.85	5.70
440000	2.2/41.5		***		Non-Buffed Non-Brushed	5.00	5.00	5.00	4.88	4.75
410002	2-3/4" Door Pull	HA17	^		Buffed or Brushed	6.00	6.00	6.00	5.85	5.70
410050	1/2" Downtube 3/8" I.D.	SC29	0		Non-Buffed Non-Brushed	4.78	4.78	4.78	4.78	4.78
					Non-Buffed Non-Brushed	15.68	15.68	15.68	15.29	14.90
410099	Showcase Molding with Holes, 12 ft. (without holes 110577)	SC15	7 2		Buffed or Brushed	17.22	17.22	17.22	16.79	16.36
440404			\ \ \		Non-Buffed Non-Brushed	5.75	5.75	5.75	5.61	5.46
410101	Drawer Pull, 3-3/4" (for 3/4" Drawer)	HA17			Buffed or Brushed	6.75	6.75	6.75	6.58	6.41
440402	D 11 2 2 4 11 46		2		Non-Buffed Non-Brushed	5.00	5.00	5.00	4.88	4.75
410103	Drawer Pull, 3-3/4" (for 13/16" Drawer)	HA17			Buffed or Brushed	6.00	6.00	6.00	5.85	5.70
440411	3.2/4" Drawn B. II	11447	n √		Non-Buffed Non-Brushed	5.50	5.50	5.50	5.36	5.23
410114	3-3/4" Drawer Pull	HA17			Buffed or Brushed	6.50	6.50	6.50	6.34	6.18
440422	2 2/4" Drawer Bull with Label	U 4 7	372		Non-Buffed Non-Brushed	5.75	5.75	5.75	5.61	5.46
410123	3-3/4" Drawer Pull with Label Holder	HA17	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		Buffed or Brushed	6.75	6.75	6.75	6.58	6.41

		Cat.					Discount	t Quantit	y Pricing	
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
410311	2" Hinge Plate	S15			Non-Buffed Non-Brushed	5.00	5.00	5.00	4.88	4.75
410311	Z milige Ptate	313			Buffed or Brushed	8.13	8.13	8.13	7.93	7.73
410312	Hinge Plate with Holes, 12 ft.		ν		Non-Buffed Non-Brushed	60.61	60.61	60.61	59.10	57.58
					Buffed or Brushed	64.42	64.42	64.42	62.81	61.20
410366	1/8" Endcap for 110483 (2"x 1-3/4" Header)	G5			Buffed or Brushed	7.28	7.28	7.28	7.10	6.92
410367	1/8" Endcap for 110482 (2"x4" Sill)	G5			Buffed or Brushed	8.47	8.47	8.47	8.26	8.05
410381	Security Door Retainer (use with 110140, 110350 or 110412 shoe)	RD15			Non-Buffed Non-Brushed	1.19	1.19	1.19	1.16	1.13
410412	1/8" Encap for 110360, 111012 or 111013 (1"x2" Header)	G5			Buffed or Brushed	10.39	10.39	10.39	10.13	9.87
410413	1/8" Endcap for 110361 (1"x1" Sill)	G5			Buffed or Brushed	10.38	10.38	10.38	10.12	9.86
410443	1" Trim Base with Holes, 12 ft.	AT16	<u>4</u>		Non-Buffed Non-Brushed	15.56	15.56	15.56	15.17	14.78
410444	Security Door Retailer (use with 110012 Shoe)	RD15			Non-Buffed Non-Brushed	1.51	1.51	1.51	1.47	1.44
410454	1-7/8" Security Door Retainer	RD15			Non-Buffed Non-Brushed	2.35	2.35	2.35	2.29	2.23
410458	3" Trim Base, 12 ft.	AT16	<u>I</u>		Non-Buffed Non-Brushed	35.26	35.26	35.26	34.38	33.50
410466	1" Recessed Trim Base, 12 ft.	AT16			Non-Buffed Non-Brushed	30.84	30.84	30.84	30.07	29.30
410530	5/8" Trim Base with Holes, 12 ft.	AT16	57		Non-Buffed Non-Brushed	16.45	16.45	16.45	16.04	15.63
410540	2" Trim Base with Holes, 12 ft.	AT16	<u>A</u> R		Non-Buffed Non-Brushed	25.87	25.87	25.87	25.22	24.57

		Cat.					Discount	t Quantit	y Pricing	
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
410542	1/2" Endcap for 110483 (2"x1-3/4" Header)	G7			Buffed or Brushed	16.02	16.02	16.02	15.62	15.22
410543	1/2" Endcap for 110482 (2"x4" Sill)	G7			Buffed or Brushed	20.53	20.53	20.53	20.02	19.50
410544	1/2" Endcap for 110481 (2"x6" Sill)	G7			Buffed or Brushed	22.59	22.59	22.59	22.03	21.46
410545	1/8" Endcap for 110481 (2"x6" Sill)	G7			Buffed or Brushed	10.58	10.58	10.58	10.32	10.05
410644	3" Recessed Trim Base with Holes, 12 ft.	AT16	£		Non-Buffed Non-Brushed	34.45	34.45	34.45	33.58	32.72
410718	1/8" Endcap for 110399 (Special order sill)	G7			Buffed or Brushed	40.00	40.00	40.00	39.20	38.00
410722	1/8" Endcap for 110375 (Special order header)	G7			Buffed or Brushed	42.00	42.00	42.00	40.95	39.90
410896	1/8" Endcap for 110434 (2-1/2"x1-3/4" Sill)	G7			Buffed or Brushed	9.81	9.81	9.81	9.57	9.32
411185	5/8" Recessed Trim Base, 12 ft.	AT16	3		Non-Buffed Non-Brushed	23.13	23.13	23.13	22.56	21.98
411331	3/4" Trim Base with Holes for Endcap, 12 ft.	AT17	<u> </u>		Non-Buffed Non-Brushed	12.02	12.02	12.02	11.72	11.42
412002	4.50" Trim Base,145.50"	AT17	<u></u>		Non-Buffed Non-Brushed	56.25	56.25	56.25	54.85	53.44
412007	5/8" Trim Base with Mounting Holes, 145.50"	AT17	~~		Non-Buffed Non-Brushed	14.74	14.74	14.74	14.37	14.00
412272	3" Trim Base with Mount Holes, 12 ft.	AT17			Non-Buffed Non-Brushed	36.02	36.02	36.02	35.12	34.22
412434	1/8" Endcap for 111007 (2"x8" Sill)	G5			Buffed or Brushed	20.00	20.00	20.00	19.50	19.00
412435	1/8" Endcap for 111011 (2-1/2"x 8" Sill)	G5			Buffed or Brushed	20.00	20.00	20.00	19.50	19.00
412436	1/8" Endcap for 111014 (2-1/2"x 6" Sill)	<b>G</b> 5			Buffed or Brushed	17.50	17.50	17.50	17.06	16.63



		Cat.					Discount	t Quantit	y Pricing	
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
412437	1/8" Endcap for 111015 (2-1/2"x 4" Sill)	G5			Buffed or Brushed	14.25	14.25	14.25	13.89	13.54
412443	Endcap for 111010 Top Channel				Buffed or Brushed	12.00	12.00	12.00	11.50	11.00
412444	Endcap for 111072 Top Channel				Buffed or Brushed	12.00	12.00	12.00	11.50	11.00
412456	Endcap for 111089 Top Channel				Buffed or Brushed	11.00	11.00	11.00	10.73	10.45
412457	Endcap for 111091 Top Channel				Buffed or Brushed	11.00	11.00	11.00	10.73	10.45
419007	Top Guide	RD15			Non-Buffed Non-Brushed	0.14	0.14	0.14	0.12	0.12
419020	1" Piano Hinge with Holes, 8 ft.	HA22			Non-Buffed Non-Brushed	25.34	25.34	25.34	24.71	24.07
419030	Vinyl Door Guide	RD15			Non-Buffed Non-Brushed	0.35	0.35	0.35	0.34	0.33
419070	Plastic Snap Base Clip (green) for TrimMaker Extrusion with 2" Openings	AT18			Green Plastic	0.70	0.70	0.70	0.68	0.67
419071	Plastic Snap Base Clip (yellow) for TrimMaker Extrusion with 3" Openings	AT18			Yellow Plastic	0.80	0.80	0.80	0.78	0.76
419072	Plastic Snap Base Clip orange) for TrimMaker Extrusion with 4.5" Openings	AT18	2		Orange Plastic	1.00	1.00	1.00	0.98	0.95
419073	Plastic Snap Base Clip (black) for TrimMaker Extrusion with 1" Openings	AT18			Black Plastic	1.00	1.00	1.00	0.98	0.95
419074	Plastic Snap Base Clip (grey) for TrimMaker Extrusion with 5/8" Openings	AT18			Grey Plastic	1.00	1.00	1.00	0.98	0.95
419076	Plastic Snap Base Clip (red) for TrimMaker Extrusion with 5/8" Openings	AT18			Red Plastic	1.00	1.00	1.00	0.98	0.95
419077	Plastic Snap Base Clip (blue) for TrimMaker Extrusion with 1" Openings	AT18			Blue Plastic	0.60	0.60	0.60	0.59	0.57

		Cat.					Discount	t Quantit	y Pricing	
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
420068	5/16" J-Molding with Holes,	FM15	> []		Non-Buffed Non-Brushed	11.73	11.73	11.73	11.44	11.15
420066	12 ft. (without Holes - 120041)	FMID			Buffed or Brushed	17.79	17.79	17.79	17.35	16.90
420107	5/8" J-Molding with Holes, 12 ft. (without Holes -	FM15	√ > □		Non-Buffed Non-Brushed	14.27	14.27	14.27	13.91	13.55
420107	120055)	IMIS	V {		Buffed or Brushed	19.60	19.60	19.60	19.11	18.62
420108	Mirror Divider Trim with	FM15			Non-Buffed Non-Brushed	15.09	15.09	15.09	14.71	14.34
	Holes, 12 ft.		~		Buffed or Brushed	19.48	19.48	19.48	18.99	18.51
420109	Mirror Divider Trim with	FM15			Non-Buffed Non-Brushed	23.09	23.09	23.09	22.51	21.94
420107	Holes, 12 ft.	TMIS	<u></u>		Buffed or Brushed	26.25	26.25	26.25	25.60	24.94
420110	Slotted Corner Column 150"	FM16	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		Non-Buffed Non-Brushed	45.21	45.21	45.21	44.08	42.95
420110	Slotted Corner Column, 150"	FMIO			Buffed or Brushed	50.02	50.02	50.02	48.77	47.52
429004	1/4" Glazing Wedge	FM14			Black	0.64	0.64	0.64	0.62	0.61
429005	3/16" Glazing Wedge	FM14			Black	0.35	0.35	0.35	0.34	0.33
429007	Glazing Clip	FM14			Grey	0.79	0.79	0.79	0.77	0.75
450010	Aluminum Showcase Slotted Standard	HA18 SC16 SH5			Price per Inch / Cutting charge also applies	0.55	0.55	0.55	0.54	0.52
450013	Aluminum Slotted Wall Standard	HA18 SH7			Price per Inch / Cutting charge also applies	0.72	0.72	0.72	0.70	0.68
450020	Aluminum Showcase Heavy Duty Slotted Standard	HA19 SC19 SH6	7		Price per Inch / Cutting charge also applies	0.65	0.65	0.65	0.63	0.62
450021	Aluminum Rear Support for 450020	HA19 SC16 SH6			Price per Inch / Cutting charge also applies	0.30	0.30	0.30	0.29	0.29
450022	Aluminum Rear Support for 450010	SH7 HA18 SC10			Price per Inch / Cutting charge also applies	0.37	0.37	0.37	0.36	0.35
450023	Aluminum Heavy Duty Slotted Standard, 12 ft.					52.60	52.60	52.60	51.29	49.97



		Cat.					Discount	Quantit	y Pricing	
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
470010	Door Jamb, 7ft.	F2	>		Non-Buffed Non-Brushed	21.81	21.81	21.81	21.26	20.72
170010	bool dame, rec	. 2			Buffed or Brushed	27.70	27.70	27.70	27.01	26.32
470012	Wall Jamb with Holes, 12 ft.	F2			Non-Buffed Non-Brushed	27.76	27.76	27.76	27.07	26.38
170012	wat same wat notes, 12 fee	. 2			Buffed or Brushed	39.94	39.94	39.94	38.94	37.95
480438	Flex Conduit Connector Adapter	SC30				4.54	4.54	4.54	4.54	4.54
480439	Mount Bracket Adapter	SC30			Non-Buffed Non-Brushed	3.62	3.62	3.62	3.62	3.62
480753	3/8" Threaded Washer 1" O.D.	SC30	0		Non-Buffed Non-Brushed	6.09	6.09	6.09	5.94	5.79
480756	Support Puck	SC30			Non-Buffed Non-Brushed	5.07	5.07	5.07	4.94	4.82
480757	3/8" Downtube 9/32" I.D.	SC30			Non-Buffed Non-Brushed	5.40	5.40	5.40	5.27	5.13
480767	Connector, Downtube	SC30			Non-Buffed Non-Brushed	8.53	8.53	8.53	8.32	8.10
480941	7/16" Downtube 9/32" I.D.	SC30			Non-Buffed Non-Brushed	13.53	13.53	13.53	13.19	12.85
480943	7/16" Threaded Washer 1-1/4" O.D.	SC30			Non-Buffed Non-Brushed	6.09	6.09	6.09	5.94	5.79
480989	Endcap, 1.00 Dia Reflector 180133	SC25			Buffed or Brushed	16.25	16.25	16.25	15.84	15.44
480993	Connector, Downtube, 1.00 Dia. Reflector	SC25			Non-Buffed Non-Brushed	9.00	9.00	9.00	8.78	8.55
481042	Connector, Downtube Internal Rotating for 180133 1.00 Dia. Reflector	SC25			Non-Buffed Non-Brushed	21.13	21.13	21.13	20.60	20.07
481056	Endcap, RH Teardrop Reflector 180147	SC23			Buffed or Brushed	10.50	10.50	10.50	10.24	9.98
481057	Endcap, LH Teardrop Reflector 180147	SC23			Buffed or Brushed	10.50	10.50	10.50	10.24	9.98

		Cat.					Discount	Quantit	y Pricing	
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
510001	Wheel Assembly for 110012 (wheel code W1)	RD15				0.80	0.80	0.80	0.78	0.76
510006	Door Bumper Assembly	RD15				0.65	0.65	0.65	0.63	0.62
510014	1/2" Heavy Duty Door Stop Assembly	RD15				2.75	2.75	2.75	2.68	2.61
510015	3/4" Heavy Duty Door Stop Assembly	RD15				3.00	3.00	3.00	2.93	2.85
510016-02	Standard Door Pull Assembly, Natural	HA17			Natural	3.53	3.53	3.53	3.53	3.36
510016-03	Standard Door Pull Assembly, Black	HA17			Black	3.53	3.53	3.53	3.53	3.36
510041	Heavy Duty Wheel Assembly (wheel code W5)	RD15	O			0.86	0.86	0.86	0.86	0.86
510060	Heavy Duty Door Stop Assembly, 1/2"	RD15				2.70	2.70	2.70	2.63	2.57
510073	Mount Bracket Kit	SC30				6.00	6.00	6.00	5.85	5.70
510089	Mounting Bracket Assembly for 110107/110192	HA15 SC16	0			2.25	2.25	2.25	2.19	2.14
510101	Single Ballast Box	SC34	To be a second of the second o		Aluminized Steel	17.50	17.50	17.50	17.50	17.50
510102	Double Ballast Box	SC35			Aluminized Steel	29.18	29.18	29.18	29.18	29.18
510126	90° Reflector Mitre Bracket Assembly	HA15				5.00	5.00	5.00	4.88	4.75
510127	135° Reflector Mitre Bracket Assembly	HA15				5.00	5.00	5.00	4.88	4.75
510199-01	Chrome Cam Lock used with 110153 hinged door frame extrusion. 7/8" cam length, key retaining. Includes 2 keys. (Kenstan CLD03-type)	HA16 S15	<b>9</b>		Chrome	16.15	16.15	16.15	15.34	15.34



		Cat.					Discount	t Quantit	y Pricing	
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
510199-02	Chrome Cam Lock used with 110153 hinged door frame extrusion. 7/8" cam length, key retaining. Includes 6 keys. (Kenstan CLD03-type)	HA16 S15	<b>D</b>		Chrome	20.08	20.08	20.08	18.08	18.08
510235	Hex Shelf Support Assembly	SC10	The state of the s			3.10	3.10	3.10	3.02	2.95
510237	Corner Bracket Assembly for Transparency Frame	S15 HA15				8.75	8.75	8.75	8.53	8.31
510238	Corner Bracket Assembly for Hinged Door	S15 HA15				8.75	8.75	8.75	8.53	8.31
510241	Endcap Assembly for 110140	RD15			Non-Buffed Non-Brushed	6.45	6.45	6.45	6.29	6.13
510245	Magnetic Latch and Strike Assembly	HA16	0			2.85	2.85	2.85	2.85	2.85
510246	Corner Bracket / Back Place Assembly for Transparence Face Frame Assembly	HA15				2.50	2.50	2.50	2.50	2.50
510249	Chrome Offset Cam Lock used with #710000 Series Showcase top or bottom hinged door. 7/8" cam w/ 1/4" offset, key retaining. Includes 2 keys. (Kenstan CLD03-type)	HA16			Chrome	15.70	15.70	15.70	14.45	14.45
510269	Chrome L-Cam Lock used with #710000 Series Showcase side hinged door. 5/8" cam w/ 1/2" L-bend, key retain- ing. Includes 2 keys. (Kenstan CLD03-type)	HA16			Chrome	17.28	17.28	17.28	17.28	17.28
510274	90° WallMaker Bracket Assembly	G4	00.000			36.00	36.00	36.00	36.00	36.00
510321	Mount Bracket Assembly	SC30				25.00	25.00	25.00	25.00	25.00
510331	Endcap Assembly for 110350	RD15			Non-Buffed Non-Brushed	4.54	4.54	4.54	4.43	4.31
510349	Mini Latch Assembly	S15 HA16				20.20	20.20	20.20	20.20	20.20

		Cat.					Discount	Quantit	y Pricing	
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
510371	Edcap Assembly for 110412	RD15			Non-Buffed Non-Brushed	8.00	8.00	8.00	7.60	7.22
510378	Downtube Flange	SC30	000			14.30	14.30	14.30	14.30	14.30
510440	135° WallMaker Bracket Assembly	G4	00.1:00			45.00	45.00	45.00	45.00	45.00
510458	WallMaker "T" Bracket Assembly Kit	G4				6.10	6.10	6.10	6.10	6.10
510459	WallMaker "L" Bracket Assembly Kit	G4				3.05	3.05	3.05	3.05	3.05
	WallMaker Smooth				Non-Buffed Non-Brushed	183.58	176.24	172.57	168.89	165.22
510529	H-Assembly	G3			Buffed or Brushed	214.71	206.12	201.83	197.53	193.24
510540	120° WallMaker Bracket Assembly					51.00	51.00	51.00	51.00	51.00
510571	180° Square Glass Clip for 3/8" & 1/2" glass	G19			Buffed or Brushed	26.55	26.55	26.55	25.22	25.22
510572	180° Round Glass Clip for 3/8" & 1/2" glass	G17			Buffed or Brushed	26.55	26.55	26.55	25.22	25.22
510582	Round, Wall Mount Glass Clip for 3/8" & 1/2" glass	G18			Buffed or Brushed	26.55	26.55	26.55	25.22	25.22
510583	Square, Wall Mount Glass Clip for 3/8" & 1/2" glass	G19			Buffed or Brushed	26.55	26.55	26.55	25.22	25.22
510584	90° Round Glass Clip for 3/8" & 1/2" glass	G18			Buffed or Brushed	26.55	26.55	26.55	25.22	25.22
510585	90° Square Glass Clip for 3/8" & 1/2" glass	G19			Buffed or Brushed	26.55	26.55	26.55	25.22	25.22
510586	135° Round Glass Clip for 3/8" & 1/2" glass	G18			Buffed or Brushed	26.55	26.55	26.55	25.22	25.22
510587	135° Square Glass Clip for 3/8" & 1/2" glass	G19			Buffed or Brushed	26.55	26.55	26.55	25.22	25.22



		Cat.					Discount	t Quantit	y Pricing	
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
510598	Ballast Box Accessory Kit (Screws, 12 and 18 Gauge Terminal Connector, Rocker Switch, Ballast Box Bracket and Knock-out Connector)	SC32				5.55	5.55	5.55	5.55	5.55
510599	Single Ballast Box Kit (Screws, Palnuts and Single Ballast Box Cover and Tray)	SC32			Black	28.54	28.54	28.54	28.54	28.54
510600	Single Ballast Box Kit with Accessories	SC33				26.72	26.72	26.72	26.72	26.72
510621	Flex Connector 3/8" I.D. Conduit	SC30				3.90	3.90	3.90	3.90	3.90
510622	Rigid Connector 1/2" Downtube	SC30				4.22	4.22	4.22	4.22	4.22
510625	Double Ballast Box Kit (Screws, Palnuts and Double Ballast Box Cover and Tray)	SC33				49.65	49.65	49.65	49.65	49.65
510626	Double Ballast Box with Accessories	SC33				58.32	58.32	58.32	58.32	58.32
F40740		63	A-4-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-		Non-Buffed Non-Brushed	202.92	194.81	190.75	186.69	182.63
510760	WallMaker Wireway Assembly	G3			Buffed or Brushed	231.10	221.85	217.23	212.61	207.99
5.0 <b>5</b> .1	WallMaker 90° Corner				Non-Buffed Non-Brushed	226.53	217.47	212.94	208.41	203.88
510761	Assembly	G3			Buffed or Brushed	254.65	244.47	239.38	234.28	229.19
					Non-Buffed Non-Brushed	286.48	275.02	269.29	263.56	257.83
510762	WallMaker 5" H-Assembly	G3			Buffed or Brushed	309.31	296.93	290.75	284.56	278.38
-,					Non-Buffed Non-Brushed	215.58	206.96	202.65	198.34	194.02
510763	WallMaker H-Assembly	G3			Buffed or Brushed	238.33	228.79	224.03	219.26	214.49
510808	Chrome Plunger Lock used with 110140, 110350 & 110412 rolling door shoe extrusions. 3/8" length plunger, key retaining. Includes 2 keys. (Kenstan PLD40-type)	RD15 HA16 SC5			Chrome	23.82	23.82	23.82	23.82	23.82

		Cat.					Discount	t Quantit	y Pricing	
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
510955	180° Rectangular Glass Clip for 3/8" & 1/2" glass	G20			Buffed or Brushed	26.55	26.55	26.55	25.22	25.22
511008	90° Rectangular Glass Clip for 3/8" & 1/2" glass	G20			Buffed or Brushed	26.55	26.55	26.55	25.22	25.22
511040	Chrome Plunger Lock used with 110012 & 110067 rolling door shoe extrusions. Through-the-track plunger, key retaining. Includes 2 keys. (Kenstan PLD49-type)	HA16 SC9 RD15			Steel Chrome Plated	21.43	21.43	21.43	21.43	21.43
511178	Top Shoe Guide Assembly	RD15 SC15	BTYLLARK			4.00	4.00	4.00	3.50	3.50
511179	90° Round Glass Clip for 5/8" & 3/4" glass	G18			Buffed or Brushed	26.55	26.55	26.55	25.22	25.22
511180	135° Round Glass Clip for 5/8" & 3/4" glass	G18			Buffed or Brushed	26.55	26.55	26.55	25.22	25.22
511181	180° Round Glass Clip for 5/8" & 3/4" glass	G17			Buffed or Brushed	26.55	26.55	26.55	25.22	25.22
511182	Round, Wall Mount Glass Clip for 5/8" & 3/4" glass	G18			Buffed or Brushed	26.55	26.55	26.55	25.22	25.22
511183	135° Rectangular Glass Clip for 5/8" & 3/4" glass	G21			Buffed or Brushed	26.55	26.55	26.55	25.22	25.22
511184	180° Rectangular Glass Clip for 5/8" & 3/4" glass	G20			Buffed or Brushed	26.55	26.55	26.55	25.22	25.22
511185	90° Rectangular Glass Clip for 5/8" & 3/4" glass	G20			Buffed or Brushed	26.55	26.55	26.55	25.22	25.22
511186	90° Square Glass Clip for 5/8" & 3/4" glass	G19			Buffed or Brushed	26.55	26.55	26.55	25.22	25.22
511187	135° Square Glass Clip for 5/8" & 3/4" glass	G19			Buffed or Brushed	26.55	26.55	26.55	25.22	25.22
511188	180° Square Glass Clip for 5/8" & 3/4" glass	G19			Buffed or Brushed	26.55	26.55	26.55	25.22	25.22

		Cat.					Discount	Quantit	y Pricing	
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
511189	Square, Wall Mount Glass Clip for 5/8" & 3/4" glass	G19			Buffed or Brushed	26.55	26.55	26.55	25.22	25.22
520005	Mitre Bracket Assembly	HA15 FM14				0.50	0.50	0.50	0.50	0.50
520075	Cleat Mounting Accessory Kit for Admire LED Mirror					19.00	19.00	19.00	18.53	18.05
530011	Wheel Assembly	RD17				15.73	15.73	15.73	15.34	14.95
530012	Decor Door Accessory Package					78.83	78.83	78.83	76.86	74.89
530024	T-Bolt Plunger Lock	RD17				27.98	27.98	27.98	27.28	26.58
550006-01	6" Shelf Blade Bracket (aluminum)	SC11 SH5 HA18			Non-Buffed Non-Brushed	7.00	7.00	7.00	7.00	7.00
550006-02	8" Shelf Blade Bracket (aluminum)	SC11 SH5 HA18			Non-Buffed Non-Brushed	7.00	7.00	7.00	7.00	7.00
550006-03	10" Shelf Blade Bracket (aluminum)	SC11 SH5 HA18			Non-Buffed Non-Brushed	7.25	7.25	7.25	7.25	7.25
550006-04	12" Shelf Blade Bracket (aluminum)	SC11 SH5 HA18			Non-Buffed Non-Brushed	7.50	7.50	7.50	7.50	7.50
550006-05	14" Shelf Blade Bracket (aluminum)	SC11 SH5 HA18			Non-Buffed Non-Brushed	7.75	7.75	7.75	7.75	7.75
550006-06	16" Shelf Blade Bracket (aluminum)	SC11 SH5 HA18			Non-Buffed Non-Brushed	8.00	8.00	8.00	8.00	8.00
550006-07	6" Shelf Blade Bracket (without lip - aluminum)	SC11 SH5 HA18			Non-Buffed Non-Brushed	8.00	8.00	8.00	8.00	8.00
550006-08	8" Shelf Blade Bracket (without lip - aluminum)	SC11 SH5 HA18			Non-Buffed Non-Brushed	8.00	8.00	8.00	8.00	8.00
550006-09	10" Shelf Blade Bracket (without lip - aluminum)	SC11 SH5 HA18			Non-Buffed Non-Brushed	8.25	8.25	8.25	8.25	8.25

		Cat.				Discount Quantity Pricing							
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+			
550006-10	12" Shelf Blade Bracket (without lip - aluminum)	SC11 SH5 HA18			Non-Buffed Non-Brushed	8.50	8.50	8.50	8.50	8.50			
550006-11	14" Shelf Blade Bracket. (without lip - aluminum)	SC11 SH5 HA18			Non-Buffed Non-Brushed	8.75	8.75	8.75	8.75	8.75			
550006-12	16" Shelf Blade Bracket (without lip - aluminum)	SC11 SH5 HA18			Non-Buffed Non-Brushed	9.00	9.00	9.00	9.00	9.00			
550007	Foot and Cap Assembly	SH6 SC16 HA19			Light Gray	1.15	1.15	1.15	1.12	1.09			
550008	Chrome Bottom Cap Assembly for Steel Standard	HA20 SC16 SH7			Chrome	1.63	1.63	1.63	1.59	1.55			
550009	Chrome Top Cap Assembly for Steel Standard	HA20 SC16 SH7			Chrome	2.17	2.17	2.17	2.12	2.06			
550010-01	6" Tubular Shelf Bracket (aluminum)	SC11 HA19 SH6	4		Buffed or Brushed	17.00	17.00	17.00	17.00	17.00			
550010-02	8" Tubular Shelf Bracket (aluminum)	SC11 HA19 SH6	4/		Buffed or Brushed	17.00	17.00	17.00	17.00	17.00			
550010-03	10" Tubular Shelf Bracket (aluminum)	SC11 HA19 SH6	4/		Buffed or Brushed	17.50	17.50	17.50	17.50	17.50			
550010-04	12" Tubular Shelf Bracket (aluminum)	SC11 HA19 SH6	4		Buffed or Brushed	18.00	18.00	18.00	18.00	18.00			
550010-05	14" Tubular Shelf Bracket (aluminum)	SC11 HA19 SH6	4		Buffed or Brushed	18.50	18.50	18.50	18.50	18.50			
550010-06	16" Tubular Shelf Bracket (aluminum)	SC11 HA19 SH6			Buffed or Brushed	19.00	19.00	19.00	19.00	19.00			
550011	Shelf End Clip for 550010	SC16 HA19 SH6			Zinc	3.03	3.03	3.03	2.96	2.88			
550012	Shelf Center Clip for 550010	SC16 HA19 SH6			Zinc	1.33	1.33	1.33	1.30	1.27			
550013	Glass End Clip for 550006	SC16 HA20 SH5			Zinc	1.83	1.83	1.83	1.79	1.74			

		Cat.					Discount	Quantit	y Pricing	
Part Number	Description	Page Ref.	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
550014	Glass Center Clip for 550006	SC16 HA20 SH5			Zinc	1.05	1.05	1.05	1.02	1.00
570003	Leveler Assembly	FM4 HA15				1.87	1.87	1.87	1.82	1.78
570004	Angle Bracket	FM4 HA15	0000		Non-Buffed Non-Brushed	4.90	4.90	4.90	4.78	4.66
570005	Panel Clip (includes hardware and 4 clips)	FM4				5.75	5.75	5.75	5.61	5.46
570013	Pivot Hinge Assembly	FM4 HA15				12.25	12.25	12.25	11.94	11.64
570546	Drill Block Tool Accessory	FM4	\$ 0.3 0.5 P			35.00	35.00	35.00	35.00	35.00
580746-01	Wiring Harness Assy, 2 Connector Cable with Female Receptacles 156"	SC34				5.25	5.25	5.25	5.25	5.25
580747-01	Wiring Harness Assy, 2-22A WG Wire w/2 Female Receptacles 156"	SC34				6.74	6.74	6.74	6.74	6.74
580817-01	Wiring Harness Cable 3 18A WG 156"	SC34				14.65	14.65	14.65	14.65	14.65
580818-01	Wiring Harness,3 18A WG 156"	SC34				10.85	10.85	10.85	10.85	10.85

Part Number	Configured-to-Order Products Contact Stylmark at 1-800-328-4892 for Pricing	Cat. Page Ref.
610130	Transparency Frame: 2 Panels, Piano Hinge, Latch	S12
610131	Transparency Frame: 2 Panels, Extruded Hinge, Latch	S12
610132	Transparency Frame: 2 Panels, Piano Hinge, Lock	S12
610133	Transparency Frame: 2 Panels, Extruded Hinge, Lock	S12
610135	Standard Hinged Door Assembly with Extruded Hinge	S8
610136	Heavy Duty Hinged Door Assemby with Extruded Hinge	S10
610137	Heavy Duty Hinged Door Assembly with Extruded Hinge and Lock	S10
610138	Heavy Duty Hinged Door with Piano Hinge and Latch	S10
610139	Heavy Duty Hinged Door with Piano Hinge and Lock	S10
610140	Security Top Rail Assembly	
610142	Face Frame Assembly	S12
610148	Surface Mount Hinged Door Assembly	
610150	Transparency Frame: (1) 1/4" Panel, Piano Hinge, Latch	S12
610151	Transparency Frame: (1) 1/4" Panel, Extruded Hinge, Latch	S12
610152	Transparency Frame: (1) 1/4" Panel, Piano Hinge, Lock	S12
610153	Transparency Frame: (1) 1/4" Panel, Extruded Hinge, Lock	S12
610156	Extended Face Frame Assembly	S14
610164	3/8" Face Frame Assembly	S14
610166	Stationary Surface Mount Assembly	S13
610170	Standard Hinged Door with 110069 Pull, 12 ft.	
610176	Light Duty Hinged Door with Offset Piano Hinge	S8
610177	Heavy Duty Hinged Door with Extruded Hinge and Lock	S10
620033	Tri-Vue Mirror Frame	FM11
620062	Mirror Frame - no shelf	FM13
630017	Wardrobe Doors (2)	RD16
630019	Wardrobe Security Doors (2)	RD16
630021	Wardrobe Doors (3)	RD15
630022	Wardrobe Security Doors (3)	RD15

Part Number	Ballast and Accessories	Catalog Reference Page	List Price
230028	Grounded Receptacle	SC34	2.39
230076	Ballast, (1) FM4T5, (1) F6T5 or F8T5		55.00
230226	Electronic Ballast (2) F017T8, (2) F025T8, (2) F032T8		27.00
230295	Electronic Ballast, (1) or (2) F54T5 High Output		33.00
230307	Electronic Ballast, (1) FO17T8, FO25T8, FO32T8		15.00
230386	Ballast, (1) FM42T6, F64T6, F72T8 or F96T8		120.00
230488	Ballast, T8 (1) FM30 50/60 Hz 120V		15.00
230489	Ballast, T8 (1 or 2), F17-23-32-32ES & (1) FM40 50-60Hz 120V		22.00
230493	Power Supply, 60W, 15.0V, LED, PRESET OUTPUT, UNIVERSAL INPUT 90-264 VAC, 47-63Hz		105.00
230494	Power Supply, 96W, 15.0V, LED, PRESET OUTPUT, UNIVERSAL INPUT 90-264 VAC, 47-63Hz		160.00
230543	Ballast, (1) or (2) FM42T6, F64T6, F72T6, F96T8		86.00
230548	Ballast, (1) F18T8		15.00
230572	Power Supply, 60W, 24.0V, LED PRESET OUTPUT, UNIVERSAL INPUT 90-264 VAC, 47-63 Hz	SC31	85.00
230573	Power Supply, 96W, 24V OUTPUT, UNIVERSAL INPUT 100-277 VAC, 47-63Hz	SC31	105.00
230589	Power Supply, 24V 150W 6.5A Max Output		50.00
230800	Power Supply, 12V 60W 5.0A Max Output, IDE W/C14 AC Power Inlet, 2.5x5.5x11mm Barrel DC Power Outlet		35.00
230845	Power Supply, 24V 60W 2.5A Max Output, IDE W/C14 AC Power Inlet, 2.5x5.5x11mm Barrel DC Power Outlet		30.00
230854	Power Supply, 24V 90W 3.75A Max Output, IDE W/C14 AC Power Inlet, 2.5x5.5x11mm Barrel DC Power Outlet		45.00
230908	Power Supply, Prog Start, T51 or (2) F14 / F21/ F28		27.95
230919	Electronic Ballast, Rapid Start for (1) F14T5, F21T5, F12T5 or (2) F6T5, F8T5		10.00
230921	Electronic Ballast, Rapid Start for (1) F21T5, F28T5, FM35T5		15.00

# Showcases

Stylmark's showcases are available in a variety of configurations. Listed below are just a few of the configurations available for Stylmark Showcase Assemblies. Please call for pricing on these and other custom showcases.

### **Aluminum Glass End Showcase Frame Assemblies**

Part Number	Configured-to-Order Assemblies Contact Stylmark at 1-800-328-4895 for pricing on custom showcases	Catalog Page Reference
710111	Rectangular with Front Reflector and Rear Rolling Doors	SC6
710112	Rectangular with Front and Rear Reflector and Rear Rolling Doors	SC6
710113	Rectangular with Rear Reflector and Rear Rolling Doors	SC6
710114	Rectangular with Rear Rolling Door (no reflector)	SC6
710115	Rectangular with Front Reflector and 3/4" Wood Doors with Mullion	SC6
710314	Rectangular with Small Corner Posts, No Reflector and Glass Hinge Doors	SC6

# Showcases

Stylmark's showcases are available in a variety of configurations. Listed below are just a few of the configurations available for Stylmark Showcase Assemblies. Please call for pricing on these and other custom showcases.

### **Aluminum Wood End Showcase Frame Assemblies**

Part Number	Configured-to-Order Assemblies Contact Stylmark at 1-800-328-4895 for pricing on custom showcases	Catalog Page Reference
510050	Top Side Angle Support Assembly	SC12
510051	Front Frame Assembly (H X 2 + W = Total Inches Required)	SC12
510117	Security Top and Side Glass Support Assembly	SC12
510198	Top Glass Security Channel Assembly	SC12
510239	Top and Side Glass Support Assembly	SC12
610125	Top Rail Assembly	
610140	Security Top Rail Assembly	

# Stock Length Rolling Door Kits


		Includes:					Non-Buffed, Non-Brushed Finish			Buffed or Brushed Finish		
Part Number	Description	Wheels	Retainers	Jambs	Verticals	Cat. Page Ref.	Qty 1	Qty 6	Qty 11	Qty 1	Qty 6	Qty 11
610005-02	Standard Rolling Door Assembly with Removable Track, 12 ft.	8	No	No	n/a	RD5	69.82	66.05	65.76	85.21	80.65	80.23
610007-02	Economy Rolling Door Assembly, 12 Ft.	8	No	No	n/a	RD5	50.07	48.05	47.20	61.10	58.64	57.57
610060-02	Wood Rolling Door Assembly, 12 ft.	8	No	n/a	n/a	RD6	36.05	34.89	34.30	40.97	39.61	38.93
610099-02	Standard Rolling Door Assembly, 12 ft.	8	No	n/a	n/a	RD5	55.14	52.92	51.96	71.56	68.68	67.40
610143-02	Security Rolling Door Assembly, 12 ft 110008 Header, 110012 Shoe	8	8	Yes	Yes	RD7	144.28	139.09	136.77	183.86	177.09	173.97
610144-02	Security Rolling Door Assembly, 12 ft 110071 Header, 110012 Shoe	8	8	Yes	Yes	RD7	168.93	162.77	159.97	210.20	202.38	198.75
610145-02	Security Rolling Door Assembly, 12 ft 110102 Header, 110012 Shoe	8	8	Yes	Yes	RD7	175.26	168.84	165.92	214.29	206.31	202.60
610146-02	Security Rolling Door Assembly, 12 ft 110162 Top Channel, 110208 Security Track	8	8	n/a	n/a	RD6	71.48	69.17	68.26	85.56	82.68	81.48
610165-02	Triple Track Rolling Door Assembly, 12 ft.	6	n/a	n/a	n/a	RD8	113.83	107.79	106.77	138.36	130.96	129.83
610183-02	Security Rolling Door Assembly, 12 ft 110102 Header, 110412 Shoe	8	8	Yes	n/a	RD9	197.86	192.33	189.73	231.59	224.71	221.43
610184-02	Security Rolling Door Assembly, 12 ft 110071 Header, 110412 Shoe	8	8	Yes	n/a	RD9	189.85	184.58	182.10	225.82	219.10	215.90
610185-02	Security Rolling Door Assembly, 12 ft 110008 Header, 110412 Shoe	8	8	Yes	n/a	RD9	165.20	160.90	158.91	199.48	193.81	191.12
610187-02	Heavy Duty Security Rolling Door Assembly, 12 ft 110008 Header, 110140 Shoe	8	8	Yes	Yes	RD10	198.96	193.65	191.15	237.62	230.76	227.49
610188-02	Heavy Duty Security Rolling Door Assembly, 12 ft 110071 Header, 110140 Shoe	8	8	Yes	Yes	RD10	223.61	217.33	214.35	263.96	256.06	252.27
610189-02	Heavy Duty Security Rolling Door Assembly, 12 ft 110102 Header, 110140 Shoe	8	8	Yes	Yes	RD10	229.94	223.40	220.30	268.05	259.99	256.11
610190-02	Security Rolling Door Assembly, 12 ft 110008 Header, 110350 Shoe	8	8	Yes	Yes	RD11	203.47	197.70	194.98	245.73	238.27	234.70
610191-02	Security Rolling Door Assembly, 12 ft 110071 Header, 110350 Shoe	8	8	Yes	Yes	RD11	228.12	221.38	218.17	272.07	263.57	259.47
610192-02	Security Rolling Door Assembly, 12 ft 110102 Header, 110350 Shoe	8	8	Yes	Yes	RD11	234.45	227.45	224.12	276.16	267.49	263.32

### 10 Business Day Wood End Showcase Program

Stylmark's wood end showcases can be fabricated to your specifications and shipped to you within ten business days\*.

Choose from Stylmark's standard anodized finishes. Standard anodized finishes are listed in Stylmark's Aluminum Color & Finish Card - Part #971805

### Pricing on Stylmark fabricated wood end showcases in these finishes is below standard fabricated prices!



Wood End showcases include:

- reflector assembly
- side glass support
- rolling door assembly
- front frame assembly


Please call our Customer Service department at 800-328-2495 for ordering details and a price quote!

\*Valid for quantities 1-10. Large quantities are subject to Stylmark approval.


# **Shelving Products**

Please refer to our Shelving Products brochure for more information regarding Stylmark's Shelf Products. Prices will vary based upon your individual order requirements; contact Stylmark Customer Service for pricing.

# LED Power Track Light Shelf



## Flexis DisplayMaker Shelving System



# Other shelves


# Folded Frame Available Width 11" - 100" Available Depth 5" - 20" AFF01

Note: Glass not supplied unless otherwise noted.

Please refer to our Signage brochure for more information regarding Stylmark's backlit displays. Prices will vary based upon your individual order requirements. Contact Stylmark Customer Service for pricing and custom sizes.

# Optima 300 LED® Edge-Lit Light Box

Front-Loading Graphic with Four-Sided Snap Frame - Wall-Mount



### The Optima 300 indoor light box features include:

- Advanced mechanically etched panel provides uniform illumination
- ADA Compliant 0.78" depth from wall (single-sided unit)
- Standard mitered corners with a corner insert
- Snap frame opens on all four sides for easy graphic access
- Units can be wall mounted or suspended from the ceiling (specify when ordering)
- Available stock in four standard sizes
- Custom size and double-sided units are available upon request (up to 70" x 120")
- Available in two finishes only. Satin Natural and Satin Black (by special order only)

Model	Optima 300 LED Edge-Lit	Dis	count Quantity Prici	ng
(9020 - Satin Natural Finish)	Single-Sided Light Box Graphic Size	1-9 Units	10-24 Units	25+ Units
690235-02-9020	22" x 28" (559mm x 711mm)	279.50	271.00	263.00
690235-04-9020	24" x 36" (610mm x 914mm)	375.50	364.00	353.00
690235-05-9020	30" x 40" (762mm x 1016mm)	465.00	451.00	437.00
690235-06-9020	36" x 48" (914mm x 1220mm)	615.00	597.00	578.00

The standard, stock models of the Optima 300 LED Edge-lit light boxes are single-sided, in Stylmark's -9020 Satin Natural finish with external power supply & cord and include a 0.015" clear face sheet. Power cord exits from back frame of the shorter side of the light box. Intended for standard wall mounting applications. Individually packaged.

Optima 300 LED Product Informati					
Data Sheet 971709					
Installation Instructions 971783					

Looking for a size not shown, please contact Stylmark Customer Service for assistance.


Note: Graphics not supplied unless otherwise noted. For dry locations only.

Please refer to our Signage brochure for more information regarding Stylmark's backlit displays. Prices will vary based upon your individual order requirements.

Contact Stylmark Customer Service for pricing and custom sizes.

# Optima 450 LED® Edge-Lit Light Box

Front-Loading Graphic with Four-Sided Snap Frame - Wall-Mount



The Optima 450 LED® Edge-Lit Light Box incorporates several features including:

- State-of-the-art LED lighting for brightest output
- Advanced laser etched panel design provides even illumination
- Mitered corner snap frame makes changing graphics a snap
- Thin profile 0.97" depth from wall (single-sided unit)
- Available stocked in four standard sizes
- Custom sizes and double-sided units are available upon request (up to 48" x 96")
- Units can be wall mounted, ceiling suspended, pedestal mount or add feet for a tabletop display (specify when ordering)

	Optima 450 LED Edge-Lit	Discount Quantity Pricing				
Model (020 - Satin Natural Finish)	Single-Sided Light Box Graphic Size	1-9 Units	10-24 Units	25+ Units		
690289-01-020	20" x 24" (508mm x 610mm)	579.33	562.29	546.22		
690289-02-020	24" x 36" (610mm x 914mm)	732.81	711.26	690.93		
690289-03-020	30" x 40" (762mm x 1016mm)	833.70	809.17	786.06		
690289-04-020	36" x 48" (914mm x 1220mm)	1,005.84	976.26	948.37		

The standard, stock models of the Optima 450 LED Edge-lit light boxes are single-sided, in Stylmark's -020 Satin Natural finish with external power supply & cord and include a 0.015" clear face sheet. Power cord exits from back frame of the shorter side of the light box. Intended for standard wall mounting applications. Individually packaged.

	Power Supply Replacement
	Strip Replacement
Looking for a size not shown, please contact Stylmark	
Customer Service for assistance.	

Note: Graphics not supplied unless otherwise noted. For dry locations only.



Optima 450 LED

**Product Information** 

971668

971796

971790

971791


Data Sheet

Installation Instructions

Please refer to our Signage brochure for more information regarding Stylmark's backlit displays. Prices will vary based upon your individual order requirements. Contact Stylmark Customer Service for pricing and custom sizes.

# Optima 1000 LED® Backlit Light Box

Front-Loading Graphic with Four-Sided Snap Frame - Wall-Mount



#### Optima 1000 LED® Backlit Light Box features include:

- Bright, uniform illumination throughout the display
- ADA Compliant 2.50" depth from wall (single-sided unit)
- Standard mitered corners with a corner insert
- Designed to be integrated with Stylmark fixtures to create custom display systems
- Snap frame features a tool-free open & closing system, allowing for easy graphic access
- Available stock in four standard sizes
- Custom sizes and double-sided units are available upon request (up to 48" x 96")
- Units can be wall mounted, ceiling suspended, pedestal mount or add feet for a tabletop display (specify when ordering)

	Optima 1000 LED Backlit	Discount Quantity Pricing					
Model (020 - Satin Natural Finish)	Single-Sided Light Box Graphic Size	1-9 Units	10-24 Units	25+ Units			
690278-01-020	20" x 24" (508mm x 610mm)	599.13	581.51	564.89			
690278-02-020	24" x 36" (610mm x 914mm)	790.94	767.68	745.74			
690278-03-020	30" x 40" (762mm x 1016mm)	921.61	894.51	868.95			
690278-04-020	36" x 48" (914mm x 1220mm)	1,210.99	1,175.37	1,141.79			

The standard, stock models of the Optima 1000 LED Back-lit light boxes are single-sided, 2-1/2" deep, portrait-oriented in Stylmark's -020 Satin Natural finish with power cord and include a 0.015" clear face sheet. Power cord exits on left side near bottom when mounted in portrait orientation and on bottom side near right corner when mounted in landscape orientation. Intended for standard wall mounting applications. Individually packaged.

Optima 1000 LEI Product Informati	
Data Sheet	971749
Installation Instructions	971750

Looking for a size not shown, please contact Stylmark Customer Service for assistance.

Note: Graphics not supplied unless otherwise noted. For dry locations only.

Please refer to our Signage brochure for more information regarding Stylmark's backlit displays. Prices will vary based upon your individual order requirements.

Contact Stylmark Customer Service for pricing and custom sizes.


# Optima LED® StretchLite

#### Frameless Fabric Graphic Display


Meeting retail demands for high-impact environments, Stylmark introduces the Optima LED StretchLite Backlit Light Box to create arresting and compelling merchandise displays with tension-fabric graphics. The newest addition to Stylmark's family of Optima LED light boxes, the Optima LED StretchLite combines the brilliance and uniformity of LED technology with the dramatic dimensions of tension fabric displays to help retailers, designers and visual merchandisers achieve unrivaled visual impact.

#### Optima LED StretchLite features include:

- Uniform illumination throughout the display
- Three LED lighting options:
  - Optima LED 1000 Backlit
  - Optima LED 650 Backlit
  - Optima LED Perimeter-Lit
- ADA Compliant: < 4.00" depth from wall (single-sided unit)</li>
- Frameless appearance: frames measure less than 0.075"
- Single section signs available in conventional & custom sizes up to 48" x 120"
- Integrate with other Stylmark fixtures to create custom display systems
- Change graphics quickly and easily using silicone edge gasket channel
- Multi-section configurations available (made up of multiple sections each up to 48" x 120")
- Units can be wall mounted or suspended from the ceiling (specify when ordering)







Optima LED Perimeter Lit

Optima LED 1000 & 650 Backlit

Optima LED StretchLite Product Information							
Data Sheet	971768						
Installation Instructions 971770							

Note: Graphics not supplied unless otherwise noted. For dry locations only.


Please refer to our Signage brochure for more information regarding Stylmark's backlit displays. Prices will vary based upon your individual order requirements. Contact Stylmark Customer Service for pricing and custom sizes.

# StretchFrame<sup>™</sup> Non-lit Tension Fabric Display Frames

For a frameless appearance to signs and interior displays, Stylmark's offering of Tension Fabric Display (TFD) frames include non-lit options for single sided extra low-profile frames as well as for single and double sided low-profile frames to put the focus on the graphic, not the frame. Made from high quality anodized aluminum extrusions and easy-to-assemble connectors, StretchFrame™ make TFD frames easy & beautiful.

	Model #690123 Extra Low Profile	Model #690318 Low Profile	Model #690319 Low Profile		
Depth	0.695" (17.6mm)	1.18" (30mm)	1.74" (44mm)		
Application	Single-sided	Single-sided	Double-sided		
Mounting	Wall Mount	Wall Mount	Hanging / Standing		
Media	Tension Fabric w/ SEG	Tension Fabric w/ SEG	Tension Fabric w/ SEG		
Maximum Size	96" x 96" (2.4 m x 2.4 m)	228" x 432" (5.8 m x 10.97 m)	288" x 432" (7.3 m x 10.97 m)		
Connector	Steel Corners & Set Screws	Tension Lock	Tension Lock		


Finishes: Available in Stylmark's wide variety of anodized finish & color combinations to complement your interior décor.



Note: Graphics not supplied unless otherwise noted. For dry locations only.

#### PrintFrame System (1" Frames)

Stylmark offers PrintFrames extrusion and components for users to fabricate and assemble their own custom-sized, front-loading, snap-frames for posters and signage. Extrusions are available in Stylmark's vast offering of anodized finishes.




						Discount	: Quantity	y Pricing	
Part Number	Description	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
Snap Frame, 1" PrintFrame,	<b>V</b>	> \( \)	Non-Buffed Non-Brushed	11.99	11.51	11.27	11.03	10.79	
190054	102"			Buffed or Brushed	15.51	14.89	14.58	14.27	13.96
190056	Back Frame, 1" PrintFrame, 102".	\\		Non-Buffed Non-Brushed	9.18	8.81	8.63	8.44	8.26

# PrintFrame System (1" Frames)

						Discount	Quantit	y Pricing	
Part Number	Description	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
222025	Rivet, 1/8" x 0.085 - 0.135 Stl Zinc	9	4,7	Steel Zinc	0.10	0.10	0.10	0.10	0.10
391548	Spring, 1" PrintFrame, 0.940 Dia. SST	Ŏ		Stainless Steel	0.25	0.22	0.19	0.17	0.15
391551	Corner Gusset, 1" PrintFrame			Galvanized Steel	1.00	0.80	0.75	0.70	0.65
391550-01	Radius Corner, 1" PrintFrame			Unfinished Natural Plastic	1.00	1.00	1.00	0.85	0.75
391550-02	Radius Corner, 1" PrintFrame			Matte Black	1.00	1.00	1.00	0.85	0.75
391550-03	Radius Corner, 1" PrintFrame			Firestone Red	1.00	1.00	1.00	0.85	0.75
391550-04	Radius Corner, 1" PrintFrame			Brite Silver - Plated	3.00	3.00	3.00	2.75	2.50
391550-05	Radius Corner, 1" PrintFrame			Gold - Plated	3.00	3.00	3.00	2.75	2.50
391550-06	Radius Corner, 1" PrintFrame,			Matte Silver - Plated	3.00	3.00	3.00	2.75	2.50
391625-01	Square Corner, 1" PrintFrame			Unfinished Natural Plastic	1.00	1.00	1.00	0.85	0.75
391625-02	Square Corner, 1" PrintFrame			Matte Black	1.00	1.00	1.00	0.85	0.75
391625-04	Square Corner, 1" PrintFrame			Brite Silver - Plated	3.00	3.00	3.00	2.75	2.50
391625-05	Square Corner, 1" PrintFrame			Gold - Plated	3.00	3.00	3.00	2.75	2.50
391625-06	Square Corner, 1" PrintFrame			Matte Silver - Plated	3.00	3.00	3.00	2.75	2.50
391625-07	Square Corner, 1" PrintFrame			Gloss Black	1.00	1.00	1.00	0.85	0.75
590866	Wall Mounting Kit, includes wall anchors and screws				0.40	0.40	0.40	0.35	0.30
391997	Slatwall Hanger for PrintFrame				6.62	6.62	6.62	6.62	6.62

### PrintFrame System (1-3/8" Rounded Corner Frames)




						Discount	t Quantity	y Pricing		
Part Number	Description	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+	
Snap Frame, 1-3/8"	Snap Frame, 1-3/8"	> E 3			Non-Buffed Non-Brushed	15.72	15.10	14.78	14.47	14.15
190061	PrintFrame, 102"		₹	Buffed or Brushed	20.64	19.82	19.40	18.99	18.58	
190093	Back Frame, 1-3/8" PrintFrame, 102"	<u> </u>		Non-Buffed Non-Brushed	20.62	19.80	19.38	18.97	18.56	

# PrintFrame System (1-3/8" Rounded Corner Frames)

						Discount Quantity Pricing			
Part Number	Description	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
490257	Double-Sided Cornerpiece			Non-Buffed Non-Brushed	17.00	17.00	17.00	16.58	16.15
222023	Cartridge Rivet, 1821-0412	9		Steel	0.14	0.14	0.14	0.14	0.14
222025	Rivet, 1/8 x 0.085-0.135 Stl Zinc	9		Steel	0.10	0.10	0.10	0.10	0.10
391553	Corner Gusset, 1-3/8" PrintFrame			Galvanized Steel	1.50	1.30	1.20	1.10	1.05
391997	Slatwall Hanger for PrintFrame				6.62	6.62	6.62	6.62	6.62
590866	Wall Mounting Kit, includes wall anchors and screws.				0.40	0.40	0.40	0.35	0.30
391527-01	Radius Corner, 1-3/8" PrintFrame			Unfinished Natural Plastic	1.00	1.00	1.00	0.85	0.75
391527-02	Radius Corner, 1-3/8" PrintFrame			Matte Black	1.00	1.00	1.00	0.85	0.75
391527-04	Radius Corner, 1-3/8" PrintFrame,			Brite Silver, Plated	3.00	3.00	3.00	2.75	2.50
391527-05	Radius Corner, 1-3/8" PrintFrame			Gold, Plated	3.00	3.00	3.00	2.75	2.50
391527-06	Radius Corner, 1-3/8" PrintFrame			Matte Silver, Plated	3.00	3.00	3.00	2.75	2.50

## PrintFrame System (1-3/8" Mitered Corner Frames)



						Discount	Quantit	y Pricing	
Part Number	Description	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
100041 Snap Frame, 1-3/8"			Non-Buffed Non-Brushed	15.72	15.10	14.78	14.47	14.15	
190061	PrintFrame, 102"	> E		Buffed or Brushed	20.64	19.82	19.40	18.99	18.58
190093	Back Frame, 1-3/8" PrintFrame, 102"	<u> </u>		Non-Buffed Non-Brushed	20.62	19.80	19.38	18.97	18.56

# PrintFrame System (1-3/8" Mitered Corner Frames)


					Discount Quantity Pricing				
Part Number	Description	View	Min- Qty.	Finish	1-5	6-10	11-24	25-99	100+
217008	Corner Bracket Plate with Screws			Zinc	0.25	0.22	0.19	0.17	0.15
391501	Spring, 1-3/8" PrintFrame, 1.410 Dia. SST	Ŏ		Stainless Steel	0.25	0.22	0.19	0.17	0.15
391505	Corner Bracket Plate			Galvanized Steel	1.29	1.15	1.00	0.95	0.89
391997	Slatwall Hanger for PrintFrame				6.62	6.62	6.62	6.62	6.62


#### Mirror Solutions by Stylmark

Mirror Solutions by Stylmark come fully glazed and ready to install. Available in standard single pane sizes, with or without back-lighting, these mirrors expand the visual space of any room while providing elegant functionality.

#### Mirror Solutions - BEVEL

Featuring a frame which tapers back towards the wall, BEVEL presents a unique appearance. The LED-lit BEVEL Mirror also features flush, etched lights on each side of the mirror face. The LED-lit BEVEL Mirror is selectable with hard-wire or plug-in option.





	Description		D	iscount Qua	antity Pricin	g
Model	Note: Mounting hardware included with all units	Mirror Size (O.D)	1 Unit	2 Units	3-9 Units	10+ Units
620095-01	BEVEL : Single Pane Mirror	28" x 60" (28-3/4" x 60-1/4")	710.00	620.00	560.00	525.00
620095-03	BEVEL : Single Pane Mirror	36" x 72" (36-3/4" x 72-1/4")	880.00	780.00	715.00	605.00
620096-01	BEVEL: LED-Lit, Single Pane Mirror	28" x 60" (28-3/4" x 60-1/4")	1,215.00	1,105.00	1,020.00	965.00
620096-03	BEVEL : LED-Lit, Single Pane Mirror	36" x 72" (36-3/4" x 72-1/4")	1,405.00	1,280.00	1,190.00	1,125.00

The above pricing is for Stylmark's Mirror Solution models with standard options. These models include Satin Natural anodized finish and for LED-lit models, hardwired and no power switch. All models are individually packaged. Configurable options include the range of Stylmark anodized finishes, plug-in cord, and external power switch. Please contact your Stylmark Sales Representative or the Customer Care Team at 1-800-328-2495 to specific configurable options.


Bevel Mirror Produ Information	uct
Data Sheet	971793
Installation Instructions	971798


#### Mirror Solutions by Stylmark

Mirror Solutions by Stylmark come fully glazed and ready to install. Available in standard single pane sizes, with or without back-lighting, these mirrors expand the visual space of any room while providing elegant functionality.

#### Mirror Solutions - PIVOT

PIVOT features adjustable wing mirrors to allow viewing from multiple angles. The wing mirrors attach with seamless hinges which eliminate pinch points. The LED-lit PIVOT Mirror also features flush, etched lights on each side of the center mirror face. The LED-lit PIVOT Mirror is selectable with hard-wire or plug-in option.





	Description		D	iscount Qua	antity Pricin	g
Model	Note: Mounting hardware included with all units	Mirror Size (O.D)	1 Unit	2 Units	3-9 Units	10+ Units
620097-02	PIVOT : Triple Pane Mirror	18" (wing) x 28" x 72" (66-1/4" x 72-1/4)	1,420.00	1,260.00	1,165.00	1,045.00
620098-02	PIVOT : LED-Lit, Triple Pane Mirror	18" (wing) x 28" x 72" (66-1/4" x 72-1/4)	1,910.00	1,700.00	1,605.00	1,460.00

The above pricing is for Stylmark's Mirror Solution models with standard options. These models include Satin Natural anodized finish and for LED-lit models, hardwired and no power switch. All models are individually packaged. Configurable options include the range of Stylmark anodized finishes, plug-in cord, and external power switch. Please contact your Stylmark Sales Representative or the Customer Care Team at 1-800-328-2495 to specific configurable options.


Pivot Mirror Produ Information	ıct
Data Sheet	971795
Installation Instructions	971798

#### Mirror Solutions by Stylmark

Mirror Solutions by Stylmark come fully glazed and ready to install. Available in standard single pane sizes, with or without back-lighting, these mirrors expand the visual space of any room while providing elegant functionality.

#### Mirror Solutions - TILT

The LED-lit TILT Mirror plugs into a standard wall outlet.



	Description		D	iscount Qua	antity Pricin	g
Model	Note: Mounting hardware included with all units	Mirror Size (O.D)	1 Unit	2 Units	3-9 Units	10+ Units
620091-01	TILT : Single Pane Mirror	28" x 60" (29" x 61")	441.40	417.66	403.40	398.66
620091-02	TILT : Single Pane Mirror	28" x 72" (29" x 73")	543.92	520.16	481.83	417.63
620091-03	TILT : Single Pane Mirror	36" x 72" (37" x 73")	599.26	550.42	514.10	469.18
620092-01	TILT : LED-Lit, Single Pane Mirror	28" x 60" (28-1/4" x 60-1/4")	1,152.86	1,067.56	1,001.62	912.83
620092-02	TILT : LED-Lit, Single Pane Mirror	28" x 72" (28-1/4" x 72-1/4")	1,217.94	1,129.52	1,051.23	928.37
620092-03	TILT : LED-Lit, Single Pane Mirror	36" x 72" (36-1/4" x 72-1/4")	1,284.43	1,199.33	1,132.29	1,038.83

The above pricing is for Stylmark's Mirror Solution models with standard options. These models include Satin Natural anodized finish and for LED-lit models, plug-in cord and no power switch. All models are individually packaged. Configurable options include the range of Stylmark anodized finishes and external power switch. Please contact your Stylmark Sales Representative or the Customer Care Team at 1-800-328-2495 to specific configurable options.


Tilt Mirror Produc	ct
Data Sheet	971792
Installation Instructions	971801




The ADMIRE LED Mirror from Stylmark combines budget-friendly design with flattering soft white LED lighting to a full length mirror perfect for fitting rooms.

#### Admire LED Mirror


The simple styling will fit almost any decor. With the compact depth of the ADMIRE LED Mirror, fitting into your smaller rooms won't be a concern. Complement the fitting room experience and ease the buying decision with Stylmark's ADMIRE LED Mirror.



Admire LED Mirror Model 620105-01-OBWHT40111



Part # 520079- OBWHT40111 60° Wing Bracket



Part # 520078-OBWHT40111 45° Wing Bracket

#### Admire LED Mirror

	Description			Discou	nt Quantity	Pricing	
Model	Note: White powder coat finish # 4073, hardwired, no switch	Mirror Size (glass dimension)	1 Unit	2 - 9 Units	10 - 24 Units	25 - 49 Units	50+ Units
620105-01- OBWHT40111	Admire LED Mirror - White (Hardwired)	28" x 60"	715.00	665.00	625.00	600.00	585.00
620105-02- OBWHT40111	Admire LED Mirror - White (Hardwired, On/Off Switch)	28" x 60"	725.00	675.00	635.00	610.00	595.00
620105-03- OBWHT40111	Admire LED Mirror - White (Plug-in Cord)	28" x 60"	725.00	675.00	635.00	610.00	595.00
620105-04- OBWHT40111	Admire LED Mirror - White (Plug-in Cord, On/Off Switch)	28" x 60"	735.00	685.00	645.00	620.00	605.00
620105-05- OBWHT40111	Admire LED Mirror - White (Low Light, On/Off Switch)	28" x 60"	725.00	675.00	635.00	610.00	595.00
620105-06- OBWHT40111	Admire LED Mirror - White (Low Light, Plug-in Cord, On/Off Switch)	28" x 60"	735.00	685.00	645.00	620.00	605.00
620106-01 OBWHT40111	Admire MIrror Wing	14" x 60"	235.00	215.00	205.00	195.00	187.50
620106-02 OBWHT40111	Admire MIrror Wing	14" x 72"	245.00	225.00	215.00	205.00	197.50
520078- OBWHT40111	45° Wing Bracket Kit (one kit required per wing, contains two brackets)	N/A	42.50	42.50	41.00	40.45	39.75
520079- OBWHT40111	60° Wing Bracket Kit (one kit required per wing, contains two brackets)	N/A	42.50	42.50	41.00	40.45	39.75
520075	Cleat Mounting Accessory Kit	N/A	19.00	19.00	19.00	18.53	18.05
227025	Glass Installation Suction Cup, 4-1/2" dia, 80 lb capacity	N/A	7.50	7.50	7.50	7.50	7.50

The above pricing is for Stylmark's Admire LED Mirror with standard options. These models include white powder coat finish, hardwired and no power switch. Configurable options include plug-in cord and external power switch. Please contact your Stylmark Sales Representative or the Customer Care Team at 1-800-328-2495 to specific configurable options.

Admire LED Mirro Product Informat	
Data Sheet	971827
Installation Instructions	971826



# This page intentionally left blank

#### Application for Credit



#### Please photocopy this original and fax to Stylmark

Stylmark Incorporated • 800-328-2495 6536 Main Street NE • PO Box 32008

6536 Main Street NE • PO Box 32008 Minneapolis, Minnesota 55432-0008			Da	ate	20
Fax: 763-574-1052 (Finance Department) Name		Phono			
Billing Address					
Sity					
Shipping Address		Fax			
City		State	Zip		
Business is a: Corp	Partnership		Individu	ıal D.B.A	
Social Security # if Partnership	Federal Tax	I.D. # if Proprietorship		Corpo	oration
Owner-Officers	President			V. President _	
Controller/Treasurer		Date Busine	ess Started		
Credit Line Desired		Sales Tax E	xemption		mption certificate)
(Please send finar	ncial statement)			(Please send exe	mption certificate)
		County if T	axable		
Name and Title of person responsible for approval	l, processing and payment of	invoice			
	Credit references - Bar	nk nlus three trade	references		
Bank Name		•			
Address		Address			
City State					Zip
Account Number		-			
Phone Number		Fax Number			
Name_		Name			
Hunte		name			
Address		Address			
City State	Zip	City		State	Zip
Phone Number		Phone Number_			
Fax Number		Fax Number			
I authorize STYLMARK, INC. to investigate my cre	edit record and report to prop	per persons or bureaus.			
TERMS: 1% 15 Days, Net 30 (Prompt payment dis	count on materials only) or N	let 30			
I understand that if my account is not kept curre 1.5% per month (or if such rate is illegal or usuring attorney fees, to the extent permitted by lav	ous, at the maximum rate per				
STYLMARK, INC'S acceptance of this application	for credit is subject to the te	rms and conditions stat	ted above.		
		Signed			
				gnature of author	ized officer

Title\_

# This page intentionally left blank

# SATITUTE NO.

PO Box 32008 • 6536 Main Street NE Minneapolis, MN 55432-0008

Phone: (800) 328-2495 • Fax: (763) 574-1415 www.stylmark.com • email: info@stylmark.com

<b>S</b>
2
0
<b>L</b>
H <sub>2</sub>
<u></u>
K
0
ER
₹
0
ST
C

of

# Please photocopy this original for future use

Shaded areas are for Stylmark use only. Your order will be confirmed via email or phone on day received. Instructions: Please complete and email to our Customer Service Department at info@stylmark.com. If you have any questions, please feel free to contact us at 800-328-2495 or 763-574-7474.

	Stylmark Order #		Stylmark Ship Date:
Bill To Information	Ship To Information	Same as Bill To	
Contact:	Contact:		Today's Date:
Company:	Company:		Customer P.O. #:
Address:	Address:		Ship Via:
City/State/Zip:	City/State/Zip:		Collect: 3rd Pty. Bill:
Phone:	Phone:		Authorized by:
Email:	Fax:		×

ITEW#	QUANTITY	FINISH	SIZE	PRICE EACH
_				
Remarks:				
2				
Remarks:	_			
3				
Remarks:	-			
4				
Remarks:				
5				
Remarks:	_	-		
9				
Remarks:				

- Terms (Must be set up prior to processing order)
  - CIA
- Visa / Mastercard / American Express (Please contact Customer Service at 800-328-2495)

# This page intentionally left blank

# This page intentionally left blank





Stylmark, Inc. 6536 Main Street NE, PO Box 32008 Minneapolis, MN 55432

Phone: 800-328-2495 763-574-7474 Fax: 763-574-1415

stylmark.com info@stylmark.com

