

2021 Net Price List

Prices effective November 1, 2021

To learn more about the products in this price book, you can view the entire Stylmark product catalog on our website - stylmark.com.

Stylmark, Inc. 6536 Main Street NE, PO Box 32008 Minneapolis, MN 55432

Phone: 800-328-2495 763-574-7474 Fax: 763-574-1415 stylmark.com info@stylmark.com

| Contents | Page |
|---|----------------|
| | |
| Terms & Conditions | · · · <u>3</u> |
| Stylmark Warranty Statement | <u>9</u> |
| Price List Column Descriptions | <u>10</u> |
| Extrusions, Hardware and Accessories (listed numerically by part number |) . <u>11</u> |
| Rolling Doors | <u>70</u> |
| Admire LED Mirror | <u>71</u> |
| Free-Standing Barriers | <u>73</u> |
| Cafe Barrier System | <u>75</u> |

Phone: 800-328-2495 763-574-7474 Fax: 763-574-1415 stylmark.com info@stylmark.com

To place an ORDER or obtain a QUOTE, please call 800-328-2495 or 763-574-7474
Fax 763-574-1415 • info@stylmark.com

Placing an Order

You may place an order via the Stylmark eCommerce site (shop.stylmark.com), email, or phone. When placing an order, please specify the part number along with the finish number. Refer to our catalog to verify the stock lengths and the buffed/brushed finished surfaces. All buffed or brushed finishes may be purchased as non-buffed or non-brushed as well. Order acknowledgements will be sent for review.

*All order change requests are subject to additional charges.

Minimum Order Amount

| Product | Amount |
|---|----------------|
| Stocked Finished Goods (inc. hardware, wheels, screws, etc.) | \$ 100.00 |
| Stocked (Finished) Extrusions | \$ 100.00 |
| Non-Stocked Extrusions (Std Colors, per color) ¹ | \$ 500.00 |
| Non-Stocked Extrusions (Special Colors, per color) ² | \$ 500.00 |
| Non-Stocked Extrusions (Custom Colors, per color) ³ (See page 6 for additional Custom Color Information) | \$1,000.00 |
| Fabricated Items (from Finished Goods Stock) | \$ 500.00 |
| Fabricated Items / Curving (Orders will be evaluated) | Must be Quoted |

^{*} minimum item quantities may apply to all orders

Due to recent issues with material and labor shortages, factory capacity on specific colors, Lead Times on all new orders will be reviewed and quoted based on current conditions.

We apologize in advance for any inconvenience

¹ Standard colors include: Natural, Black, Brown, Brass and Stainless Steel.

² Special colors include: Bronze, White Gold, Pewter and Copper.

³ Custom colors include anything not listed above or special color matches.

To place an ORDER or obtain a QUOTE, please call 800-328-2495 or 763-574-7474

Fax 763-574-1415 • info@stylmark.com

Prices

Prices are subject to change without notice. Orders are shipped at prevailing prices at the time of the order. Quotes are valid for 30 days from the date of quote, unless otherwise specified. Prices

do not include applicable sales taxes and delivery charges, which will be added to your order.

Taxes

Taxes are based on delivery address. If the company or job is tax exempt, please include a copy of the Tax Exemption Certificate with the order.

Methods of Payment

With approved credit, we will ship your order on an open 30-day account. To open an account, simply request a credit application. The credit approval process may take 1-2 weeks. To expedite your first order, we recommend paying with cash-in-advance. Open accounts are subject to 1%-15 days/net 30 terms.

We accept Visa, Mastercard, Discover and American Express. Prepayment by check is also an acceptable method. Credit card or prepayment by check are not eligible for the prompt payment discount. Call our Customer Service Department for details.

Delivery

All orders are shipped F.O.B. Stylmark. Larger orders and 12' lengths are shipped freight via truck lines selected by Stylmark, unless otherwise specified by the customer.

Smaller orders and extrusions cut to 8' or less are shipped best way parcel, prepaid & add unless otherwise specified. Shipping and handling charges for parcel shipments are added to your invoice. Expedited shipping available upon request.

All freight and processing fees will be charged to the customer if collect freight terms are no longer active or in good standing with the client's chosen freight company.

Special delivery requirements?

Please let us know and we will do everything we can to meet your needs.

To place an ORDER or obtain a QUOTE, please call 800-328-2495 or 763-574-7474
Fax 763-574-1415 • info@stylmark.com

International Shipping

Preferred payment options for international customers would be a wire transfer. A wire transfer fee will be charged.

Stylmark currently does not arrange international transportation. Customers are responsible to coordinate transportation internationally to their locations. (Exception for parcel shipments to Canada).

Prepay and Add Freight

Eliminate the hassles associated with collect freight deliveries and let us find the most economical rate to meet your requested delivery. We will share the benefits of our established relationships with multiple carriers and pass those savings on to you. To take advantage of this new option, simply talk to your customer service representative when you are ready to place your order. Once your order is completed and in shipping, our staff will compare rates and service levels and select the one that best fits your needs. This option is available to customers with established terms or those that remit via credit card.

NOTE: A second debit for shipping charges will be charged against the credit card when the order ships.

NOTE: Additional freight and accessorial charges prepaid by Stylmark will be invoiced separately.

Customer Pick-Up Policy

Once complete and packaged for shipment, customer pickup orders will be transacted and you will be invoiced accordingly. As always, our shipping team will notify you that your order is ready and provide you with the weights & dimensions of your order.

* All orders are to be picked up as soon as possible (within 3 days) after you have been notified. If orders are not picked up within this timeframe, Stylmark reserves the right to apply additional holding charges, including shipping the order via best method at your expense.

Limited Warranty

Stylmark products are warranted to be free from defects in workmanship and materials under normal use and service when properly installed. This warranty is limited to actual invoiced charges; we are not liable for any other damages or charges. Refer to Stylmark's complete warranty statement on page 9 for further details.

To place an ORDER or obtain a QUOTE, please call 800-328-2495 or 763-574-7474
Fax 763-574-1415 • info@stylmark.com

Anodizing Range Samples

Stylmark strives to provide consistent and uniform anodized finishes; however, variation in gloss, light & dark, and tristimulus system values (RGB) should be expected. Additionally, because anodized coatings are translucent, appearance will vary with viewing angle and base level finish of material. Therefore, for critical installations, minimum/maximum samples which represent the acceptable range of variation in the finish should be requested & approved prior to processing any orders. Without approved range samples, Stylmark will produce orders using standard range tolerances around the target anodized finish.

Anodized Aluminum Racking Marks

All anodized aluminum extrusion and parts must have electrical contact to the part to be anodized. Various contact types are used depending upon the size and geometry of the part being anodized. The electrical contact will leave racking marks on the finished parts. Racking marks include bolt marks, clip marks or thread marks. Most extrusions will include bolt marks, and for this reason, Stylmark's typical extrusion length is 2" over its nominal length, e.g., a 12 ft extrusion measures to 146". This way the user of the finished extrusion can trim the extrusion to size and have 12 ft of useable, finished material. Other anodized aluminum parts, such as anodized sheet aluminum may also have bolt or clip marks. Please verify allowable locations or contact Stylmark for options. Cut to length extrusions and machined parts may be racked using clips. Although clips leave smaller rack marks, they are generally placed in the least conspicuous locations possible as to minimize the appearance of the mark. It is important to communicate the critical surfaces & finish expectation to Stylmark so we can work with you to identify acceptable rack mark locations. Heavier materials, such as machined items or parts made from aluminum plate may require the electrical contact to be made in a tapped hole in the part. In this case, the rack mark will be in and around the threads of the tapped hole, where the bolt threads engage the part. If racking marks are a concern for the anodized materials on your project, you are encouraged to contact Stylmark, prior to placing your order, to discuss racking options.

Custom Color Charges

Stylmark has an extensive library of colors. Custom colors will be subject to an additional charge. If you have a color to match or would like a custom color, please call for details.

* Minimum order quantities and longer lead times will apply.

To place an ORDER or obtain a QUOTE, please call 800-328-2495 or 763-574-7474
Fax 763-574-1415 • info@stylmark.com

Order Quantity Tolerances

Orders for non-stocked, made-to-order items are subject to a quantity range tolerance of +/10% and these items may also be subject to a minimum quantity per item. This includes all FTOE's (Finish-to-Order Extrusions) and all other products not held in Finished Goods inventory by Stylmark.

For example, for an order of 40 pieces of a made-to-order item, we may deliver 36-44 pieces, bill the actual quantity shipped at the quoted unit price and close the order.

Special Order Extrusion Quantity Tolerances

All special-order extrusions are subject to quantity range tolerances as described below.

| Extrusions Push | Piece Part Yield |
|----------------------|------------------|
| 300-400 pounds | +/- 35% |
| 400-700 pounds | +/- 30% |
| 700-1,000 pounds | +/- 25% |
| 1,000-2,000 pounds | +/- 15% |
| 2,000-5,000 pounds | +/- 10% |
| 5,000-10,000 pounds | +/- 7% |
| 10,000-30,000 pounds | +/- 5% |

For example, an order for 200 pieces of a special-order extrusion may require a 300 lb extrusion push based upon profile weight. This push may yield 200 pieces +/- 35% of the extrusion. Stylmark will ship the entire yield (for this example 140-270 pieces) of the push and you will be invoiced for the quantity shipped at the quoted unit price.

Extrusion Dies and Tooling

Unless otherwise designated in writing, all extrusion dies and tooling remains the property of Stylmark. We hold tooling for a minimum of two years. If no order is received in any two-year period, we reserve the right to dispose of the tooling.

^{*} Exact quantity orders will be subject to additional charges.

To place an ORDER or obtain a QUOTE, please call 800-328-2495 or 763-574-7474
Fax 763-574-1415 • info@stylmark.com

Design/Engineering Charges

For customer requesting design or engineering work, a charge of \$150 per hour will apply.

Patents

On orders for customer-specified products, the customer agrees to protect and indemnify Stylmark against any infringement claims.

Shortages and Damaged Shipments

Claims for shortages and damages must be submitted in writing within 5 days of order shipment. Receiver must note damage on BOL at time of delivery. Provide signed BOL, photos of damaged material and packaging to process a claim for replacement. Stylmark will file a freight claim for damage and shortages on prepaid shipments if notified within 5 days of receipt. Keep damaged goods and packaging for inspection until advised by the carrier to dispose of them.

Return Policy

Stylmark's goal is 100% customer satisfaction. Returned materials should be wrapped for protection and tightly bundled to prevent movement in shipping. We cannot accept returns of materials that have been damaged during return shipment due to improper packaging. All returns are subject to Stylmark approval and require a RMA.

- * Contact your Stylmark account representative and request a Return Material Authorization (RMA) number. Please do not return materials to us without first obtaining an RMA number. Provide an order or invoice number and reason for return request.
- * Return the materials to us (shipped pre-paid) within 21 days of authorization, clearly marking each package with the RMA number. Include the RMA number on the packing slip. Returns shipped freight collect will be back charged for freight.
- * Under normal conditions, returns are only allowed on standard stock items in standard finishes and will be subject to a restocking charge (typically 25% or \$50, whichever is greater).
- * All material returned will be credited using quantity discount price unless referenced on invoice.
- * Upon inspection and approval, a credit will be issued to your account.

Stylmark Warranty Statement

Stylmark, Inc. warrants this product to be free from defects due to workmanship or materials, under normal use and service, for the following warranty period from date of shipment.

Lighting Products:

- Showcase & Flexis Shelf Lights with 24V LED: twenty-four (24) months
- LED Mirror Products: twenty-four (24) months
- Optima LED Light Boxes: twenty-four (24) months

All other products: thirty (30) days

Any product that is proven to be defective in workmanship or material is returned to Stylmark, Inc. within the applicable warranty period, in accordance with the procedure described below, Stylmark, Inc. will, at its option, either repair, replace or credit the customer for the purchase price of the product, in accordance with the procedure described below. This warranty extends only to persons or organizations that originally purchase the product from Stylmark, Inc.

The expressed warranty above constitutes the entire warranty of Stylmark, Inc. with respect to the products in this catalog and is in lieu of all other warranties, express or implied, including any warranty of merchantability or warranty of fitness for a particular purpose. In no event shall Stylmark, Inc. be responsible for any other costs or damages, including, but not limited to, lost revenue or profits, incidental, special or consequential damages of any nature whatsoever. Stylmark, Inc. products are designed to operate as a system. The use of other manufacturers' equipment in conjunction with Stylmark, Inc. products may be hazardous and therefore automatically voids all warranties. This warranty shall not apply to products that have been altered, improperly used or installed, subject to abnormal use or stress, or repaired by anyone other than Stylmark, Inc. authorized representative. Stylmark, Inc. will not pay labor charges or assume any responsibility for labor expended or material used to replace or repair any equipment without prior written authorization.

The following will apply to the return of any product to Stylmark, Inc. under this warranty:

- i. identified with Stylmark, Inc. Return Material Authorization Number;
- ii. listed individually with Sales Order Number or copy of invoice;
- iii. packed separately from other returns and protected from shipping damage;
- iv. returned to Stylmark, Inc. within the applicable warranty period;
- v. are received, transportation pre-paid (returns shipped collect will be back-charged for freight), within 21 days of authorization at (see address below):
- vi. and are found by Stylmark, Inc. inspection to be defective in workmanship or materials under normal use and service; will be handled in accordance with one of the two following procedures, as determined by Stylmark, Inc.:

Credit Procedure. Stylmark, Inc. will issue credit at the actual invoice amount if a copy of that invoice is attached to the packing list. Without an invoice, Stylmark, Inc. will credit using discount pricing.

Repair or Replacement Procedure. Stylmark, Inc. will, at its option, either repair or replace the product free of charge and return it or its replacement lowest cost transportation pre-paid. The replacement will be a functionally equivalent new product. Premium transportation will be used at customer's request and expense.

The warranty will not be honored if:

- i. product is damaged or missing parts or accessory items.
- ii. product exhibits evidence of field misapplications

Final disposition of any warranty claim will be determined solely by Stylmark, Inc. If inspection by Stylmark, Inc. does not disclose any defect covered by the warranty, the product will be returned or scrapped as instructed by the customer and Stylmark, Inc.'s regular service charges will apply. Products returned to the customer may be sent shipping charges collect.

If you have any questions relative to product returns to Stylmark, Inc., contact your Customer Service Representative: Stylmark, Inc.

Customer Care Department 6536 Main Street NE, PO Box 32008 Minneapolis, MN 55432 (800) 328-2495

Price List Column Descriptions

| | | Cat. | | | | Discount | : Quantity | y Pricing | 7 |
|----------------|-------------|--------------|------|-----------------------------|-----|----------|------------|-----------|------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| | | | | 5 Non-Buffed Non-Brushed | | | | | |
| (1) | (2) | (3) | (4) | Buffed or 6 Brushed | | | | | |

- 1 Part Number = Stylmark's part number for the item.
- 2 Description = Brief description of the item.

122 Buffed Satin Bronze

- 3 Catalog Page Reference = This is where you will find the item in the Stylmark Catalog. The following abbreviations are used to indicate a section of the catalog: SP=Shelving Products, S=Showcases, FP=Framing and Partition Systems, AT=Architectural Trim and Moldings, BD=Backlit Displays and Transparency Frames, FR=Fitting Rooms, HA=Hardware and Accessories
- View = Side profile of the extrusion's shape. Check-marks indicate mechanically finished surfaces for buffed/brushed finishes. Views are representative only they are not to scale or in proportion to each other.
- 5 Non-Buffed, Non-Brushed Finish = This includes Stylmark's Satin Natural Finish, number 020, and other non-buffed, non-brushed colored finishes. Minor material blemishes may appear in this finish, as it is not buffed or brushed.
- 6 Buffed or Brushed Finish = This includes the following Stylmark finishes (* see table below).
- 7) **Discount Quantity Pricing Price** = This is the price of the item when ordered in quantities. All extrusions are priced per 12 foot stock length, unless indicated otherwise.

| * Ref | item 6 | | | | |
|-------|------------------------------|-----|------------------------------|------|-------------------------------|
| 110 | Buffed Brite Natural | 123 | Buffed Satin Black | 216 | Brushed Brite Brown |
| 111 | Buffed Brite Brass | 124 | Buffed Satin White Gold | 217 | Brushed Brite Pewter |
| 112 | Buffed Brite Bronze | 126 | Buffed Satin Brown | 218 | Brushed Brite Stainless Steel |
| 113 | Buffed Brite Black | 127 | Buffed Satin Pewter | 220 | Brushed Satin Natural |
| 114 | Buffed Brite White Gold | 128 | Buffed Satin Stainless Steel | 228 | Brushed Satin Stainless Steel |
| 116 | Buffed Brite Brown | 210 | Brushed Brite Natural | 11BR | S80010 Buffed Brite |
| 117 | Buffed Brite Pewter | 211 | Brushed Brite Brass | | Medium Light Brass |
| 118 | Buffed Brite Stainless Steel | 212 | Brushed Brite Bronze | 11PW | VT80024 Buffed Brite |
| 120 | Buffed Satin Natural | 213 | Brushed Brite Black | | Medium Light Pewter |
| 121 | Buffed Satin Brass | 214 | Brushed Brite White Gold | | |

Many of the above listed finishes are sampled on our color/finish card; other sample color chips are available upon request.

Finishes other than those listed here are available. For painted, powder coated, or other custom colors and finishes, please call our Customer Service Department.

| | | Cat. | | | | Discount | Quantity | / Pricing | |
|----------------|---|--------------|---------------------------------------|---------------------------|-------|----------|----------|-----------|-------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 440007 | Davida Channal 0/4/" 42 ft | DD42 | 7 | Non-Buffed Non-Brushed | 17.39 | 16.69 | 16.35 | 16.00 | 15.30 |
| 110007 | Double Channel 9/16", 12 ft. RD13 | KD13 | | Buffed or Brushed | 21.92 | 21.04 | 20.60 | 20.17 | 19.29 |
| 110008 | Double Channel 13/16", 12 ft. | RD13 | > | Non-Buffed Non-Brushed | 22.57 | 21.67 | 21.22 | 20.76 | 19.86 |
| 110008 | boubte Chamlet 13710 , 121t. | KDTS | | Buffed or Brushed | 28.37 | 27.24 | 26.67 | 26.10 | 24.97 |
| 110009 | Drop-In Track, 12 ft. | RD13 | | Non-Buffed Non-Brushed | 10.81 | 10.38 | 10.16 | 9.95 | 9.51 |
| 110012 | | RD13 | 7 | Non-Buffed Non-Brushed | 16.72 | 16.05 | 15.72 | 15.38 | 14.71 |
| 110012 | 310e, 12 ft. | SC9 | | Buffed or Brushed | 23.66 | 22.71 | 22.24 | 21.77 | 20.82 |
| 110014 | Glide Shoe, 12 ft. | RD13 | 7 | Non-Buffed Non-Brushed | 13.97 | 13.41 | 13.13 | 12.85 | 12.29 |
| 110014 | (works with 110021 Glide Track) | KDTS | | Buffed or Brushed | 18.40 | 17.66 | 17.30 | 16.93 | 16.19 |
| | Doop Too 2/4" 12 ft | HA27 | | Non-Buffed Non-Brushed | 16.51 | 15.85 | 15.52 | 15.19 | 14.53 |
| 110018 | Deep Tee 3/4", 12 ft. | | | Buffed or Brushed | 23.05 | 22.13 | 21.67 | 21.21 | 20.28 |
| 110019 | Double Track, 12 ft. | RD13 | _R_R_ | Non-Buffed Non-Brushed | 16.04 | 15.40 | 15.08 | 14.76 | 14.12 |
| 110021 | Glide Track, 12 ft. (works with 110014 Glide Shoe) | RD13 | الـالـ | Non-Buffed Non-Brushed | 13.91 | 13.35 | 13.08 | 12.80 | 12.24 |
| | | HA7 | n n | Non-Buffed Non-Brushed | 13.33 | 12.80 | 12.53 | 12.26 | 11.73 |
| 110022 | Single Channel 9/16", 12 ft. | RD13 | | Buffed or Brushed | 17.73 | 17.02 | 16.67 | 16.31 | 15.60 |
| 440022 | 42/4/US: who Showed 42 G | HA10 | | Non-Buffed Non-Brushed | 15.06 | 14.46 | 14.16 | 13.86 | 13.25 |
| 110023 | 13/16" Single Channel, 12 ft. | RD13 | | Buffed or Brushed | 21.95 | 21.07 | 20.63 | 20.19 | 19.32 |
| 140034 | Edge Molding 12 ft | RD13 | . Ո Ո | Non-Buffed Non-Brushed | 11.39 | 10.93 | 10.71 | 10.48 | 10.02 |
| 110024 | Edge Molding, 12 ft. | HA10 SC5 | | Buffed or Brushed | 14.79 | 14.20 | 13.90 | 13.61 | 13.02 |
| 140037 | Edge Molding 12 ft | HA10 RD13 | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | Non-Buffed Non-Brushed | 15.72 | 15.09 | 14.78 | 14.46 | 13.83 |
| 110026 | Edge Molding, 12 ft. | SC5 S8 | \ \ \ \ | Buffed or Brushed | 20.65 | 19.82 | 19.41 | 19.00 | 18.17 |

| | | Cat. | | | | Discount | Quantity | / Pricing | | |
|----------------|------------------------------|--------------|-------------|---------------------------|---------------------------|----------|----------|-----------|--------|-------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ | |
| 440027 | Dans Bull 42 ft | HA10 | | Non-Buffed Non-Brushed | 18.42 | 17.68 | 17.31 | 16.95 | 16.21 | |
| 110027 | Door Pull, 12 ft. | RD13 | 2 | Buffed or Brushed | 24.40 | 23.42 | 22.94 | 22.45 | 21.47 | |
| 110039 | Flush Door Dull 42 ft | HA23 | 1 | Non-Buffed Non-Brushed | 24.83 | 23.84 | 23.34 | 22.84 | 21.85 | |
| 110028 | | RD13 SC5 | | Buffed or Brushed | 35.19 | 33.78 | 33.08 | 32.37 | 30.97 | |
| 110020 | Door Bull 42 ft | HA23 | _ √ _ \(\) | Non-Buffed Non-Brushed | 30.61 | 29.39 | 28.77 | 28.16 | 26.94 | |
| 110029 | Door Pull, 12 ft. | RD13 | ^ | Buffed or Brushed | 40.67 | 39.04 | 38.23 | 37.42 | 35.79 | |
| 110020 | 1/2" April 2.12 ft | HA3 | | Non-Buffed Non-Brushed | 10.65 | 10.22 | 10.01 | 9.80 | 9.37 | |
| 110030 | 1/2" Angle, 12 ft. | SC15 | ^ | Buffed or Brushed | 14.97 | 14.37 | 14.07 | 13.77 | 13.17 | |
| 110034 | 2/4" April 12.5t | шлэ | | Non-Buffed Non-Brushed | 13.90 | 13.34 | 13.07 | 12.79 | 12.23 | |
| 110034 | 110034 3/4" Angle, 12 ft. | HA3 | <i> </i> | Buffed or Brushed | 19.05 | 18.29 | 17.91 | 17.53 | 16.76 | |
| 110035 | Slide Track, 12 ft. | PD13 | RD13 | | Non-Buffed Non-Brushed | 12.60 | 12.10 | 11.84 | 11.59 | 11.09 |
| 110035 | (use with 119006) | נוטא | | Buffed or Brushed | 15.67 | 15.04 | 14.73 | 14.42 | 13.79 | |
| 110036 | Slide Double Channel, 12 ft. | RD13 | | Non-Buffed Non-Brushed | 18.58 | 17.84 | 17.47 | 17.09 | 16.35 | |
| 110030 | Stide boubte Chamlet, 12 It. | KDTS | | Buffed or Brushed | 20.78 | 19.95 | 19.53 | 19.12 | 18.29 | |
| 110050 | 1" x 1/2" Bar, 12 ft. | HA16 | √ | Non-Buffed Non-Brushed | 60.99 | 58.55 | 57.33 | 56.11 | 53.67 | |
| 110030 | 1 X 1/2 Dai, 12 It. | TIATO | 7 | Buffed or Brushed | 66.64 | 63.97 | 62.64 | 61.31 | 58.64 | |
| 110051 | 2" v 1/2" Par 12 ft | ШЛ14 | √ | Non-Buffed Non-Brushed | 106.01 | 101.77 | 99.65 | 97.53 | 93.29 | |
| 110031 | 2" x 1/2" Bar, 12 ft. | HA16 | 7 < | Buffed or Brushed | 117.18 | 112.49 | 110.15 | 107.81 | 103.12 | |
| 110061 | Jamb, 12 ft. | HA32 | | Non-Buffed Non-Brushed | 18.83 | 18.08 | 17.70 | 17.32 | 16.57 | |
| 110001 | Jamib, 12 1C. | RD13 | | Buffed or Brushed | 24.14 | 23.17 | 22.69 | 22.21 | 21.24 | |
| 110063 | Double Channel Track, 12 ft. | RD13 | 7[2] | Non-Buffed Non-Brushed | 18.47 | 17.73 | 17.36 | 16.99 | 16.25 | |
| 110003 | Double Chamilet Hath, 12 It. | נוטא | · [| Buffed or Brushed | 24.68 | 23.69 | 23.20 | 22.71 | 21.72 | |

| | | Cat. | | | | Discount | Quantity | / Pricing | | | | | |
|----------------|--|--------------|--|---------------------------|-------|----------|----------|----------------------|-------|-------|-------|-------|-------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ | | | | |
| 440045 | A. (1) 1 (1) (1) (2) (1) | RD13 | √ | Non-Buffed Non-Brushed | 9.79 | 9.40 | 9.20 | 9.01 | 8.62 | | | | |
| 110065 | Anti-Jump Strip, 12 ft. | HA27 | | Buffed or Brushed | 11.68 | 11.21 | 10.98 | 10.75 | 10.28 | | | | |
| 4400// | 40° Chan 42 G | DD4.4 | H. | Non-Buffed Non-Brushed | 37.36 | 35.95 | 35.24 | 34.54 | 21.89 | | | | |
| 110066 | 19° Shoe, 12 ft. | RD14 | | Buffed or Brushed | 39.05 | 37.58 | 36.84 | 36.10 | 23.45 | | | | |
| 44007 | Dans Chap 42 () | RD14 | | Non-Buffed Non-Brushed | 22.87 | 21.96 | 21.50 | 21.04 | 20.13 | | | | |
| 110067 | Deep Shoe, 12 ft. | KD14 | | Buffed or Brushed | 27.76 | 26.65 | 26.09 | 25.54 | 24.43 | | | | |
| 440070 | Dans Dull 42 ft | HA23 | \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | Non-Buffed Non-Brushed | 24.19 | 23.22 | 22.74 | 22.25 | 21.29 | | | | |
| 110069 | Door Pull, 12 ft. | RD14 SC5 | | Buffed or Brushed | 30.83 | 29.60 | 28.98 | 28.36 | 27.13 | | | | |
| 440074 | Chausana Chausal 42 ft | SC29 | | Non-Buffed Non-Brushed | 55.27 | 53.06 | 51.95 | 50.85 | 48.64 | | | | |
| 110071 | 110071 Showcase Channel, 12 ft. | RD14 | | Buffed or Brushed | 62.82 | 60.31 | 59.05 | 57.79 | 55.28 | | | | |
| 44007/ | JE° Dana Chan 42 th | DD4.4 | | Non-Buffed Non-Brushed | 42.01 | 40.43 | 39.64 | 38.85 | 24.32 | | | | |
| 110076 | 35° Deep Shoe, 12 ft. | RD14 | ND 14 | אועא | | דוטא | | Buffed or Brushed | 43.92 | 42.26 | 41.13 | 40.60 | 26.08 |
| 110079 | Channel Track, 12 ft | LT. 1.42.6 | - [P_P] | Non-Buffed Non-Brushed | 23.76 | 22.81 | 22.33 | 21.86 | 20.91 | | | | |
| 110078 | Channel Track, 12 ft. | RD14 | | Buffed or Brushed | 29.36 | 28.19 | 27.60 | 27.01 | 25.84 | | | | |
| 110079 | Wood Door Track, 12 ft. | RD14 | | Non-Buffed Non-Brushed | 17.39 | 16.69 | 16.35 | 16.00 | 15.30 | | | | |
| 440000 | To U.Shood 42.6 | RD14 | | Non-Buffed Non-Brushed | 18.52 | 17.78 | 17.41 | 17.04 | 16.30 | | | | |
| 110080 | Top U-Channel, 12 ft. | SC5 HA10 | | Buffed or Brushed | 23.64 | 22.69 | 22.22 | 21.75 | 20.80 | | | | |
| 140007 | 4/2" O.D. Tube - 2//4" About 42.5 | U 4 2 0 | V | Non-Buffed Non-Brushed | 14.48 | 13.90 | 13.61 | 13.32 | 12.74 | | | | |
| 110087 | 1/2" O.D. Tube, 3/64" thick, 12 ft. HA29 | ΠΑΖΫ | HA29 | Buffed or Brushed | 16.40 | 15.74 | 15.42 | 15.09 | 14.43 | | | | |
| 110000 | 40000 51,, 42, 6 | Пүэ | | Non-Buffed Non-Brushed | 16.64 | 15.97 | 15.64 | 15.31 | 14.64 | | | | |
| 110090 | Showcase Angle, 12 ft. | HA3 | , , | Buffed or Brushed | 21.44 | 20.58 | 20.15 | 19.72 | 18.87 | | | | |

| | | Cat. | | | | Discount | Quantity | / Pricing | | |
|----------------|---|--------------|--------------|---------------------------|---------------------------|----------|----------|-----------|-------|-------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ | |
| 110093 | 13/16" Tee Molding, 12 ft. | HA27 | \ | Non-Buffed Non-Brushed | 13.71 | 13.16 | 12.89 | 12.61 | 12.06 | |
| 110073 | 137 To lee Molaling, 12 ft. | TIAZ7 | <u> </u> | Buffed or Brushed | 17.66 | 16.95 | 16.60 | 16.25 | 15.54 | |
| 110099 | 3/4" x 1/16" Reflector Strip, 12 ft. | HA16 | 7 | Non-Buffed Non-Brushed | 9.64 | 9.25 | 9.06 | 8.87 | 8.48 | |
| 110077 | 374 X 1710 Reflector 3thp, 121t. | SC29 | | Buffed or Brushed | 14.03 | 13.47 | 13.19 | 12.91 | 12.35 | |
| 110102 | 10102 Top Rear Showcase Channel, 12 ft. RD2 | PD20 | \ \ \ | Non-Buffed Non-Brushed | 62.61 | 60.11 | 58.85 | 57.60 | 55.10 | |
| 110102 | Top real showcase channet, 12 ft. | KD29 | | Buffed or Brushed | 67.83 | 65.12 | 63.76 | 62.40 | 59.69 | |
| 110104 | 3/4" - 4° Slant Top | HA23 | V | Non-Buffed Non-Brushed | 38.50 | 36.96 | 36.19 | 35.42 | 33.88 | |
| 110104 | Drawer Pull, 12 ft. (410101 - 3-3/4" Pull) | TIAZS | | Buffed or Brushed | 44.70 | 42.91 | 42.02 | 41.12 | 39.34 | |
| 110105 | 13/16" Slant Top Drawer Pull, | HA23 | > 🗇 | Non-Buffed Non-Brushed | 38.99 | 37.43 | 36.65 | 35.87 | 34.31 | |
| 110103 | 110105 13710 Staff Top Drawer Full, 12 ft. (410103 - 3-3/4" Pull) | ПАСЭ | | Buffed or Brushed | 45.50 | 43.68 | 42.77 | 41.86 | 40.04 | |
| 110106 | Mullion 12 ft | | RD14 HA32 | | Non-Buffed Non-Brushed | 63.53 | 60.99 | 59.72 | 58.45 | 55.91 |
| 110100 | matton, 12 fc. | SC15 | <u> </u> | Buffed or Brushed | 69.59 | 66.81 | 65.41 | 64.02 | 61.24 | |
| 110107 | Front Frame, 12 ft. | SC15 | | Non-Buffed Non-Brushed | 23.74 | 22.79 | 22.32 | 21.84 | 20.89 | |
| 110107 | Troncriaine, 12 fc. | HA32 | | Buffed or Brushed | 28.56 | 27.42 | 26.85 | 26.28 | 25.13 | |
| 110108 | 3/4" Flat Guard Drawer Pull, 12 ft. | HA23 | > | Non-Buffed Non-Brushed | 33.42 | 32.08 | 31.41 | 30.75 | 29.41 | |
| 110100 | (410114 - 3-3/4" Pull) | 11723 | | Buffed or Brushed | 39.88 | 38.28 | 37.49 | 36.69 | 35.09 | |
| 110111 | Drawer Pull with Label Holder, 12 ft. | HA23 | > | Non-Buffed Non-Brushed | 47.34 | 45.45 | 44.50 | 43.55 | 41.66 | |
| 110111 | (410123 - 3-3/4" Pull) | TIALS | | Buffed or Brushed | 51.40 | 49.34 | 48.32 | 47.29 | 45.23 | |
| 110113 | 1" Square Tube, 1/16" thick, | HA30 | 7 | Non-Buffed Non-Brushed | 33.51 | 32.17 | 31.50 | 30.83 | 29.49 | |
| 110113 | 12 ft. | 11/430 | ^ | Buffed or Brushed | 56.36 | 54.11 | 52.98 | 51.85 | 49.60 | |
| 110114 | 1" Square Tube with Leg, | HA30 | √ . | Non-Buffed Non-Brushed | 41.45 | 39.79 | 38.96 | 38.13 | 36.48 | |
| 110117 | 12 ft. | 11/430 | <u> </u> | Buffed or Brushed | 49.99 | 47.99 | 46.99 | 45.99 | 43.99 | |

| | | Cat. | | | | Discount | Quantity | / Pricing | |
|----------------|------------------------------------|--------------|------------|---------------------------|-------|----------|----------|-----------|-------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 440440 | Counting Channel 42 ft | SC15 | | Non-Buffed Non-Brushed | 16.75 | 16.08 | 15.75 | 15.41 | 14.74 |
| 110119 | Security Channel, 12 ft. | HA35 | | Buffed or Brushed | 20.68 | 19.85 | 19.44 | 19.03 | 18.20 |
| 110122 | Top and Side Class Support 12 ft | SC15 | | Non-Buffed Non-Brushed | 31.48 | 30.22 | 29.59 | 28.96 | 27.70 |
| 110122 | Top and Side Glass Support, 12 ft. | HA35 | | Buffed or Brushed | 34.43 | 33.05 | 32.36 | 31.68 | 30.30 |
| 110124 | Raca Channel 12 ft | HA35 | | Non-Buffed Non-Brushed | 19.44 | 18.66 | 18.27 | 17.88 | 17.11 |
| 110124 | Base Channel, 12 ft. | ПАЗЭ | حــمـسا حـ | Buffed or Brushed | 24.48 | 23.50 | 23.01 | 22.52 | 21.54 |
| 110125 | Claring Channel 12 ft | HA35 | > \ | Non-Buffed Non-Brushed | 15.85 | 15.22 | 14.90 | 14.58 | 13.95 |
| 110123 | Glazing Channel, 12 ft. | ПАЗЗ | | Buffed or Brushed | 22.32 | 21.43 | 20.98 | 20.53 | 19.64 |
| 110127 | Top Front Frame 12 ft | HA32 SC15 | | Non-Buffed Non-Brushed | 16.44 | 15.78 | 15.45 | 15.12 | 14.47 |
| 110127 | Top Front Frame, 12 ft. | | | Buffed or Brushed | 21.78 | 20.91 | 20.47 | 20.04 | 19.17 |
| 110128 | Too France Door 42 6 | SC5 | | Non-Buffed Non-Brushed | 26.93 | 25.85 | 25.31 | 24.78 | 23.70 |
| 110128 | Top Frame Rear, 12 ft. | 303 | | Buffed or Brushed | 31.97 | 30.69 | 30.05 | 29.41 | 28.13 |
| 110129 | Pottom Frame, 12 ft | | > | Non-Buffed Non-Brushed | 21.38 | 20.52 | 20.10 | 19.67 | 18.81 |
| 110129 | Bottom Frame, 12 ft. | SC4 | | Buffed or Brushed | 23.21 | 22.28 | 21.82 | 21.35 | 20.42 |
| 110120 | Door Hondon 12 ft | SCA | | Non-Buffed Non-Brushed | 68.40 | 65.66 | 64.30 | 62.93 | 60.19 |
| 110130 | Rear Header, 12 ft. | SC4 | | Buffed or Brushed | 75.50 | 72.48 | 70.97 | 69.46 | 66.44 |
| 110121 | Front Vortical 12 ft | 500 | 75/2 | Non-Buffed Non-Brushed | 23.75 | 22.80 | 22.33 | 21.85 | 20.90 |
| 110131 | Front Vertical, 12 ft. | SC8 | | Buffed or Brushed | 27.79 | 26.68 | 26.12 | 25.57 | 24.46 |
| 110122 | Door Vertical 12 ft | SCA | | Non-Buffed Non-Brushed | 53.96 | 51.80 | 50.72 | 49.64 | 47.48 |
| 110132 | Rear Vertical, 12 ft. | SC4 | | Buffed or Brushed | 62.76 | 60.25 | 58.99 | 57.74 | 55.23 |

| | | Cat. | | | | Discount | Quantity | / Pricing | |
|----------------|-------------------------------------|--------------|----------|---------------------------|--------|----------|----------|-----------|--------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 110133 | Jamb, 12 ft. | SC4 | \ | Non-Buffed Non-Brushed | 36.64 | 35.17 | 34.44 | 33.71 | 32.24 |
| 110133 | Jamb, 12 It. | 3C4 | h J | Buffed or Brushed | 48.72 | 46.77 | 45.80 | 44.82 | 42.87 |
| 110134 | Channel, Wireway, 12 ft. | SC4 | | Non-Buffed Non-Brushed | 12.21 | 11.72 | 11.48 | 11.23 | 10.74 |
| 110154 | Chamlet, Wileway, 12 IC. | 304 | ^ | Buffed or Brushed | 17.55 | 16.85 | 16.50 | 16.15 | 15.44 |
| 110135 | Reflector, Shell, 12 ft. | SC26 | 7 | Non-Buffed Non-Brushed | 39.60 | 38.02 | 37.22 | 36.43 | 34.85 |
| 110133 | reflector, sheat, 12 fc. | 3020 | > | Buffed or Brushed | 60.37 | 57.96 | 56.75 | 55.54 | 53.13 |
| 440427 | Cavan Turkh 4/4" Patrum 42 ft | SC15 | √ | Non-Buffed Non-Brushed | 17.20 | 16.51 | 16.17 | 15.82 | 15.14 |
| 110137 | Cover T with 1/4" Return, 12 ft. | HA32 | | Buffed or Brushed | 19.37 | 18.60 | 18.21 | 17.82 | 17.05 |
| 440440 | Heavy Duty Shoe, 12 ft. (works with | SC5 | | Non-Buffed Non-Brushed | 27.33 | 26.24 | 25.69 | 25.14 | 24.05 |
| 110140 | Endcap Assembly 510241) | RD14 | | Buffed or Brushed | 33.31 | 31.98 | 31.31 | 30.65 | 29.31 |
| 440444 | 127° P | | 7817 | Non-Buffed Non-Brushed | 126.20 | 121.15 | 118.63 | 116.10 | 111.06 |
| 110141 | 135° Rear Vertical, 12 ft. | | - 2 | Buffed or Brushed | 143.66 | 137.91 | 135.04 | 132.17 | 126.42 |
| 110142 | 135° Front Vertical, 12 ft. | SC8 | XЛ | Non-Buffed Non-Brushed | 17.22 | 16.53 | 16.19 | 15.84 | 15.15 |
| 110142 | 133 Front Vertical, 12 ft. | 300 | / | Buffed or Brushed | 22.73 | 21.82 | 21.37 | 20.91 | 20.00 |
| 110143 | Rear Top Frame, Extended, 12 ft. | | 5 7 2 | Non-Buffed Non-Brushed | 26.24 | 25.19 | 24.67 | 24.14 | 23.09 |
| 110143 | rear top rrame, Extended, 12 ft. | | | Buffed or Brushed | 28.29 | 27.16 | 26.59 | 26.03 | 24.90 |
| 440444 | | 564 | | Non-Buffed Non-Brushed | 16.74 | 16.07 | 15.74 | 15.40 | 14.73 |
| 110144 | Jamb, Upright, 12 ft. | SC4 | 7 | Buffed or Brushed | 21.36 | 20.51 | 20.08 | 19.65 | 18.80 |
| 110145 | Cover Channel, 12 ft. | | £ £ | Non-Buffed Non-Brushed | 19.61 | 18.83 | 18.43 | 18.04 | 17.26 |
| 110145 | Corer Charmet, 12 It. | | \ | Buffed or Brushed | 25.00 | 24.00 | 23.50 | 23.00 | 22.00 |
| 110146 | Security Top Channel, 12 ft. | SC4 | √ √ | Non-Buffed Non-Brushed | 18.43 | 17.69 | 17.32 | 16.96 | 16.22 |
| 110140 | security top charmet, 12 ft. | 364 | | Buffed or Brushed | 22.83 | 21.92 | 21.46 | 21.00 | 20.09 |

| | | Cat. | | | | Discount | Quantity | ty Pricing | | |
|----------------|-------------------------------|--------------|----------|---------------------------|--------|----------|----------|------------|--------|--|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ | |
| 440447 | Channel 42 ft | SCA | √ | Non-Buffed Non-Brushed | 14.95 | 14.35 | 14.05 | 13.75 | 13.16 | |
| 110147 | Channel, 12 ft. | SC4 | | Buffed or Brushed | 18.24 | 17.51 | 17.15 | 16.78 | 16.05 | |
| 110150 | 1-1/2" x 1-1/2" x 1/8" | HA3 | | Non-Buffed Non-Brushed | 43.05 | 41.33 | 40.47 | 39.61 | 37.88 | |
| 110130 | Angle, 12 ft. | ПАЗ | <u> </u> | Buffed or Brushed | 51.30 | 49.25 | 48.22 | 47.20 | 45.14 | |
| 110153 | Heavy Duty Molding, 12 ft. | S9 | 7 | Non-Buffed Non-Brushed | 37.17 | 35.68 | 34.94 | 34.20 | 32.71 | |
| 110153 | neavy buty motuning, 12 It. | HA34 | | Buffed or Brushed | 47.35 | 45.46 | 44.51 | 43.56 | 41.67 | |
| 440454 | History Walding 42 G | 60 | - N N - | Non-Buffed Non-Brushed | 25.41 | 24.39 | 23.89 | 23.38 | 22.36 | |
| 110156 | Hinge Molding, 12 ft. | S8 HA34 | [5-6] | Buffed or Brushed | 30.65 | 29.42 | 28.81 | 28.20 | 26.97 | |
| 110157 | Glazing Strip, 12 ft. | SC8 | ~ | Non-Buffed Non-Brushed | 9.86 | 9.47 | 9.27 | 9.07 | 8.68 | |
| | 1" x 1/2" x 1/16" Angle, | НАЗ | > | Non-Buffed Non-Brushed | 12.82 | 12.31 | 12.05 | 11.79 | 11.28 | |
| 110159 | 12 ft. | | <i>^</i> | Buffed or Brushed | 17.61 | 16.91 | 16.55 | 16.20 | 15.50 | |
| 110160 | 2-1/2" x 1-3/4" Tube, | HA30 | √ | Non-Buffed Non-Brushed | 105.99 | 101.75 | 99.63 | 97.51 | 93.27 | |
| 110160 | 12 ft. | ПАЗО | 7 | Buffed or Brushed | 129.38 | 124.20 | 121.62 | 119.03 | 113.85 | |
| 440472 | 4 3/4/" Tan Channal 42 6 | HA7 | 7 | Non-Buffed Non-Brushed | 22.28 | 21.39 | 20.94 | 20.50 | 19.61 | |
| 110162 | 1-3/16" Top Channel, 12 ft. | RD14 | | Buffed or Brushed | 29.04 | 27.88 | 27.30 | 26.72 | 25.56 | |
| 440474 | History Blades 42 G | 11424 | | Non-Buffed Non-Brushed | 9.59 | 9.21 | 9.01 | 8.82 | 8.44 | |
| 110164 | Hinge Plate, 12 ft. | HA34 | | Buffed or Brushed | 16.04 | 15.40 | 15.08 | 14.76 | 14.12 | |
| 110165 | 1" x 1" x 1/16" Angle, 12 ft. | HA3 | 7 | Non-Buffed Non-Brushed | 16.83 | 16.16 | 15.82 | 15.48 | 14.81 | |
| 110103 | 1 A 1 A 17 10 Aligue, 12 It. | TIAS | <u> </u> | Buffed or Brushed | 21.00 | 20.16 | 19.74 | 19.32 | 18.48 | |
| 110166 | 1" x 1/8" Strip, 12 ft. | HA16 | | Non-Buffed Non-Brushed | 17.04 | 16.36 | 16.02 | 15.68 | 15.00 | |
| | | | | Buffed or Brushed | 22.34 | 21.45 | 21.00 | 20.55 | 19.66 | |

| | | Cat. | | | | Discount | Quantity | / Pricing | |
|----------------|--|--------------|----------|---------------------------|-------|----------|----------|-----------|-------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 110167 | 2" v 2" V 4 /9" Apple 42 ft | шар | > | Non-Buffed Non-Brushed | 59.60 | 57.22 | 56.02 | 54.83 | 52.45 |
| 110167 | 2" x 2" X 1/8" Angle, 12 ft. | HA3 | <u> </u> | Buffed or Brushed | 71.92 | 69.04 | 67.60 | 66.17 | 63.29 |
| 110168 | 1-1/2" x 3/4" x 1/8" Angle, 12 ft. | HA3 | | Non-Buffed Non-Brushed | 31.97 | 30.69 | 30.05 | 29.41 | 28.13 |
| 110108 | 1-1/2 X 3/4 X 1/6 Aligle, 12 It. | TIAS | ^ | Buffed or Brushed | 39.15 | 37.58 | 36.80 | 36.02 | 34.45 |
| 110171 | 1-1/4" x 3/32" Flat Bar, | HA16 | | Non-Buffed Non-Brushed | 17.68 | 16.97 | 16.62 | 16.27 | 15.56 |
| 110171 | 12 ft. | ПАТО | | Buffed or Brushed | 22.48 | 21.58 | 21.13 | 20.68 | 19.78 |
| 110179 | Socurity Track 12 ft | SC66 | ~[{}_ | Non-Buffed Non-Brushed | 27.53 | 26.43 | 25.88 | 25.33 | 24.23 |
| 110178 | Security Track, 12 ft. | RD14 | | Buffed or Brushed | 31.96 | 30.68 | 30.04 | 29.40 | 28.12 |
| 110180 | E/0" v 7/44" v 4/44" Apple 42 ft | HA3 | > | Non-Buffed Non-Brushed | 11.47 | 11.01 | 10.78 | 10.55 | 10.09 |
| 110180 | 5/8" x 7/16" x 1/16" Angle, 12 ft. | SC4 | <u> </u> | Buffed or Brushed | 16.26 | 15.61 | 15.28 | 14.96 | 14.31 |
| 440494 | 425° Halding 42.66 | 11424 | | Non-Buffed Non-Brushed | 40.51 | 38.89 | 38.08 | 37.27 | 35.65 |
| 110181 | 135° Molding, 12 ft. | HA36 | | Buffed or Brushed | 49.59 | 47.61 | 46.61 | 45.62 | 43.64 |
| 110182 | 1 1/4" v 2/9" v 1/46" Apple | HA3 | ~ [| Non-Buffed Non-Brushed | 14.31 | 13.74 | 13.45 | 13.17 | 12.59 |
| 110162 | 1-1/4" x 3/8" x 1/16", Angle 12 ft. | ПАЗ | N | Buffed or Brushed | 20.84 | 20.01 | 19.59 | 19.17 | 18.34 |
| 110102 | Front Frame with Lin 12 ft | SC15 | \ | Non-Buffed Non-Brushed | 27.71 | 26.60 | 26.05 | 25.49 | 24.38 |
| 110192 | Front Frame with Lip, 12 ft. | HA32 | | Buffed or Brushed | 32.61 | 31.31 | 30.65 | 30.00 | 28.70 |
| 110194 | Cover Strip, 12 ft. | G16 | | Non-Buffed Non-Brushed | 22.68 | 21.77 | 21.32 | 20.87 | 19.96 |
| 110174 | Cover strip, 12 it. | 010 | | Buffed or Brushed | 23.76 | 22.81 | 22.33 | 21.86 | 20.91 |
| 110195 | Security Top and Side Glass Support, | SC15 | | Non-Buffed Non-Brushed | 29.50 | 28.32 | 27.73 | 27.14 | 25.96 |
| | 12 ft. | HA35 | | Buffed or Brushed | 32.42 | 31.12 | 30.47 | 29.83 | 28.53 |
| 110196 | Transparency Frame, 12 ft. | S11 | | Non-Buffed Non-Brushed | 48.06 | 46.14 | 45.18 | 44.22 | 42.29 |
| | | HA33 | , | Buffed or Brushed | 55.75 | 53.52 | 52.41 | 51.29 | 49.06 |

| | | Cat. | | | | Discount | Quantity | / Pricing | |
|----------------|---|--------------|---|---------------------------|--------|----------|----------|-----------|--------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 110197 | Z-Strip for 1/2" Panel, 12 ft. | HA33 S15 | | Non-Buffed Non-Brushed | 21.93 | 21.05 | 20.61 | 20.18 | 19.30 |
| | | S15 | | Non-Buffed Non-Brushed | 24.13 | 23.16 | 22.68 | 22.20 | 21.23 |
| 110198 | Face Frame, 12 ft. | HA33 | <u> </u> | Buffed or Brushed | 26.91 | 25.83 | 25.30 | 24.76 | 23.68 |
| 140200 | 1-1/2" Diameter Half Round, 12 ft. | 470 | \ | Non-Buffed Non-Brushed | 26.19 | 25.14 | 24.62 | 24.09 | 23.05 |
| 110200 | (works with Endcap 310204 and Base 410443) | AT9 | | Buffed or Brushed | 35.89 | 34.45 | 33.74 | 33.02 | 31.58 |
| 110201 | 2" Diameter Half Round, 12 ft. | AT9 | * | Non-Buffed Non-Brushed | 30.90 | 29.66 | 29.05 | 28.43 | 27.19 |
| 110201 | (works with Endcaps 310205 and Base 410443) | AI9 | | Buffed or Brushed | 36.98 | 35.50 | 34.76 | 34.02 | 32.54 |
| | 3" Diameter Half Round, 12 ft. | | V | Non-Buffed Non-Brushed | 58.36 | 56.03 | 54.86 | 53.69 | 51.36 |
| 110202 | (works with Endcaps 310206, and Base 410540) | AT9 | | Buffed or Brushed | 74.56 | 71.58 | 70.09 | 68.60 | 65.61 |
| | Heavy Duty Hinge Plate, | HA34 | | Non-Buffed Non-Brushed | 21.27 | 20.42 | 19.99 | 19.57 | 18.72 |
| 110204 | 12 ft. | S15 | | Buffed or Brushed | 26.04 | 25.00 | 24.48 | 23.96 | 22.92 |
| | | | 0 | Non-Buffed Non-Brushed | 35.34 | 33.93 | 33.22 | 32.51 | 31.10 |
| 110208 | Security Track, 12 ft. | RD14 | 7 <u> </u> | Buffed or Brushed | 43.22 | 41.49 | 40.63 | 39.76 | 38.03 |
| | 4" Diameter Half Round, 12 ft. | | V | Non-Buffed Non-Brushed | 74.65 | 71.66 | 70.17 | 68.68 | 65.69 |
| 110210 | (works with Endcap 310207 and Base 410458) | AT10 | | Buffed or Brushed | 95.70 | 91.87 | 89.96 | 88.04 | 84.22 |
| | 6" Diameter Half Round, 12 ft. | | 1 | Non-Buffed Non-Brushed | 121.75 | 116.88 | 114.45 | 112.01 | 107.14 |
| 110212 | (works with Endcap 310209 and Base 412002) | AT10 | | Buffed or Brushed | 151.31 | 145.26 | 142.23 | 139.21 | 133.15 |
| | Crown Wall Trim, 12 ft. (works | | 7 | Non-Buffed Non-Brushed | 73.14 | 70.21 | 68.75 | 67.29 | 64.36 |
| 110214 | with LH Endcap 310211, RH Endcap 310210, and Base 410458) | AT14 | \ \frac{1}{\range \nu} | Buffed or Brushed | 76.85 | 73.78 | 72.24 | 70.70 | 67.63 |
| | | _ | \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | Non-Buffed Non-Brushed | 178.71 | 171.56 | 167.99 | 164.41 | 157.26 |
| 110215 | 2-Way 180° Vertical, 12 ft. | G16 | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | Buffed or Brushed | 187.05 | 179.57 | 175.83 | 172.09 | 164.60 |

| | | Cat. | | | | Discount | Quantity | / Pricing | |
|----------------|--|--------------|-----------|---------------------------|-------|----------|----------|-----------|-------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 440246 | Dave Charallemb 42 ft | 11422 | _ √ Д | Non-Buffed Non-Brushed | 17.38 | 16.68 | 16.34 | 15.99 | 15.29 |
| 110216 | Door Stop Jamb, 12 ft. | HA32 | | Buffed or Brushed | 24.52 | 23.54 | 23.05 | 22.56 | 21.58 |
| 110220 | Face Frame Mullion, 12 ft. | S14 | | Non-Buffed Non-Brushed | 86.25 | 82.80 | 81.08 | 79.35 | 75.90 |
| 110220 | race frame mution, 12 ft. | HA32 | <u> </u> | Buffed or Brushed | 90.61 | 86.99 | 85.17 | 83.36 | 79.74 |
| 110223 | 1-3/8" x 21/64" Rectangular Trim, 12 ft. (works with Endcap 310212 and | AT11 | | Non-Buffed Non-Brushed | 21.71 | 20.84 | 20.41 | 19.97 | 19.10 |
| 110223 | Base 410443) | AIII | > F - 5 < | Buffed or Brushed | 32.21 | 30.92 | 30.28 | 29.63 | 28.34 |
| 110224 | Glazing, Jamb, without leg, 12 ft. | S10 | | Non-Buffed Non-Brushed | 12.93 | 12.41 | 12.15 | 11.90 | 11.38 |
| 110224 | Glazing, Jamb, without leg, 12 ft. | 310 | > - | Buffed or Brushed | 16.51 | 15.85 | 15.52 | 15.19 | 14.53 |
| 110225 | 1-1/2" x 1/2" Rectangular Trim, 12 | AT14 | √ | Non-Buffed Non-Brushed | 27.18 | 26.09 | 25.55 | 25.01 | 23.92 |
| 110223 | ft. (works with Endcap 310213 and Base 410443) | AT11 | 7 1 | Buffed or Brushed | 36.82 | 35.35 | 34.61 | 33.87 | 32.40 |
| 110226 | 3" x 3/4" Rectangular Trim, 12 ft. | AT4.4 | √ | Non-Buffed Non-Brushed | 55.43 | 53.21 | 52.10 | 51.00 | 48.78 |
| 110226 | (works with Endcap 310214 and Base 410540) | AT11 | | Buffed or Brushed | 73.64 | 70.69 | 69.22 | 67.75 | 64.80 |
| 110227 | 4" x 3/4" Rectangular Trim, 12 ft. | AT14 | √ | Non-Buffed Non-Brushed | 70.99 | 68.15 | 66.73 | 65.31 | 62.47 |
| 110227 | (works with Endcap 310215 and Base 412272) | AT11 | 7 | Buffed or Brushed | 96.83 | 92.96 | 91.02 | 89.08 | 85.21 |
| 110228 | Front Frame Molding, 12 ft. | HA32 | √ | Non-Buffed Non-Brushed | 13.17 | 12.64 | 12.38 | 12.12 | 11.59 |
| 110220 | Tronctraine moduling, 12 ft. | TIASE | | Buffed or Brushed | 20.72 | 19.89 | 19.48 | 19.06 | 18.23 |
| 440220 | 2.4/2" 4/0" Destermiles Des 42.6 | 11446 | V | Non-Buffed Non-Brushed | 55.33 | 53.12 | 52.01 | 50.90 | 48.69 |
| 110229 | 3-1/2" x 1/8" Rectangular Bar, 12 ft. | HA16 | | Buffed or Brushed | 66.10 | 63.46 | 62.13 | 60.81 | 58.17 |
| 110232 | 4" x 2" Rectangular Trim, 12 ft. (works with Endcap 310218 and Base | AT11 | √ | Non-Buffed Non-Brushed | 68.74 | 65.99 | 64.62 | 63.24 | 60.49 |
| 110232 | 410458) | ALLI | 7 2 | Buffed or Brushed | 79.76 | 76.57 | 74.97 | 73.38 | 70.19 |
| 110233 | 1-3/8" Inside Cove, 12 ft. (works with Endcap 310219 and Base | AT14 | | Non-Buffed Non-Brushed | 45.60 | 43.88 | 43.01 | 42.15 | 27.04 |
| 110233 | 410443) | AI 14 | | Buffed or Brushed | 48.22 | 46.39 | 45.48 | 44.56 | 29.45 |

| | | Cat. | | | | Discount | Quantity | / Pricing | |
|----------------|--|--------------|-------------|---------------------------|--------|----------|----------|-----------|--------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 110234 | 4" Cornice Trim, 12 ft. (works with | AT14 | | Non-Buffed Non-Brushed | 64.64 | 62.05 | 60.76 | 59.47 | 56.88 |
| 110234 | LH Endcap 310221, RH Endcap 310220 and Base 410458) | AI 14 | \ \ \ | Buffed or Brushed | 74.97 | 71.97 | 70.47 | 68.97 | 65.97 |
| 110244 | 4-1/2" x 1-1/2" Stepped Trim, 12 ft. (works with LH Endcap 310228, RH | AT14 | | Non-Buffed Non-Brushed | 78.89 | 75.73 | 74.16 | 72.58 | 69.42 |
| 110244 | Endcap 310227 and Base 410458) | AI 14 | 7 | Buffed or Brushed | 96.21 | 92.36 | 90.44 | 88.51 | 84.66 |
| 110245 | 3" x 1.5" Rectangular Trim, 12 ft. (works with Endcap 310229 and Base | AT11 | √ | Non-Buffed Non-Brushed | 96.83 | 93.19 | 91.36 | 89.54 | 55.45 |
| 110243 | 410540) | AIII | 7 | Buffed or Brushed | 107.67 | 103.59 | 101.55 | 99.51 | 65.42 |
| 110248 | 1" X 1/2" Rectangular Trim, 12 ft. | AT11 | √ √ | Non-Buffed Non-Brushed | 24.34 | 23.37 | 22.88 | 22.39 | 21.42 |
| 110246 | (works with Base 411331) | AIII | 7 8 2 4 | Buffed or Brushed | 33.73 | 32.38 | 31.71 | 31.03 | 29.68 |
| 440254 | Chan Fillan 42 ft | RD14 | √ | Non-Buffed Non-Brushed | 5.81 | 5.58 | 5.46 | 5.35 | 5.11 |
| 110251 | Shoe Filler, 12 ft. | HA10 | | Buffed or Brushed | 6.77 | 6.50 | 6.36 | 6.23 | 5.96 |
| 440250 | D.II. 42 ft | 11422 | ~~ | Non-Buffed Non-Brushed | 58.73 | 56.38 | 55.51 | 54.03 | 51.68 |
| 110258 | Pull, 12 ft. | HA23 | | Buffed or Brushed | 69.51 | 66.73 | 65.34 | 63.95 | 61.17 |
| 440270 | 5" x 3/4" Rectangular Trim, 12 ft. | AT4 2 | V | Non-Buffed Non-Brushed | 64.03 | 61.47 | 60.19 | 58.91 | 56.35 |
| 110260 | (works with Endcap 310233 and Base 412002) | AT13 | > | Buffed or Brushed | 85.41 | 81.99 | 80.29 | 78.58 | 75.16 |
| 440277 | 3/4" Diameter Half Round, 12 ft. | 470 | √ | Non-Buffed Non-Brushed | 9.89 | 9.49 | 9.30 | 9.10 | 8.70 |
| 110267 | (works with Endcap 310395 and Base 411331) | AT9 | | Buffed or Brushed | 13.39 | 12.85 | 12.59 | 12.32 | 11.78 |
| 110268 | Z-Strip for 1/4" Panel, 12 ft. | HA33 S11 | | Non-Buffed Non-Brushed | 16.93 | 16.25 | 15.91 | 15.58 | 14.90 |
| 110269 | 6" x 3/4" Rectangular Trim, 12 ft. (works with Endcap 310235 and Base | AT11 | √ | Non-Buffed Non-Brushed | 104.39 | 100.21 | 98.13 | 96.04 | 91.86 |
| 110209 | 412002) | AIII | >[[]]< | Buffed or Brushed | 147.63 | 141.72 | 138.77 | 135.82 | 129.91 |

| | | Cat. | | | | Discount | Quantity | / Pricing | |
|----------------|--|--------------|---|---------------------------|-------|----------|----------|-----------|-------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 110286 | 3" Radius Quarter Round, 12 ft. | ATCC | | Non-Buffed Non-Brushed | 63.39 | 60.85 | 59.59 | 58.32 | 55.78 |
| 110286 | (works with LH Endcap 310242, RH Endcap 310239 and Base 410540) | AT66 | | Buffed or Brushed | 78.56 | 75.42 | 73.85 | 72.28 | 69.13 |
| 440290 | Detter France Law Brotile 42 ft | CCE | П | Non-Buffed Non-Brushed | 17.88 | 17.16 | 16.81 | 16.45 | 15.73 |
| 110289 | Bottom Frame, Low Profile, 12 ft. | SC5 | 7 2 5 | Buffed or Brushed | 22.53 | 21.63 | 21.18 | 20.73 | 19.83 |
| | 1-1/2" Radius Quarter Round, 12 ft. (works with LH Endcap | | \(\frac{1}{2}\) | Non-Buffed Non-Brushed | 41.34 | 39.69 | 38.86 | 38.03 | 36.38 |
| 110290 | 310243, RH Endcap 310240, and base 410443) | AT6 | 1/2 | Buffed or Brushed | 51.09 | 49.05 | 48.02 | 47.00 | 44.96 |
| 110202 | 2 1/2" v 1" Anglo 12 ft | HA3 | > | Non-Buffed Non-Brushed | 36.63 | 35.16 | 34.43 | 33.70 | 32.23 |
| 110293 | 2-1/2" x 1" Angle, 12 ft. | ПАЗ | μ | Buffed or Brushed | 48.98 | 47.02 | 46.04 | 45.06 | 43.10 |
| 110294 | 1-1/2" x 1/2" Scalloped Rectangular, 12 ft. (works with Endcap 310241 | AT11 | √ | Non-Buffed Non-Brushed | 25.18 | 24.17 | 23.67 | 23.17 | 22.16 |
| 110294 | and Base 410443) | AIII | | Buffed or Brushed | 33.71 | 32.36 | 31.69 | 31.01 | 29.66 |
| 110295 | 2" Half Round with 3/4" Returns, 12 ft. (works with Endcap 310205 and | AT6 | | Non-Buffed Non-Brushed | 42.30 | 40.61 | 39.76 | 38.92 | 37.22 |
| 110293 | Base 410443) | ATO | | Buffed or Brushed | 56.40 | 54.14 | 53.02 | 51.89 | 49.63 |
| 110296 | 3/4" Radius Quarter Round, 12 ft. (works with LH Endcap 310374, RH | AT11 | | Non-Buffed Non-Brushed | 14.34 | 13.77 | 13.48 | 13.19 | 12.62 |
| | Endcap 310375 and Base 411331) | | | Buffed or Brushed | 19.06 | 18.30 | 17.92 | 17.54 | 16.77 |
| 110298 | 1-1/2" Tee, 12 ft. | HA27 | | Non-Buffed Non-Brushed | 41.15 | 39.50 | 38.68 | 37.86 | 36.21 |
| 110270 | 172 166, 1216. | TIAL | | Buffed or Brushed | 52.81 | 50.70 | 49.64 | 48.59 | 46.47 |
| 110299 | 1-1/4" Radius Quarter Round, 12 ft. (works with LH Endcap 310245, RH | AT6 | | Non-Buffed Non-Brushed | 34.42 | 33.04 | 32.35 | 31.67 | 30.29 |
| 110277 | Endcap 310244 and Base 410530) | Alo | | Buffed or Brushed | 49.18 | 47.21 | 46.23 | 45.25 | 43.28 |
| 110300 | Evtonded Face Frame 42 ft | S11 | | Non-Buffed Non-Brushed | 35.69 | 34.26 | 33.55 | 32.83 | 31.41 |
| 110300 | Extended Face Frame, 12 ft. | HA33 | <u> </u> | Buffed or Brushed | 43.94 | 42.18 | 41.30 | 40.42 | 38.67 |
| 44000 | 2-7/8" Fluted Trim, 12 ft. (works | , | V - | Non-Buffed Non-Brushed | 53.78 | 51.63 | 50.55 | 49.48 | 47.33 |
| 110301 | with Endcap 310246 and Base 410540) | AT14 | - (\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | Buffed or Brushed | 71.88 | 69.00 | 67.57 | 66.13 | 63.25 |

| | | Cat. | | | | Discount | Quantity | / Pricing | |
|----------------|--|--------------|----------|---------------------------|-------|----------|----------|-----------|-------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 110304 | 2-1/4" x 1/2" Rectangular Trim, 12 ft. (work with Endcap 310251 and | AT11 | √ × | Non-Buffed Non-Brushed | 43.83 | 42.08 | 41.20 | 40.32 | 38.57 |
| 110304 | Base 410443) | AIII | > | Buffed or Brushed | 61.18 | 58.73 | 57.51 | 56.29 | 53.84 |
| 110305 | 7" x 1/16" Trim Strip, 8 ft. | HA16 | | Non-Buffed Non-Brushed | 53.96 | 51.80 | 50.72 | 49.64 | 47.48 |
| 110303 | 7 x 17 10 111111 3cmp, 0 1c. | TIATO | | Buffed or Brushed | 66.95 | 64.27 | 62.93 | 61.59 | 58.92 |
| 110306 | 1-1/2" x 1-1/2" x 1/8" 135° Angle, | HA3 | V | Non-Buffed Non-Brushed | 47.93 | 46.01 | 45.05 | 44.10 | 42.18 |
| | 12 ft. | | | Buffed or Brushed | 63.37 | 60.84 | 59.57 | 58.30 | 55.77 |
| 110307 | 2" x 5/8" Rectangular Trim, 12 ft. (works with Endcap 310250 and Base | AT11 | √ √ | Non-Buffed Non-Brushed | 40.01 | 38.41 | 37.61 | 36.81 | 35.21 |
| 110307 | 410443) | 7 | 7 1 | Buffed or Brushed | 55.42 | 53.20 | 52.09 | 50.99 | 48.77 |
| 110308 | 2" Radius Quarter Round, 12 ft. (works with LH Endcap 310253, RH | AT6 | | Non-Buffed Non-Brushed | 79.56 | 76.57 | 75.07 | 73.57 | 46.43 |
| 110306 | Endcap 310252 and Base 410443) | AIO | | Buffed or Brushed | 82.86 | 79.73 | 78.17 | 76.61 | 49.46 |
| 110309 | 2-1/2" Radius Quarter Round, 12 ft. (works with LH Endcap 310255, RH | AT6 | | Non-Buffed Non-Brushed | 84.33 | 81.16 | 79.57 | 77.99 | 48.66 |
| 110309 | Endcap 310254and Base 410540) | ATO | J. | Buffed or Brushed | 88.16 | 84.84 | 83.17 | 83.17 | 52.19 |
| 110310 | 2-1/2" Diameter Half Round, 12 ft. | ато | V | Non-Buffed Non-Brushed | 53.99 | 51.95 | 50.94 | 49.92 | 31.60 |
| 110310 | (works with Endcap 310249 and Base 410540) | AT8 | | Buffed or Brushed | 60.27 | 57.99 | 56.85 | 55.71 | 37.38 |
| 110215 | 1-1/2" Front Frame for Curving, 12 | | √ _ [| Non-Buffed Non-Brushed | 39.52 | 38.02 | 37.27 | 36.53 | 24.00 |
| 110315 | ft. | | <u> </u> | Buffed or Brushed | 47.08 | 45.28 | 44.38 | 43.49 | 30.96 |
| | 3" x 1" Stepped Trim, 12 ft. (works | | | Non-Buffed Non-Brushed | 86.32 | 83.07 | 81.44 | 79.81 | 51.07 |
| 110325 | with LH Endcap 310259, RH Endcap 310260 and Base 410443) | AT14 | | Buffed or Brushed | 93.65 | 90.11 | 88.33 | 86.56 | 57.82 |
| 140220 | 1" Diameter Half Round, 12 ft. | ATO | → | Non-Buffed Non-Brushed | 17.00 | 16.32 | 15.98 | 15.64 | 14.96 |
| 110328 | (works with Endcap 310323 and Base 411331) | AT8 | | Buffed or Brushed | 26.11 | 25.07 | 24.54 | 24.02 | 22.98 |
| 110340 | Reflector Strip, 12 ft. | | | Non-Buffed Non-Brushed | 16.17 | 15.52 | 15.20 | 14.88 | 14.23 |

| | | Cat. | | | | Discount | Quantity | / Pricing | |
|----------------|--|--------------|-----------|---------------------------|-------|----------|----------|-----------|-------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 440244 | Edward Law 42 G | S13 | > [4] | Non-Buffed Non-Brushed | 23.86 | 22.91 | 22.43 | 21.95 | 21.00 |
| 110341 | Edge Molding with Leg, 12 ft. | HA34 | | Buffed or Brushed | 33.64 | 32.29 | 31.62 | 30.95 | 29.60 |
| 110346 | Frame Clip, 12 ft. | HA33 | | Non-Buffed Non-Brushed | 19.68 | 18.89 | 18.50 | 18.11 | 17.32 |
| 110348 | 13/16" I.D. Tube, .050" Thick, 12 ft. | HA29 | 1 | Non-Buffed Non-Brushed | 21.76 | 20.89 | 20.45 | 20.02 | 19.15 |
| 110346 | (.913 O.D.) | ПАСЭ | 1 | Buffed or Brushed | 32.37 | 31.08 | 30.43 | 29.78 | 28.49 |
| 440250 | Heavy Duty Shoe, 12 ft. (works with | SC9 | 7 11 4 | Non-Buffed Non-Brushed | 41.63 | 39.96 | 39.13 | 38.30 | 36.63 |
| 110350 | Endcap Assembly 510331) | RD10 | | Buffed or Brushed | 51.35 | 49.30 | 48.27 | 47.24 | 45.19 |
| 110358 | Anchor Channel for 2" WallMaker Sills, 12 ft. | G2 | | Non-Buffed Non-Brushed | 50.33 | 48.32 | 47.31 | 46.30 | 44.29 |
| | 1"x2" WallMaker Flanged Header, | G10 | | Non-Buffed Non-Brushed | 82.27 | 78.98 | 77.33 | 75.69 | 72.40 |
| 110359 | smooth, 12 ft. | HA10 | 1 | Buffed or Brushed | 94.89 | 91.09 | 89.20 | 87.30 | 83.50 |
| | 1"x2" WallMaker Header, smooth, | G10 | | Non-Buffed Non-Brushed | 52.59 | 50.49 | 49.43 | 48.38 | 46.28 |
| 110360 | 12 ft. | HA11 | | Buffed or Brushed | 73.36 | 70.43 | 68.96 | 67.49 | 64.56 |
| | | G7 | | Non-Buffed Non-Brushed | 32.03 | 30.75 | 30.11 | 29.47 | 28.19 |
| 110361 | 1"x1" WallMaker Sill, 12 ft. | HA10 | | Buffed or Brushed | 43.38 | 41.64 | 40.78 | 39.91 | 38.17 |
| 110372 | Single Channel with Extended Leg, | RD14 | | Non-Buffed Non-Brushed | 19.87 | 19.08 | 18.68 | 18.28 | 17.49 |
| 110372 | 12 ft. | HA35 | | Buffed or Brushed | 25.23 | 24.22 | 23.72 | 23.21 | 22.20 |
| 140204 | 2-5/8" x 1/2" Streamline, 12 ft. | AT4 4 | | Non-Buffed Non-Brushed | 58.17 | 55.96 | 54.86 | 53.76 | 35.69 |
| 110381 | (works with Endcap 310286 and Base 410540) | AT14 | > [-] < | Buffed or Brushed | 67.44 | 64.86 | 63.58 | 62.29 | 44.22 |
| 440202 | 2-5/8" x 1-3/4" Classic Cornice, 12 | AT. 1 | | Non-Buffed Non-Brushed | 41.73 | 40.06 | 39.23 | 38.39 | 36.72 |
| 110382 | ft. (works with RH Endcap 310288, LH Endcap 310287 and Base 410540) | AT14 | 1 | Buffed or Brushed | 70.61 | 67.79 | 66.37 | 64.96 | 62.14 |

| | _ | Cat. | | | | Discount | Quantity | y Pricing | |
|----------------|---|--------------|------------|---------------------------|-------|----------|----------|-----------|-------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 440202 | 3" x 2-1/2" Classic Cove, 12 ft. | 1715 | | Non-Buffed Non-Brushed | 81.24 | 77.99 | 76.37 | 74.74 | 71.49 |
| 110383 | (works with LH Endcap 310292, RH Endcap 310293 and Base 410540) | AT15 | | Buffed or Brushed | 83.71 | 80.36 | 78.69 | 77.01 | 73.66 |
| 110294 | 2" x 5/8" New Wave, 12 ft. (works | AT16 | V | Non-Buffed Non-Brushed | 46.75 | 44.99 | 44.11 | 43.23 | 26.76 |
| 110384 | with Endcap 310289 and Base 410443) | AT15 | | Buffed or Brushed | 54.00 | 51.95 | 50.92 | 49.90 | 33.43 |
| 110385 | 2-3/16" x 1/2" Classic Trim, 12 ft. (works with LH Endcap 310290, RH | AT15 | | Non-Buffed Non-Brushed | 28.56 | 27.42 | 26.85 | 26.28 | 25.13 |
| 110363 | Endcap 310291 and Base 410443) | ALIS | <i>N</i> | Buffed or Brushed | 37.09 | 35.61 | 34.86 | 34.12 | 32.64 |
| | Accent Strip for Curved Lengths, 12 | | \bigcap | Non-Buffed Non-Brushed | 6.63 | 6.36 | 6.23 | 6.10 | 5.83 |
| 110391 | ft. | HA16 | 7 2 | Buffed or Brushed | 10.43 | 10.01 | 9.80 | 9.60 | 9.18 |
| 110394 | 1/4" Glass Shelf Edging, | HA35 | | Non-Buffed Non-Brushed | 19.09 | 18.33 | 17.94 | 17.56 | 16.80 |
| 110394 | 12 ft. | ПАЗЗ | | Buffed or Brushed | 23.49 | 22.55 | 22.08 | 21.61 | 20.67 |
| 110395 | 3/8" Glass Shelf Edging, | HA35 | | Non-Buffed Non-Brushed | 17.56 | 16.86 | 16.51 | 16.16 | 15.45 |
| 110393 | 12 ft. | ПАЗЭ | <u></u> | Buffed or Brushed | 24.04 | 23.08 | 22.60 | 22.12 | 21.16 |
| 110398 | Accent Strip for Straight Lengths, | HA16 | √ | Non-Buffed Non-Brushed | 12.78 | 12.27 | 12.01 | 11.76 | 11.25 |
| | 12 ft. | 11110 | | Buffed or Brushed | 17.95 | 17.23 | 16.87 | 16.51 | 15.80 |
| 110400 | 2" x 1-1/2" Panel Molding, 12 ft. (works with LH Endcap 310386, RH | AT15 | √ √ | Non-Buffed Non-Brushed | 43.73 | 41.98 | 41.11 | 40.23 | 38.48 |
| 110400 | Endcap 310385 and Base 410443) | AIIJ | N | Buffed or Brushed | 48.20 | 46.27 | 45.31 | 44.34 | 42.42 |
| 110403 | 3/8" Face Frame, 12 ft. | HA33 | | Non-Buffed Non-Brushed | 23.55 | 22.61 | 22.14 | 21.67 | 20.72 |
| 110403 | 376 Face Frame, 12 fc. | S8 | <u>E</u> , | Buffed or Brushed | 28.89 | 27.73 | 27.16 | 26.58 | 25.42 |
| 110410 | 3/4" Square Trim, 12 ft. (works with | AT11 | √ | Non-Buffed Non-Brushed | 28.05 | 26.93 | 26.37 | 25.81 | 24.68 |
| | Endcap 310403 and Base 411331) | ALLI | | Buffed or Brushed | 32.62 | 31.32 | 30.66 | 30.01 | 28.71 |
| 110412 | Deep Pocket Shoe, 12 ft. (works with | RD14 | | Non-Buffed Non-Brushed | 37.95 | 36.43 | 35.67 | 34.91 | 33.40 |
| | Endcap Assembly 510371) | | | Buffed or Brushed | 54.67 | 52.48 | 51.39 | 50.30 | 48.11 |

| | | Cat. | | | | Discount | Quantity | / Pricing | |
|----------------|---|--------------|---------------------------------------|---------------------------|--------|----------|----------|-----------|--------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 440442 | 2/4" 4" 51 1 42 6 | 11144 | | Non-Buffed Non-Brushed | 143.86 | 138.11 | 135.23 | 132.35 | 126.60 |
| 110413 | 3/4" x 4" Channel, 12 ft. | HA11 | | Buffed or Brushed | 154.82 | 148.63 | 145.53 | 142.43 | 136.24 |
| 110419 | 3" x 1/8" Bar, 12 ft. | HA16 | V | Non-Buffed Non-Brushed | 52.70 | 50.59 | 49.54 | 48.48 | 46.38 |
| 110419 | 3 X 1/6 Ddi, 12 It. | ПАТО | | Buffed or Brushed | 61.43 | 58.97 | 57.74 | 56.52 | 54.06 |
| 110420 | 3" X 1" Radius Step Trim, 12 ft. (works with LH endcap 310378, RH | AT15 | 7~ | Non-Buffed Non-Brushed | 65.99 | 63.50 | 62.25 | 61.00 | 39.75 |
| 110420 | endcap 310377 and base 410540) | Alli | J~ | Buffed or Brushed | 73.32 | 70.54 | 69.14 | 67.75 | 46.50 |
| 110423 | 1/2" O.D. Tube, 5/64" thick, | HA29 | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | Non-Buffed Non-Brushed | 17.55 | 16.85 | 16.50 | 16.15 | 15.44 |
| 110423 | 12 ft. | TIAZ) | A - | Buffed or Brushed | 18.44 | 17.70 | 17.33 | 16.96 | 16.23 |
| 110424 | 1-1/2" x 1-1/2" Corner Trim, | AT1E | | Non-Buffed Non-Brushed | 47.88 | 45.96 | 45.01 | 44.05 | 42.13 |
| 110424 | 12 ft. (Works with base 410443) | AT15 | <u> </u> | Buffed or Brushed | 52.55 | 50.45 | 49.40 | 48.35 | 46.24 |
| | Glass End Stock Endcap Extrusion, | | | Non-Buffed Non-Brushed | 41.44 | 39.78 | 38.95 | 38.12 | 36.47 |
| 110426 | 8 ft. | HA36 | ~ | Buffed or Brushed | 47.62 | 45.72 | 44.76 | 43.81 | 41.91 |
| 110428 | Anchor Channel for 2-1/2" WallMaker Sills, 12 ft. | G6 | | Non-Buffed Non-Brushed | 62.82 | 60.31 | 59.05 | 57.79 | 55.28 |
| 110432 | 1" Diameter Half Round with 3/8" Channel, 12 ft. (works with Endcaps | HA35 | | Non-Buffed Non-Brushed | 30.84 | 29.61 | 28.99 | 28.37 | 27.14 |
| 110432 | LH 310324 and RH 310325) | TIASS | \\ \^ | Buffed or Brushed | 32.44 | 31.14 | 30.49 | 29.84 | 28.55 |
| 110424 | 2-9/16"x2-1/2" WallMaker Header, | G12 | 7 1 | Non-Buffed Non-Brushed | 181.84 | 174.57 | 170.93 | 167.29 | 160.02 |
| 110434 | 12 ft. | GIZ | <u> </u> | Buffed or Brushed | 199.42 | 191.44 | 187.45 | 183.47 | 175.49 |
| 110441 | 1/4" Trim Channel, 12 ft. | SC5 | √ | Non-Buffed Non-Brushed | 13.08 | 12.56 | 12.30 | 12.03 | 11.51 |
| 110441 | 174 mm chamet, 12 ft. | 303 | | Buffed or Brushed | 21.38 | 20.52 | 20.10 | 19.67 | 18.81 |
| 110451 | 7/8" x 7/8" x 1/16" Angle, 12 ft. | HA3 | √ | Non-Buffed Non-Brushed | 16.35 | 15.70 | 15.37 | 15.04 | 14.39 |
| . 10 151 | A // A // 10 Alight, 12 It. | ins | | Buffed or Brushed | 23.40 | 22.46 | 22.00 | 21.53 | 20.59 |
| 110461 | 2" x 1" Channel, 12 ft. | HA10 | 7 | Non-Buffed Non-Brushed | 48.16 | 46.23 | 45.27 | 44.31 | 42.38 |
| | 2 x · Graines, 12 to | 1 | <u> </u> | Buffed or Brushed | 57.70 | 55.39 | 54.24 | 53.08 | 50.78 |

| | | Cat. | | | | Discount | Quantity | / Pricing | |
|----------------|--|--------------|---------------------------------------|---------------------------|--------|----------|----------|-----------|--------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 110465 | 5-3/4" x 2-1/4" Traditional American, 12 ft. (works with LH Endcap 310399 | AT15 | 7. | Non-Buffed Non-Brushed | 110.39 | 105.97 | 103.77 | 101.56 | 97.14 |
| 110403 | RH Endcap 310400 and Base 412002) | ALIS | <u>}</u> | Buffed or Brushed | 165.04 | 158.44 | 155.14 | 151.84 | 145.24 |
| 110471 | Upright, Center, 12 ft. | | П | Non-Buffed Non-Brushed | 26.70 | 25.63 | 25.10 | 24.56 | 23.50 |
| 110472 | Upright, Wall, 12 ft. | | >₽ ********** | Non-Buffed Non-Brushed | 81.86 | 78.59 | 76.95 | 75.31 | 72.04 |
| 110472 | Opright, watt, 12 ft. | | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | Buffed or Brushed | 92.54 | 88.84 | 86.99 | 85.14 | 81.44 |
| 110481 | 2"x6" WallMaker Sill, 12 ft. | G10 | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | Non-Buffed Non-Brushed | 353.38 | 339.24 | 332.18 | 325.11 | 310.97 |
| 110401 | 2 AU Wallmaker Sill, 12 II. | GIO | 7 < | Buffed or Brushed | 387.17 | 371.68 | 363.94 | 356.20 | 340.71 |
| 440402 | 2" 4" 1/4-11/4-1 6"11 - 42 6 | 60 | √ √ M M | Non-Buffed Non-Brushed | 245.69 | 235.86 | 230.95 | 226.03 | 216.21 |
| 110482 | 2"x4" WallMaker Sill, 12 ft. | G9 | | Buffed or Brushed | 272.31 | 261.42 | 255.97 | 250.53 | 239.63 |
| 110483 | 2"x1-3/4" WallMaker Header, | G9 | 7 4 | Non-Buffed Non-Brushed | 97.43 | 93.53 | 91.58 | 89.64 | 85.74 |
| 110463 | 12 ft. | G9 | / / / / | Buffed or Brushed | 113.55 | 109.01 | 106.74 | 104.47 | 99.92 |
| 110507 | 1-1/4" Dia. Half Round with 1/2" Return, 12 ft. (works with Base | AT8 | V | Non-Buffed Non-Brushed | 24.93 | 23.93 | 23.43 | 22.94 | 21.94 |
| 110307 | 410530 and Recessed Base 411185) | AIO | | Buffed or Brushed | 32.00 | 30.72 | 30.08 | 29.44 | 28.16 |
| 440524 | E11 C 42.6 | 63 | 7 | Non-Buffed Non-Brushed | 10.95 | 10.51 | 10.29 | 10.07 | 9.64 |
| 110521 | Filler Strip, 12 ft. | G3 | | Buffed or Brushed | 14.38 | 13.80 | 13.52 | 13.23 | 12.65 |
| | Backframe Header without Top | 6645 | √ | Non-Buffed Non-Brushed | 68.18 | 65.45 | 64.09 | 62.73 | 60.00 |
| 110523 | Glass, 12 ft. | SC15 | | Buffed or Brushed | 79.41 | 76.23 | 74.65 | 73.06 | 69.88 |
| 440530 | 1-21/32" x 1/8" Flat Stock, 12 ft. | 11447 | √ | Non-Buffed Non-Brushed | 31.10 | 29.86 | 29.23 | 28.61 | 27.37 |
| 110538 | (0.10 crown on surface opposite grove) | HA16 | | Buffed or Brushed | 38.92 | 37.36 | 36.58 | 35.81 | 34.25 |
| 4405.17 | C C | | | Non-Buffed Non-Brushed | 45.60 | 43.78 | 42.86 | 41.95 | 40.13 |
| 110547 | Cover, Smooth, Inside "H", 12 ft. | | , y | Buffed or Brushed | 49.46 | 47.48 | 46.49 | 45.50 | 43.52 |
| 110548 | Cover, Smooth, Outside "H", 12 ft. | | 7 | Non-Buffed Non-Brushed | 32.94 | 31.62 | 30.96 | 30.30 | 28.99 |
| 110340 | Cover, Silloutii, Outside II , 12 ft. | | ^ | Buffed or Brushed | 38.61 | 37.07 | 36.29 | 35.52 | 33.98 |

| | | Cat. | | | | Discount | Quantity | / Pricing | |
|----------------|---|--------------|----------|---------------------------|--------|----------|----------|-----------|--------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| | | | 1 | Non-Buffed Non-Brushed | 57.52 | 55.22 | 54.07 | 52.92 | 50.62 |
| 110560 | Rod, 3/4" Dia., 12 ft. | HA29 | | Buffed or Brushed | 63.19 | 60.66 | 59.40 | 58.13 | 55.61 |
| 110563 | Dod 2" Dia 42 ft | HA29 | 1 | Non-Buffed Non-Brushed | 325.70 | 312.67 | 306.16 | 299.64 | 286.62 |
| 110363 | Rod, 2" Dia., 12 ft. | ПАДЯ | | Buffed or Brushed | 331.64 | 318.37 | 311.74 | 305.11 | 291.84 |
| 110573 | Wireway Tube, 12 ft. | HA30 | √ | Non-Buffed Non-Brushed | 11.85 | 11.38 | 11.14 | 10.90 | 10.43 |
| 110373 | Wileway lube, 12 ft. | TIAGO | | Buffed or Brushed | 14.97 | 14.37 | 14.07 | 13.77 | 13.17 |
| | Showcase Molding w/o Holes, | SC15 | - N | Non-Buffed Non-Brushed | 11.39 | 10.93 | 10.71 | 10.48 | 10.02 |
| 110577 | 12 ft. (with holes 410099) | HA10 | | Buffed or Brushed | 15.62 | 15.00 | 14.68 | 14.37 | 13.75 |
| 110582 | Showcase Rail, 12 ft. | SC15 | √ ~ | Non-Buffed Non-Brushed | 43.31 | 41.58 | 40.71 | 39.85 | 38.11 |
| 110362 | SHOWCase Rail, 12 It. | 3013 | | Buffed or Brushed | 45.62 | 43.80 | 42.88 | 41.97 | 40.15 |
| 110617 | Sign Trim, 12 ft. (works with Base | AT15 | | Non-Buffed Non-Brushed | 24.03 | 23.07 | 22.59 | 22.11 | 21.15 |
| 110017 | 110618) | AITS | \[\] | Buffed or Brushed | 31.46 | 30.20 | 29.57 | 28.94 | 27.68 |
| 110618 | Sign Trim Base, 12 ft. (works with Trim 110617) | AT16 | (Z | Non-Buffed Non-Brushed | 15.71 | 15.08 | 14.77 | 14.45 | 13.82 |
| 440/22 | 3/4" x 1-1/2" x 1/8", | 111.4 | | Non-Buffed Non-Brushed | 23.63 | 22.68 | 22.21 | 21.74 | 20.79 |
| 110622 | Angle, 84" | HA4 | ^ | Buffed or Brushed | 29.03 | 27.87 | 27.29 | 26.71 | 25.55 |
| 110639 | 1" x 2" x 1" Rectangular Trim, 12 ft. (works with Base 410443, 410466) | AT11 | √ | Non-Buffed Non-Brushed | 38.75 | 37.20 | 36.43 | 35.65 | 34.10 |
| 110039 | (works with endcap 310735) | AIII | | Buffed or Brushed | 50.98 | 48.94 | 47.92 | 46.90 | 44.86 |
| 110640 | Top Rear Showcase Channel, for 1/2" | SC15 | √ | Non-Buffed Non-Brushed | 68.60 | 65.86 | 64.48 | 63.11 | 60.37 |
| 110040 | Glass, 12 ft. | 3013 | | Buffed or Brushed | 86.48 | 83.02 | 81.29 | 79.56 | 76.10 |
| 110641 | 2" Square Tube, 1/8" Thick, | HA30 | √ -> | Non-Buffed Non-Brushed | 119.82 | 115.03 | 112.63 | 110.23 | 105.44 |
| 110041 | 12 ft. | IIAJU | <u> </u> | Buffed or Brushed | 129.74 | 124.55 | 121.96 | 119.36 | 114.17 |
| 110646 | Trim, Drawer, 12 ft. | | | Non-Buffed Non-Brushed | 11.90 | 11.42 | 11.19 | 10.95 | 10.47 |

| | | Cat. | | | | Discount | Quantity | / Pricing | |
|----------------|-------------------------------------|--------------|---------------------------------------|---------------------------|--------|----------|----------|-----------|--------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 110648 | Bar, 1" x 1", 12 ft. | HA16 | 7 2 | Non-Buffed Non-Brushed | 123.59 | 118.65 | 116.17 | 113.70 | 108.76 |
| 110046 | Ddf, 1 X I , 12 IL. | ПАТО | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | Buffed or Brushed | 131.04 | 125.80 | 123.18 | 120.56 | 115.32 |
| 110649 | Security Channel for 3/8" Glass, 12 | SC12 | √ | Non-Buffed Non-Brushed | 19.25 | 18.48 | 18.10 | 17.71 | 16.94 |
| 110047 | ft. | 3012 | | Buffed or Brushed | 20.82 | 19.99 | 19.57 | 19.15 | 18.32 |
| 110650 | 3/8" Glass Channel, 12 ft. | HA10 | | Non-Buffed Non-Brushed | 13.86 | 13.31 | 13.03 | 12.75 | 12.20 |
| 110030 | 370 Glass charmet, 12 ft. | SC15 | | Buffed or Brushed | 16.35 | 15.70 | 15.37 | 15.04 | 14.39 |
| 110652 | F Channel, 3/8" Glass 12 ft. | | \ -_ | Non-Buffed Non-Brushed | 21.69 | 20.82 | 20.39 | 19.95 | 19.09 |
| 110032 | T Charmet, 370 Gtass 12 ft. | | | Buffed or Brushed | 29.63 | 28.44 | 27.85 | 27.26 | 26.07 |
| 110653 | Front Frame with Security Lip for | SC15 | √ | Non-Buffed Non-Brushed | 29.91 | 28.71 | 28.12 | 27.52 | 26.32 |
| 110053 | 3/8" Glass, 12 ft. | 3013 | | Buffed or Brushed | 35.25 | 33.84 | 33.14 | 32.43 | 31.02 |
| 110655 | 6 4/2" v 4/4" Par 40 ft | HA11 | √ | Non-Buffed Non-Brushed | 150.18 | 144.17 | 141.17 | 138.17 | 132.16 |
| 110655 | 6-1/2" x 1/4" Bar, 10 ft. | ПАП | | Buffed or Brushed | 163.93 | 157.37 | 154.09 | 150.82 | 144.26 |
| 110665 | 1/2" x 1/4" Rectangular Bar, | 11446 | √ | Non-Buffed Non-Brushed | 26.47 | 25.41 | 24.88 | 24.35 | 23.29 |
| 110003 | 12 ft. | HA16 | 7 < | Buffed or Brushed | 33.67 | 32.32 | 31.65 | 30.98 | 29.63 |
| 110666 | 3/8" Glass "F" Channel, 12 ft. | | √ | Non-Buffed Non-Brushed | 24.65 | 23.66 | 23.17 | 22.68 | 21.69 |
| 110000 | 370 Glass 1 Chamlet, 12 fc. | | 7 | Buffed or Brushed | 32.48 | 31.18 | 30.53 | 29.88 | 28.58 |
| 110669 | 3/4" Column Molding, 12 ft. | FM17 | | Non-Buffed Non-Brushed | 86.05 | 82.61 | 80.89 | 79.17 | 75.72 |
| 110007 | 374 Cotumit Motumes, 12 ft. | 174(17 | | Buffed or Brushed | 94.99 | 91.19 | 89.29 | 87.39 | 83.59 |
| 110670 | 1/4" Glass Shelf Edging, 12 ft. | | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | Non-Buffed Non-Brushed | 25.69 | 24.66 | 24.15 | 23.63 | 22.61 |
| 1100/0 | 177 Otass Shett Eugling, 12 It. | | | Buffed or Brushed | 28.79 | 27.64 | 27.06 | 26.49 | 25.34 |
| 440474 | 1/4" Glass "F" Channel with Unequal | | | Non-Buffed Non-Brushed | 25.88 | 24.84 | 24.33 | 23.81 | 22.77 |
| 110671 | Legs, 12 ft. | | 7 | Buffed or Brushed | 31.62 | 30.36 | 29.72 | 29.09 | 27.83 |
| 110672 | 3/4" Trim (works with Base 412007), | AT11 | √ N | Non-Buffed Non-Brushed | 10.79 | 10.36 | 10.14 | 9.93 | 9.50 |
| 110072 | 12 ft. | ALLI | 7 | Buffed or Brushed | 13.39 | 12.85 | 12.59 | 12.32 | 11.78 |

| | | Cat. | | | | | | | |
|----------------|--|-----------------|------------|---------------------------|--------|--------|--------|--------|--------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 110/71 | | | 1/2 | Non-Buffed Non-Brushed | 27.62 | 26.52 | 25.96 | 25.41 | 24.31 |
| 110674 | Shelf Sign Holder, 12 ft. | HA33 | | Buffed or Brushed | 31.52 | 30.26 | 29.63 | 29.00 | 27.74 |
| 110683 | 1-23/32" x 3/4" U-Channel, 10 ft. | HA10 | 7 | Non-Buffed Non-Brushed | 24.07 | 23.11 | 22.63 | 22.14 | 21.18 |
| 110083 | 1-23/32 x 3/4 O-Chamlet, To it. | ПАТО | <i>/</i> - | Buffed or Brushed | 32.14 | 30.85 | 30.21 | 29.57 | 28.28 |
| 440400 | 4 (0) 4 (0) 9 6 42 6 | 11144 | V | Non-Buffed Non-Brushed | 32.36 | 31.07 | 30.42 | 29.77 | 28.48 |
| 110689 | 1/2" x 1/2" Bar Sq., 12 ft. | HA16 | 7 | Buffed or Brushed | 35.47 | 34.05 | 33.34 | 32.63 | 31.21 |
| 110691 | U-Channel with Returns, 12 ft. | HA10 | | Non-Buffed Non-Brushed | 15.97 | 15.33 | 15.01 | 14.69 | 14.05 |
| 110/03 | | , 12 ft. HA16 √ | V | Non-Buffed Non-Brushed | 15.67 | 15.04 | 14.73 | 14.42 | 13.79 |
| 110693 | 1/2" x 3/16" Flat Bar, 12 ft. | | < | Buffed or Brushed | 16.85 | 16.18 | 15.84 | 15.50 | 14.83 |
| 110697 | 1-1/2" x 1-1/4" Anchor Channel, 10 ft. | G15 | | Non-Buffed Non-Brushed | 42.38 | 40.68 | 39.84 | 38.99 | 37.29 |
| 110/09 | 1-1/2" x 4" Sill, 10 ft. | G15 | | Non-Buffed Non-Brushed | 168.65 | 161.90 | 158.53 | 155.16 | 148.41 |
| 110698 | | | | Buffed or Brushed | 185.48 | 178.06 | 174.35 | 170.64 | 163.22 |
| 110699 | 4.4/211.4.2/411.151 | G16 | | Non-Buffed Non-Brushed | 113.61 | 109.07 | 106.79 | 104.52 | 99.98 |
| 110099 | 1-1/2" x 1-3/4" H Channel, 10 ft. | 010 | | Buffed or Brushed | 138.55 | 133.01 | 130.24 | 127.47 | 121.92 |
| 110700 | 1-1/2" x 1-3/4" Top Channel, | G16 | 7 | Non-Buffed Non-Brushed | 68.16 | 65.43 | 64.07 | 62.71 | 59.98 |
| 110700 | 10 ft. | 010 | | Buffed or Brushed | 78.75 | 75.60 | 74.03 | 72.45 | 69.30 |
| 110705 | F/0" V 2/4" 4/4/" T.b. 0.6 | 11420 | √ | Non-Buffed Non-Brushed | 16.58 | 15.92 | 15.59 | 15.25 | 14.59 |
| 110705 | 5/8" X 3/4" x 1/16" Tube, 8 ft. | HA30 | <u></u> | Buffed or Brushed | 24.93 | 23.93 | 23.43 | 22.94 | 21.94 |
| 110706 | 1-1/8" Diameter Rod 12 ft | HA29 | 1 | Non-Buffed Non-Brushed | 127.21 | 122.12 | 119.58 | 117.03 | 111.94 |
| 110700 | 1-1/8" Diameter Rod, 12 ft. | IIAL) | 1 | Buffed or Brushed | 133.68 | 128.33 | 125.66 | 122.99 | 117.64 |
| 110709 | 1.1/3" v 1/2" Rectangular Par 12 ft | HA16 | √ | Non-Buffed Non-Brushed | 85.27 | 81.86 | 80.15 | 78.45 | 75.04 |
| 110/09 | 1-1/3" x 1/2" Rectangular Bar, 12 ft. | TIATO | 5 7 | Buffed or Brushed | 94.95 | 91.15 | 89.25 | 87.35 | 83.56 |

| | | Cat. | | | | Quantity | / Pricing | | |
|----------------|---------------------------------------|--------------|---------------|---------------------------|-------|----------|-----------|-------|-------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 110719 | Reflector Shell, 30° Opening with | 6647 | - | Non-Buffed Non-Brushed | 62.82 | 60.31 | 59.05 | 57.79 | 55.28 |
| 110/19 | Security Glass Lip, 12 ft. | SC17 | | Buffed or Brushed | 68.35 | 65.62 | 64.25 | 62.88 | 60.15 |
| 110720 | Reflector Shell, 30° Opening without | SC17 | \ \frac{1}{2} | Non-Buffed Non-Brushed | 58.73 | 56.38 | 55.21 | 54.03 | 51.68 |
| 110720 | Security Glass Lip, 12 ft. | 3017 | | Buffed or Brushed | 73.60 | 70.66 | 69.18 | 67.71 | 64.77 |
| 110725 | U Channel 3/8" Glass with | | | Non-Buffed Non-Brushed | 20.09 | 19.29 | 18.88 | 18.48 | 17.68 |
| 110723 | Extended Leg, 12 ft. | | | Buffed or Brushed | 24.01 | 23.05 | 22.57 | 22.09 | 21.13 |
| 110728 | 1_17/32" v 9/16" Angle 12 ft | HA3 | | Non-Buffed Non-Brushed | 21.21 | 20.36 | 19.94 | 19.51 | 18.66 |
| 110726 | 1-17/32" x 9/16" Angle, 12 ft. | TIAS | | Buffed or Brushed | 24.63 | 23.64 | 23.15 | 22.66 | 21.67 |
| 110720 | Channel 3/8" Glass, 12 ft. | HA11 | 7 | Non-Buffed Non-Brushed | 26.23 | 25.24 | 24.74 | 24.25 | 16.36 |
| 110730 | | | | Buffed or Brushed | 28.09 | 27.03 | 26.49 | 25.96 | 18.07 |
| 110731 | Tube, 1-5/8" x 3/4" Rectangle, 12 ft. | HA30 | √ | Non-Buffed Non-Brushed | 43.16 | 41.43 | 40.57 | 39.71 | 37.98 |
| 110/31 | | TIAGO | <i>N</i> | Buffed or Brushed | 55.42 | 53.20 | 52.09 | 50.99 | 48.77 |
| 110734 | Tee, 2" x 1/2", 10 ft. | HA27 | √ | Non-Buffed Non-Brushed | 37.26 | 35.77 | 35.02 | 34.28 | 32.79 |
| 110734 | | | | Buffed or Brushed | 40.09 | 38.49 | 37.68 | 36.88 | 35.28 |
| 110735 | Too 2/4" x 1/2" 10 ft | HA27 | √ | Non-Buffed Non-Brushed | 21.76 | 20.89 | 20.45 | 20.02 | 19.15 |
| 110/33 | Tee, 3/4" x 1/2", 10 ft. | ПАZ7 | | Buffed or Brushed | 33.70 | 32.35 | 31.68 | 31.00 | 29.66 |
| 440727 | (1.11.41.47.40.6) | 1142 | -> | Non-Buffed Non-Brushed | 12.55 | 12.05 | 11.80 | 11.55 | 11.04 |
| 110737 | "L", 1" x 1/4", 10 ft. | HA3 | <i>N</i> | Buffed or Brushed | 23.01 | 22.09 | 21.63 | 21.17 | 20.25 |
| 110738 | H-Channel, 7/16" x 1-3/4", 12 ft. | | | Non-Buffed Non-Brushed | 71.26 | 68.41 | 66.98 | 65.56 | 62.71 |
| 140720 | Trim, 1" x 1", 12 ft., (Works with | | √ | Non-Buffed Non-Brushed | 27.83 | 26.72 | 26.16 | 25.60 | 24.49 |
| 110739 | base 412007) | | 2 2 | Buffed or Brushed | 31.96 | 30.68 | 30.04 | 29.40 | 28.12 |

| | | Cat. | | | | | Discount Quantity Pricing | | | | | | |
|----------------|-------------------------------------|-----------------------------------|----------|---------------------------|---------------------------|--------|---------------------------|--------|--------|-------|--|--|--|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ | | | | |
| 440744 | Tring 2" Bully and 42 ft | | 1 | Non-Buffed Non-Brushed | 81.24 | 77.99 | 76.37 | 74.74 | 71.49 | | | | |
| 110741 | Trim, 2" Bullnose, 12 ft. | AT15 | | Buffed or Brushed | 87.11 | 83.63 | 81.88 | 80.14 | 76.66 | | | | |
| 110747 | 3" X 3" Square Tube, 1/8" Thick, 12 | HA30 | 7 | Non-Buffed Non-Brushed | 185.83 | 178.40 | 174.68 | 170.96 | 163.53 | | | | |
| 110747 | ft. | TIAGO | | Buffed or Brushed | 207.49 | 199.19 | 195.04 | 190.89 | 182.59 | | | | |
| 110750 | U Channel, 7/8" x 1-1/2", 12 ft. | HA11 | 7 2 | Non-Buffed Non-Brushed | 33.65 | 32.30 | 31.63 | 30.96 | 29.61 | | | | |
| 110730 | 6 Chamet, 776 X 1 172, 121c. | IIAII | <u> </u> | Buffed or Brushed | 38.74 | 37.19 | 36.42 | 35.64 | 34.09 | | | | |
| 110757 | II Channel 3/4" v 3/4" 12 ft | HA10 | | Non-Buffed Non-Brushed | 32.79 | 31.48 | 30.82 | 30.17 | 28.86 | | | | |
| 110737 | U Channel, 3/4" x 3/4", 12 ft. | HATO | <i>^</i> | Buffed or Brushed | 41.72 | 40.05 | 39.22 | 38.38 | 36.71 | | | | |
| | U Channel, .938" x .313", 12 ft. | | > | Non-Buffed Non-Brushed | 13.56 | 13.02 | 12.75 | 12.48 | 11.93 | | | | |
| 110760 | | HA11 | | Buffed or Brushed | 19.65 | 18.86 | 18.47 | 18.08 | 17.29 | | | | |
| 110764 | Angle, 7/8" x 3/8" x 1/8", 12 ft. | Angle 7/8" x 3/8" x 1/8" 12 ft ΗΔ | HA4 | > | Non-Buffed Non-Brushed | 20.78 | 19.95 | 19.53 | 19.12 | 18.29 | | | |
| 110704 | | | <i>P</i> | Buffed or Brushed | 23.74 | 22.79 | 22.32 | 21.84 | 20.89 | | | | |
| 440707 | | | √ | Non-Buffed Non-Brushed | 24.31 | 23.34 | 22.85 | 22.37 | 21.39 | | | | |
| 110787 | Flat Bar, 1-1/2" x 1/8", 12 ft. | HA16 | <i>^</i> | Buffed or Brushed | 35.10 | 33.70 | 32.99 | 32.29 | 30.89 | | | | |
| 440700 | Fl . D . 2/41 . 4/41 . 42 fr | | √ | Non-Buffed Non-Brushed | 28.63 | 27.48 | 26.91 | 26.34 | 25.19 | | | | |
| 110788 | Flat Bar, 3/4" x 1/4", 12 ft. | HA16 | > | Buffed or Brushed | 37.37 | 35.88 | 35.13 | 34.38 | 32.89 | | | | |
| 110790 | Tube 4" v 4" v 4 / 0" 42 ft | наго | | Non-Buffed Non-Brushed | 57.92 | 55.60 | 54.44 | 53.29 | 50.97 | | | | |
| 110789 | Tube, 1" x 1" x 1/8" 12 ft. | HA30 | > | Buffed or Brushed | 74.48 | 71.50 | 70.01 | 68.52 | 65.54 | | | | |
| | | | √ √ | Non-Buffed Non-Brushed | 112.08 | 107.60 | 105.36 | 103.11 | 98.63 | | | | |
| 110790 | 3.5" Bullnose, 12 ft. | | 7 | Buffed or Brushed | 130.22 | 125.01 | 122.41 | 119.80 | 114.59 | | | | |
| 4400 | Cover T, 1/2" Secure Lip, | 66:- | 7 | Non-Buffed Non-Brushed | 29.70 | 28.51 | 27.92 | 27.32 | 26.14 | | | | |
| 110800 | Cover T, 1/2" Secure Lip, 12 ft. | SC17 | | Buffed or Brushed | 40.19 | 38.58 | 37.78 | 36.97 | 35.37 | | | | |

| | | Cat. | | | Discount Quantity Pricing | | | | | | |
|----------------|---------------------------------------|--------------|---------------------------------------|---------------------------|---------------------------|--------|--------|--------|--------|--|--|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ | | |
| 110810 | Par 1/4" v 1/4" 12 ft | HA16 | | Non-Buffed Non-Brushed | 13.28 | 12.75 | 12.48 | 12.22 | 11.69 | | |
| 110010 | Bar, 1/4" x 1/4", 12 ft. | ПАТО | > | Buffed or Brushed | 17.24 | 16.55 | 16.21 | 15.86 | 15.17 | | |
| 110812 | | | √ | Non-Buffed Non-Brushed | 123.74 | 118.79 | 116.32 | 113.84 | 108.89 | | |
| 110012 | "J" Channel, 1.378" x 2.165", 12 ft. | | , , , , , , , , , , , , , , , , , , , | Buffed or Brushed | 151.15 | 145.10 | 142.08 | 139.06 | 133.01 | | |
| 440042 | | | V > | Non-Buffed Non-Brushed | 35.37 | 33.96 | 33.25 | 32.54 | 31.13 | | |
| 110813 | Door Pull, Extended Grip, 12 ft. | | > [2] | Buffed or Brushed | 45.99 | 44.15 | 43.23 | 42.31 | 40.47 | | |
| 110842 | Flutad Trim 12 ft | | √ | Non-Buffed Non-Brushed | 57.82 | 55.64 | 54.46 | 53.47 | 32.55 | | |
| 110842 | Fluted Trim, 12 ft. | | ಬರಬ | Buffed or Brushed | 67.80 | 65.23 | 63.95 | 62.66 | 41.73 | | |
| 110844 | Angle, 4.0" x 1/2" x 1/16", 12 ft. | НА3 | > | Non-Buffed Non-Brushed | 51.53 | 49.47 | 48.44 | 47.41 | 45.35 | | |
| 110844 | | | ٨ | Buffed or Brushed | 62.55 | 60.05 | 58.80 | 57.55 | 55.04 | | |
| 110853 | Post, Fluted, 12 ft. | | | Non-Buffed Non-Brushed | 55.61 | 53.39 | 52.27 | 51.16 | 48.94 | | |
| 110633 | | | | Buffed or Brushed | 67.64 | 64.93 | 63.58 | 62.23 | 59.52 | | |
| 110854 | Post, Single Groove, 12 ft. | | | Non-Buffed Non-Brushed | 61.68 | 59.21 | 57.98 | 56.75 | 54.28 | | |
| 110054 | | | W | Buffed or Brushed | 73.61 | 70.67 | 69.19 | 67.72 | 64.78 | | |
| 110855 | Post, Double Groove, 12 ft. | | $\widehat{\mathbf{M}}$ | Non-Buffed Non-Brushed | 67.04 | 64.36 | 63.02 | 61.68 | 59.00 | | |
| | | | 3 | Buffed or Brushed | 78.99 | 75.83 | 74.25 | 72.67 | 69.51 | | |
| 110863 | Tube, Round, 1-1/4" dia x 1/16", 12 | HA29 | | Non-Buffed Non-Brushed | 34.45 | 33.07 | 32.38 | 31.69 | 30.32 | | |
| | ft. | | | Buffed or Brushed | 41.98 | 40.30 | 39.46 | 38.62 | 36.94 | | |
| 110866 | Angle, 1.380" x 1.00" x .157", 12 ft. | HA4 | > | Non-Buffed Non-Brushed | 46.78 | 44.91 | 43.97 | 43.04 | 41.17 | | |
| | , , | | <u> </u> | Buffed or Brushed | 57.29 | 55.00 | 53.85 | 52.71 | 50.42 | | |
| 110926 | Bar, Square, 1-1/2" , 12 ft. | HA16 | | Non-Buffed Non-Brushed | 286.39 | 274.93 | 269.21 | 263.48 | 252.02 | | |
| 140050 | Tube Square 4.4/4" v. 00" 43.5 | шлэл | √ . | Non-Buffed Non-Brushed | 82.05 | 78.77 | 77.13 | 75.49 | 72.20 | | |
| 110950 | Tube, Square, 1-1/4" x .09", 12 ft. | HA30 | 7 | Buffed or Brushed | 93.80 | 90.05 | 88.17 | 86.30 | 82.54 | | |

| | | Cat. | | | Discount Quantity Pricing | | | | |
|----------------|--------------------------------------|--------------|---------------------------------------|---------------------------|---------------------------|--------|--------|--------|--------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 440054 | Dags Bull 4 (4" Class 42 ft | | √ | Non-Buffed Non-Brushed | 37.32 | 35.83 | 35.08 | 34.33 | 32.84 |
| 110951 | Door Pull, 1/4" Glass, 12 ft. | | <u> </u> | Buffed or Brushed | 49.18 | 47.21 | 46.23 | 45.25 | 43.28 |
| 440050 | 2/4" - 2/9" - 4/9" Ta - 42.55 | 11427 | | Non-Buffed Non-Brushed | 18.48 | 17.74 | 17.37 | 17.00 | 16.26 |
| 110959 | 3/4" x 3/8" x1/8" Tee, 12 ft. | HA27 | 7 | Buffed or Brushed | 30.45 | 29.23 | 28.62 | 28.01 | 26.80 |
| 110962 | Channel 5/9" V 1 7/9" 10 ft | HA11 | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | Non-Buffed Non-Brushed | 79.75 | 76.76 | 75.27 | 73.77 | 43.86 |
| 110962 | Channel, 5/8" X 1-7/8", 10 ft. | ПАП | 7 2 | Buffed or Brushed | 88.82 | 85.47 | 83.79 | 82.12 | 52.21 |
| 110963 | Angle, 4-1/2" x 2", 12 ft. | HA4 | √ 1 | Non-Buffed Non-Brushed | 103.74 | 99.59 | 97.52 | 95.44 | 91.29 |
| 110703 | Angle, 4-1/2 x 2 , 12 rt. | TIA4 | \ | Buffed or Brushed | 121.15 | 116.30 | 113.88 | 111.46 | 106.61 |
| 110065 | Angle, 1.27" x .512", 12 ft. | HA4 | - | Non-Buffed Non-Brushed | 25.16 | 24.21 | 23.73 | 23.25 | 22.29 |
| 110965 | | | <i>N</i> | Buffed or Brushed | 28.72 | 27.62 | 27.07 | 26.52 | 25.42 |
| 440077 | Angle, .787" x .512", 12 ft. | HA3 | > | Non-Buffed Non-Brushed | 17.80 | 17.13 | 16.79 | 16.45 | 15.77 |
| 110966 | Aligie, .707 X .312 , 12 It. | 111.5 | ^ | Buffed or Brushed | 20.17 | 19.40 | 19.02 | 18.63 | 17.86 |
| 110975 | Tee, 1-1/4" x 1.00" x 1/8", 12 ft. | HA28 | | Non-Buffed Non-Brushed | 39.98 | 38.38 | 37.58 | 36.78 | 35.18 |
| 110773 | | | | Buffed or Brushed | 42.66 | 40.95 | 40.10 | 39.25 | 37.54 |
| 110981 | Channel, 3/4" x 1/2" x .125", 12 ft. | HA11 | | Non-Buffed Non-Brushed | 25.45 | 24.43 | 23.92 | 23.41 | 22.40 |
| | Channel, 1-1/2" x 1-1/2" x 1/8", 12 | | 7 2 | Non-Buffed Non-Brushed | 70.12 | 67.32 | 65.91 | 64.51 | 61.71 |
| 110984 | ft. | HA11 | <u>^</u> | Buffed or Brushed | 73.17 | 70.24 | 68.78 | 67.32 | 64.39 |
| 440004 | Angle, 2" x 2-3/4" x 1/8", | 114.4 | 7 | Non-Buffed Non-Brushed | 74.14 | 71.17 | 69.69 | 68.21 | 65.24 |
| 110986 | 12 ft. | HA4 | <u> </u> | Buffed or Brushed | 81.44 | 78.18 | 76.55 | 74.92 | 71.67 |
| 140007 | 7" v 1 /14" Tring Shrin 12 ft | UAAA | V | Non-Buffed Non-Brushed | 68.35 | 65.62 | 64.25 | 62.88 | 60.15 |
| 110987 | 7" x 1/16" Trim Strip, 12 ft. | HA16 | | Buffed or Brushed | 88.14 | 84.61 | 82.85 | 81.09 | 77.56 |

| | | Cat. | | | Discount Quantity Pricing | | | | |
|----------------|--------------------------------------|--------------|---------|---------------------------|---------------------------|--------|--------|--------|--------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 110993 | Trim, Outside Corner, 90°, 12 ft. | HA33 | \Box | Non-Buffed Non-Brushed | 28.78 | 27.63 | 27.05 | 26.48 | 25.33 |
| 110773 | Trini, Outside Corner, 70 , 12 ft. | TIASS | 1 | Buffed or Brushed | 33.93 | 32.57 | 31.89 | 31.22 | 29.86 |
| 110994 | 1/2" x 1" x .125" Angle, 12 ft. | HA4 | > | Non-Buffed Non-Brushed | 23.86 | 22.91 | 22.43 | 21.95 | 21.00 |
| 110771 | 172 XT X.123 Aligie, 1216. | 1121 | ٨ | Buffed or Brushed | 27.98 | 26.86 | 26.30 | 25.74 | 24.62 |
| 110995 | 2" x 7/8" Tee, 12 ft. | HA27 | | Non-Buffed Non-Brushed | 47.70 | 45.79 | 44.84 | 43.88 | 41.98 |
| 110773 | 2 x 770 fee, 121t. | TIAL! | ^ | Buffed or Brushed | 55.27 | 53.06 | 51.95 | 50.85 | 48.64 |
| 110996 | 1-1/8" x 1-1/8" x 1/8" Angle, 12 ft. | HA3 | 7 | Non-Buffed Non-Brushed | 35.31 | 33.90 | 33.19 | 32.49 | 31.07 |
| 110770 | 1-1/0 x 1-1/0 x 1/0 Aligle, 12 lt. | ПАЗ | ^ | Buffed or Brushed | 40.46 | 38.84 | 38.03 | 37.22 | 35.60 |
| 110997 | 7/8" x 7/8" x .125" Angle, 12 ft. | HA4 | 7 | Non-Buffed Non-Brushed | 27.33 | 26.24 | 25.69 | 25.14 | 24.05 |
| 110777 | | | <u></u> | Buffed or Brushed | 30.18 | 28.97 | 28.37 | 27.77 | 26.56 |
| 111007 | 2"x8" WallMaker Sill, 12 ft. | G11 | | Non-Buffed Non-Brushed | 425.47 | 408.45 | 399.94 | 391.43 | 374.41 |
| | | | 7 | Buffed or Brushed | 455.51 | 437.29 | 428.18 | 419.07 | 400.85 |
| 111010 | 1"x1-3/4" WallMaker Header w/ | G7 | | Non-Buffed Non-Brushed | 54.00 | 51.84 | 50.76 | 49.68 | 47.52 |
| 111010 | groove, 12 ft. | HA11 | | Buffed or Brushed | 61.62 | 59.16 | 57.92 | 56.69 | 54.23 |
| 111011 | 2-1/2"x8" WallMaker Sill, | G13 | | Non-Buffed Non-Brushed | 494.03 | 474.27 | 464.39 | 454.51 | 434.75 |
| | 12 ft. | 0.3 | | Buffed or Brushed | 523.67 | 502.72 | 492.25 | 481.78 | 460.83 |
| 111012 | 1"x2" WallMaker Flanged Header w/ | G8 | | Non-Buffed Non-Brushed | 82.04 | 78.76 | 77.12 | 75.48 | 72.20 |
| 111012 | groove, 12 ft. | HA11 | 7 4 | Buffed or Brushed | 94.67 | 90.88 | 88.99 | 87.10 | 83.31 |
| 111013 | 1"x2" WallMaker Header w/ groove, | G8 | | Non-Buffed Non-Brushed | 55.89 | 53.65 | 52.54 | 51.42 | 49.18 |
| | 12 ft. | HA11 | | Buffed or Brushed | 76.64 | 73.57 | 72.04 | 70.51 | 67.44 |
| 111014 | 2-1/2"x6" WallMaker Sill, | G13 | | Non-Buffed Non-Brushed | 400.37 | 384.36 | 376.35 | 368.34 | 352.33 |
| 111014 | 12 ft. | | 7 | Buffed or Brushed | 408.59 | 392.25 | 384.07 | 375.90 | 359.56 |

| | | Cat. | | | Discount Quantity Pricing | | | | |
|----------------|---|---|---------------------------------------|---------------------------|---------------------------|--------|--------|--------|--------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 111015 | 2-1/2"x4" WallMaker Sill, | | √ √ | Non-Buffed Non-Brushed | 263.93 | 253.37 | 248.09 | 242.82 | 232.26 |
| 111015 | 12 ft. | G12 | | Buffed or Brushed | 290.30 | 278.69 | 272.88 | 267.08 | 255.46 |
| 111019 | 5/8" O.D. Tube, .063" thick, 12 ft. | HA29 | | Non-Buffed Non-Brushed | 27.99 | 26.93 | 26.40 | 25.87 | 24.81 |
| 111018 | 576 O.D. Tube, 1063 UTICK, 12 TC. | ПАZ9 | | Buffed or Brushed | 32.09 | 30.87 | 30.26 | 29.64 | 28.42 |
| 444022 | Death Oran Call Days 42 ft | | > - - - - - - - - - | Non-Buffed Non-Brushed | 75.15 | 72.14 | 70.64 | 69.14 | 66.13 |
| 111022 | Post, Open Sell Rear, 12 ft. | | \\\ | Buffed or Brushed | 91.01 | 87.37 | 85.55 | 83.73 | 80.09 |
| 444022 | | | 7 | Non-Buffed Non-Brushed | 91.22 | 87.57 | 85.75 | 83.92 | 80.27 |
| 111023 | Post, Open Sell Front, 12 ft. | | <u> </u> | Buffed or Brushed | 106.24 | 101.99 | 99.87 | 97.74 | 93.49 |
| | 3-7/8" x 1/8" " Bar, 12 ft. (.145 crown) | HA16 | √ | Non-Buffed Non-Brushed | 72.70 | 69.79 | 68.34 | 66.88 | 63.98 |
| 111024 | | | · · | Buffed or Brushed | 79.18 | 76.01 | 74.43 | 72.85 | 69.68 |
| 444005 | 1-1/4" x 3/16" Flat Bar, 12 ft. | HA16 | √ | Non-Buffed Non-Brushed | 31.04 | 29.80 | 29.18 | 28.56 | 27.32 |
| 111025 | | | 7 | Buffed or Brushed | 36.06 | 34.62 | 33.90 | 33.18 | 31.73 |
| 111026 | 27/01/ 4/01/ 2 | 8-7/8" x 1/8", Rectangle Bar, 12 ft. HA16 | V | Non-Buffed Non-Brushed | 72.01 | 69.13 | 67.69 | 66.25 | 63.37 |
| 111020 | 3-770 X 170 , Nectargle Bai, 12 ft. | HATO | | Buffed or Brushed | 75.91 | 72.87 | 71.36 | 69.84 | 66.80 |
| 111027 | 1" x 1/2" x 1/8" T-Shape, 12 ft. | HA28 | √ > □ = < | Non-Buffed Non-Brushed | 23.32 | 22.39 | 21.92 | 21.45 | 20.52 |
| 111027 | 1 × 1/2 × 1/0 1-3παρε, 12 π. | TIAZO | \$ | Buffed or Brushed | 28.73 | 27.58 | 27.01 | 26.43 | 25.28 |
| 444000 | 1.2 (0) 1.4 (0) 1.5 (1.4.6) | | √ √ √ | Non-Buffed Non-Brushed | 28.98 | 27.82 | 27.24 | 26.66 | 25.50 |
| 111028 | 1-3/8" x 1/2" x 1/8" T-Shape, 12 ft. | HA28 | | Buffed or Brushed | 37.76 | 36.25 | 35.49 | 34.74 | 33.23 |
| 111029 | 1-1/4" x 1/8" Flat Bar, 12 ft. | HA16 | | Non-Buffed Non-Brushed | 24.33 | 23.36 | 22.87 | 22.38 | 21.41 |
| 111027 | 1 1/4 X 1/0 Flat Bal, 12 It. | TIATO | > < | Buffed or Brushed | 29.35 | 28.18 | 27.59 | 27.00 | 25.83 |
| 111022 | 4" v 1 / 4" I Channel 42 ft | UA40 | > [| Non-Buffed Non-Brushed | 14.91 | 14.31 | 14.02 | 13.72 | 13.12 |
| 111033 | 1" x 1/4" U-Channel, 12 ft. | HA10 | | Buffed or Brushed | 21.16 | 20.31 | 19.89 | 19.47 | 18.62 |

| | | Cat. | | | | Discount | Quantity | / Pricing | |
|----------------|--------------------------------------|--------------|---------------------------------------|---------------------------|--------|----------|----------|-----------|--------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 111024 | 11/16" x 11/16" x 3/32" | ШАЛ | √ ■< | Non-Buffed Non-Brushed | 16.81 | 16.14 | 15.80 | 15.47 | 14.79 |
| 111034 | Angle, 12 ft. | HA4 | 7 | Buffed or Brushed | 26.29 | 25.24 | 24.71 | 24.19 | 23.14 |
| 444025 | 1-3/16" x 1-3/16" x 3/32" | 114.4 | √ > | Non-Buffed Non-Brushed | 31.97 | 30.69 | 30.05 | 29.41 | 28.13 |
| 111035 | Angle with 3/4" Return, 12 ft. | HA4 | ~ √ | Buffed or Brushed | 46.64 | 44.77 | 43.84 | 42.91 | 41.04 |
| 111036 | 1.594" x 0.719" x 3/32" Tee, 12 ft. | HA28 | √ > | Non-Buffed Non-Brushed | 34.52 | 33.14 | 32.45 | 31.76 | 30.38 |
| 111030 | 1.371 × 0.717 × 3732 (cc, 121). | TIAZO | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | Buffed or Brushed | 42.03 | 40.35 | 39.51 | 38.67 | 36.99 |
| 444027 | 2 (22 0 50 4 D + 42 6 | 11446 | √ | Non-Buffed Non-Brushed | 13.55 | 13.01 | 12.74 | 12.47 | 11.92 |
| 111037 | 3/32" x 0.594" Bar, 12 ft. | HA16 | > | Buffed or Brushed | 23.04 | 22.12 | 21.66 | 21.20 | 20.28 |
| 111038 | 6.45" x 1/2" Bar, 12 ft. | HA16 | √ | Non-Buffed Non-Brushed | 412.20 | 395.71 | 387.47 | 379.22 | 362.74 |
| 111036 | 0.43 X 1/2 Bai, 12 It. | TIATO | 7 | Buffed or Brushed | 429.78 | 412.59 | 403.99 | 395.40 | 378.21 |
| 111039 | E 1/4" x 2 1/4" x 1/9" Anglo 12 ft | HA4 | 1 | Non-Buffed Non-Brushed | 106.79 | 102.52 | 100.38 | 98.25 | 93.98 |
| 111039 | 5-1/4" x 2-1/4" x 1/8" Angle, 12 ft. | ПА4 | | Buffed or Brushed | 125.96 | 120.92 | 118.40 | 115.88 | 110.84 |
| 111040 | 1-3/4" x 1/2" Bar, 12 ft. | HA16 | V | Non-Buffed Non-Brushed | 113.54 | 109.00 | 106.73 | 104.46 | 99.92 |
| 111040 | 1-5/4 X 1/2 bai, 12 it. | ПАТО | 7 | Buffed or Brushed | 128.56 | 123.42 | 120.85 | 118.28 | 113.13 |
| 111046 | 3/8" x 3/8" Square Bar with 0.110" | HA30 | 7 | Non-Buffed Non-Brushed | 21.96 | 21.08 | 20.64 | 20.20 | 19.32 |
| 111040 | dia hole, 12 ft. | ПАЗО | <i>^</i> | Buffed or Brushed | 29.40 | 28.22 | 27.64 | 27.05 | 25.87 |
| 111048 | Door Pull 1 1/2" v 2/4" 12 ft | | √ . | Non-Buffed Non-Brushed | 48.95 | 47.11 | 46.20 | 45.28 | 28.99 |
| 111046 | Door Pull, 1-1/2" x 3/4", 12 ft. | | > 1 7 7 2 2 | Buffed or Brushed | 62.38 | 60.01 | 58.82 | 57.64 | 41.35 |
| 111050 | 5" x 1/8", Rectangle Bar, | HA16 | V | Non-Buffed Non-Brushed | 91.93 | 88.25 | 86.41 | 84.58 | 80.90 |
| 111030 | 12 ft. | IIAIO | | Buffed or Brushed | 95.82 | 91.99 | 90.07 | 88.15 | 84.32 |
| 111051 | 5-3/4" x 1/8" Rectangle Bar, 12 ft. | HA16 | √ | Non-Buffed Non-Brushed | 103.86 | 99.71 | 97.63 | 95.55 | 91.40 |
| | 2 2 | | | Buffed or Brushed | 107.77 | 103.46 | 101.30 | 99.15 | 94.84 |

| | | Cat. | | | | Discount | Quantity | / Pricing | |
|----------------|---------------------------------------|--------------|---------------------------------------|---------------------------|--------|----------|----------|-----------|--------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 111053 | Channel, Hat Header, | HA10 | | Non-Buffed Non-Brushed | 41.23 | 39.58 | 38.76 | 37.93 | 36.28 |
| 111053 | 1-1/2" x 5/8", 12 ft. | ПАТО | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | Buffed or Brushed | 50.94 | 48.90 | 47.88 | 46.86 | 44.83 |
| 111058 | Tubo Post 4" v 2/4" v 1/9" 12 ft | HA30 | | Non-Buffed Non-Brushed | 56.02 | 53.78 | 52.66 | 51.54 | 49.30 |
| 111036 | Tube, Rect. 1" x 3/4" x 1/8", 12 ft. | ПАЗО | | Buffed or Brushed | 63.42 | 60.88 | 59.61 | 58.35 | 55.81 |
| 111059 | Pod 343 Dia 43 ft | HA29 | | Non-Buffed Non-Brushed | 14.30 | 13.73 | 13.44 | 13.16 | 12.58 |
| 111059 | Rod, .312 Dia., 12 ft. | HAZ9 | | Buffed or Brushed | 21.60 | 20.74 | 20.30 | 19.87 | 19.01 |
| 111000 | Dans Dull 2 4/2" . 2/4" 42 ft | | _ √ | Non-Buffed Non-Brushed | 46.22 | 44.37 | 43.45 | 42.52 | 40.67 |
| 111060 | Door Pull, 2-1/2" x 3/4", 12 ft. | | 7 < 1 > 1 | Buffed or Brushed | 60.29 | 57.88 | 56.67 | 55.47 | 53.06 |
| 1110/1 | Day 2.4/2" 070" 42.6 | 11446 | √ | Non-Buffed Non-Brushed | 30.57 | 29.35 | 28.74 | 28.12 | 26.90 |
| 111061 | Bar, 2-1/2" x .070", 12 ft. | HA16 | | Buffed or Brushed | 34.50 | 33.12 | 32.43 | 31.74 | 30.36 |
| 111000 | | | √ | Non-Buffed Non-Brushed | 41.04 | 39.40 | 38.58 | 37.76 | 36.12 |
| 111062 | Angle, 1" x 1" x 1/4", 12 ft. | HA3 | > | Buffed or Brushed | 48.36 | 46.43 | 45.46 | 44.49 | 42.56 |
| 111068 | Molding Y, 1" x 1" x 1", 12 ft. | F14 | | Non-Buffed Non-Brushed | 53.00 | 50.88 | 49.82 | 48.76 | 46.64 |
| 111000 | Motuling 1, 1 X 1 X 1 , 12 1t. | 1 14 | | Buffed or Brushed | 60.24 | 57.83 | 56.63 | 55.42 | 53.01 |
| 111071 | Angle, 1-1/4" x 1-1/4" x 1/8", 12 ft. | HA3 | > | Non-Buffed Non-Brushed | 36.80 | 35.33 | 34.59 | 33.86 | 32.38 |
| 111071 | Angle, 1-1/4 x 1-1/4 x 1/6, 12 lt. | ПАЗ | <u></u> | Buffed or Brushed | 47.25 | 45.36 | 44.42 | 43.47 | 41.58 |
| 444072 | Channel, 1" X 1-1/2" with Groove, | 11140 | 7 | Non-Buffed Non-Brushed | 63.17 | 60.64 | 59.38 | 58.12 | 55.59 |
| 111072 | 12 ft. | HA10 | ! ! | Buffed or Brushed | 70.45 | 67.63 | 66.22 | 64.81 | 62.00 |
| 444072 | Page 2 4 /2" at 4 /2" 42 % | 11444 | → , | Non-Buffed Non-Brushed | 152.03 | 145.95 | 142.91 | 139.87 | 133.79 |
| 111073 | Bar, 2-1/2" x 1/2", 12 ft. | HA16 | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | Buffed or Brushed | 166.08 | 159.44 | 156.12 | 152.79 | 146.15 |
| 111077 | Angle, 1-1/2" x 1/2" x 1/8", 12 ft. | | 7 | Non-Buffed Non-Brushed | 35.24 | 33.83 | 33.13 | 32.42 | 31.01 |
| 1110// | Angie, 1-1/2 x 1/2 x 1/0 , 12 ll. | | ^ | Buffed or Brushed | 42.55 | 40.85 | 40.00 | 39.15 | 37.44 |

| | | Cat. | | | | Discount | nt Quantity Pricing | | | |
|----------------|---------------------------------------|--------------|----------|---------------------------|--------|----------|---------------------|--------|--------|--|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ | |
| 444070 | D D | 11146 | 7 | Non-Buffed Non-Brushed | 117.16 | 112.47 | 110.13 | 107.79 | 103.10 | |
| 111078 | Bar, Rectangle 1-1/4" x 3/4", 12 ft. | HA16 | | Buffed or Brushed | 131.21 | 125.96 | 123.34 | 120.71 | 115.46 | |
| | | | √ | Non-Buffed Non-Brushed | 87.42 | 83.92 | 82.17 | 80.43 | 76.93 | |
| 111082 | Edge Moulding, .563 Column, 12 ft. | | | Buffed or Brushed | 94.65 | 90.86 | 88.97 | 87.08 | 83.29 | |
| 111083 | Tube, Square 1-1/2" x 1-1/2" x .120, | HA30 | 1 | Non-Buffed Non-Brushed | 93.33 | 89.60 | 87.73 | 85.86 | 82.13 | |
| 111063 | 12 ft. | ПАЗО | <u></u> | Buffed or Brushed | 107.36 | 103.07 | 100.92 | 98.77 | 94.48 | |
| | | НА | , V | Non-Buffed Non-Brushed | 72.48 | 69.58 | 68.13 | 66.68 | 63.78 | |
| 111085 | Angle, 2" x 1", Unequal Walls, 12 ft. | | 7 2 | Buffed or Brushed | 80.51 | 77.29 | 75.68 | 74.07 | 70.85 | |
| 111000 | Channel, 1-1/4" x 2", with Groove, | G7 | П | Non-Buffed Non-Brushed | 60.10 | 57.70 | 56.49 | 55.29 | 52.89 | |
| 111089 | 12 ft. (End cap Part number 412456) | HA10 | 7 < | Buffed or Brushed | 82.62 | 79.32 | 77.66 | 76.01 | 72.71 | |
| 111091 | Channel, 1-1/4" x 1", 12 ft. | G8 | 7 | Non-Buffed Non-Brushed | 38.33 | 36.80 | 36.03 | 35.26 | 33.73 | |
| 111071 | (End cap Part number 412457) | HA10 | | Buffed or Brushed | 51.08 | 49.04 | 48.02 | 46.99 | 44.95 | |
| 111094 | Angle 2" v 4" v 4/0" 42 ft | 1144 | 7 | Non-Buffed Non-Brushed | 49.74 | 47.75 | 46.76 | 45.76 | 43.77 | |
| 111094 | Angle, 2" x 1" x 1/8", 12 ft. | HA4 | , | Buffed or Brushed | 56.21 | 53.96 | 52.84 | 51.71 | 49.46 | |
| | | | V | Non-Buffed Non-Brushed | 33.93 | 32.57 | 31.89 | 31.22 | 29.86 | |
| 111095 | Flat Bar, 2" x 1/8", 12 ft. | HA16 | <i>N</i> | Buffed or Brushed | 40.02 | 38.42 | 37.62 | 36.82 | 35.22 | |
| 44400= | A | 111.6 | 7 | Non-Buffed Non-Brushed | 98.03 | 94.11 | 92.15 | 90.19 | 86.27 | |
| 111097 | Angle, 2" x 4" x 1/8", 12 ft. | HA4 | <u> </u> | Buffed or Brushed | 110.12 | 105.72 | 103.51 | 101.31 | 96.91 | |

| | | Cat. | | | | Discount | Quantity | / Pricing | |
|----------------|--|----------------------|---------|---------------------------|---------|----------|----------|-----------|---------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 444000 | I Channel 2" v 4" v 2" 42 ft | | | Non-Buffed Non-Brushed | 87.75 | 84.24 | 82.49 | 80.73 | 77.22 |
| 111098 | J-Channel, 2" x 1" x 3", 12 ft. | | > | Buffed or Brushed | 100.82 | 96.79 | 94.77 | 92.75 | 88.72 |
| 444403 | 5 2 001 | 1710 | V | Non-Buffed Non-Brushed | 53.81 | 51.66 | 50.58 | 49.51 | 47.35 |
| 111103 | Samsara, 3.99" x .722", 12 ft. | AT19 | | Buffed or Brushed | 62.09 | 59.61 | 58.36 | 57.12 | 54.64 |
| 44404 | F | 4740 | 1 1 1 1 | Non-Buffed Non-Brushed | 58.63 | 56.28 | 55.11 | 53.94 | 51.59 |
| 111104 | Equalizer, 3.99" x .723", 12 ft. | AT19 | 5 | Buffed or Brushed | 66.93 | 64.25 | 62.91 | 61.58 | 58.90 |
| | | | * * * * | Non-Buffed Non-Brushed | 82.30 | 79.01 | 77.36 | 75.72 | 72.42 |
| 111107 | Gamma, 3.99" x .972", 12 ft. | AT20 | Типир | Buffed or Brushed | 90.60 | 86.98 | 85.16 | 83.35 | 79.73 |
| 444400 | | | | Non-Buffed Non-Brushed | 24.26 | 23.29 | 22.80 | 22.32 | 21.35 |
| 111108 | Angle, 3/4" x 3/4" x 1/8", 12 ft. | | | Buffed or Brushed | 28.58 | 27.44 | 27.16 | 26.29 | 25.15 |
| 119001 | 3/16" Black Vinyl Glazing Tape, (comes in 250 ft. coil) | HA36 | | Black Vinyl | .29/ft. | .28/ft. | .27/ft. | .27/ft. | .26/ft. |
| 119003-01 | 7/32" Black Vinyl Glazing Tape (comes in 250 ft. coil) | HA36 | | Black Vinyl | .17/ft. | .16/ft. | .16/ft. | .16/ft. | .15/ft. |
| 119003-02 | 7/32" Grey Vinyl Glazing Tape (comes in 250 ft. coil) | HA36 | | Grey Vinyl | .18/ft. | .17/ft. | .17/ft. | .17/ft. | .16/ft. |
| 119004 | 1/4" Black Vinyl Glazing Tape (comes in 250 ft. coil) | HA36 RD15 FM15 | | Black Vinyl | .26/ft. | .25/ft. | .24/ft. | .24/ft. | .23/ft. |
| 119006 | Black Vinyl Track Slide Insert, 12 ft. (used with 110035) | FM15 | | Black Vinyl | 13.09 | 13.34 | 13.07 | 12.79 | 12.23 |
| 119045-01 | Glazing, 196.85 inches (5m) | | | | 78.00 | 74.88 | 73.32 | 71.76 | 68.64 |
| 119029 | Vinyl Bumper - Natural Color 6 ft. | SC15 | | Natural Color | 12.48 | 11.98 | 11.73 | 11.48 | 10.98 |

| | | Cat. | | | | Discount | Quantity | y Pricing | |
|----------------|--------------------------------------|--------------|-------------|---------------------------|-------|----------|----------|-----------|-------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 420047 | Division Don 42 ft | | √ √ | Non-Buffed Non-Brushed | 9.90 | 9.50 | 9.31 | 9.11 | 8.71 |
| 120016 | Division Bar, 12 ft. | | <u> </u> | Buffed or Brushed | 12.41 | 11.91 | 11.67 | 11.42 | 10.92 |
| 120029 | Fixed Mirror Frame, 12 ft. | FM11 | | Non-Buffed Non-Brushed | 37.93 | 36.41 | 35.65 | 34.90 | 33.38 |
| 120027 | Tixed mirror Traille, 12 ft. | 174(11 | 7 [| Buffed or Brushed | 49.14 | 47.17 | 46.19 | 45.21 | 43.24 |
| 120030 | Tri-Vue Frame, 137" | FM11 | | Non-Buffed Non-Brushed | 45.37 | 43.56 | 42.65 | 41.74 | 39.93 |
| 120030 | in vac riame, 137 | | > [4] | Buffed or Brushed | 56.58 | 54.32 | 53.19 | 52.05 | 49.79 |
| 120031 | Top Hanger, 124" | FM11 | | Non-Buffed Non-Brushed | 20.36 | 19.55 | 19.14 | 18.73 | 17.92 |
| 120032 | Lower Hanger, 124" | FM11 | | Non-Buffed Non-Brushed | 17.33 | 16.64 | 16.29 | 15.94 | 15.25 |
| 120034 | Panel Trim, 132" | FM11 | | Non-Buffed Non-Brushed | 16.23 | 15.58 | 15.26 | 14.93 | 14.28 |
| 120034 | Panet IIIII, 132 | FMII | | Buffed or Brushed | 22.98 | 22.06 | 21.60 | 21.14 | 20.22 |
| 120041 | 5/16" J Molding Without Holes, 12 | FM15 | √ √ √ | Non-Buffed Non-Brushed | 11.76 | 11.29 | 11.05 | 10.82 | 10.35 |
| 120041 | ft. (see 420068 - with holes) | FMID | | Buffed or Brushed | 17.00 | 16.32 | 15.98 | 15.64 | 14.96 |
| 120050 | Mirror Frame, 12 ft. | FM14 | > [| Buffed or Brushed | 37.64 | 36.13 | 35.38 | 34.63 | 33.12 |
| 120052 | Mount Bracket, 12 ft. | FM14 | | Non-Buffed Non-Brushed | 11.38 | 10.92 | 10.70 | 10.47 | 10.01 |
| 120054 | Mirror Frame, 12 ft. | FM14 | 7 | Buffed or Brushed | 27.53 | 26.43 | 25.88 | 25.33 | 24.23 |
| 120055 | 5/8" J Molding Without Holes, 12 ft. | FM15 | √ | Non-Buffed Non-Brushed | 15.70 | 15.07 | 14.76 | 14.44 | 13.82 |
| 120055 | (420107 with holes) | FWID | | Buffed or Brushed | 20.04 | 19.24 | 18.84 | 18.44 | 17.64 |
| 120057 | Mirror Molding, 12 ft. | FM15 | | Non-Buffed Non-Brushed | 12.73 | 12.22 | 11.97 | 11.71 | 11.20 |
| | (420108 with holes) | | | Buffed or Brushed | 16.76 | 16.09 | 15.75 | 15.42 | 14.75 |
| 120058 | Column Edge Molding, 12 ft. | FM15 | | Non-Buffed Non-Brushed | 35.82 | 34.39 | 33.67 | 32.95 | 31.52 |
| | | | 7,5 | Buffed or Brushed | 53.74 | 51.59 | 50.52 | 49.44 | 47.29 |

| | | Cat. | | | | Discount | Quantity | / Pricing | |
|----------------|--|-----------------|----------|---------------------------|-------|----------|----------|-----------|-------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 120050 | | FM14 | √ | Non-Buffed Non-Brushed | 9.60 | 9.22 | 9.02 | 8.83 | 8.45 |
| 120059 | 5/16" x 5/8" Mirror Trim Angle, 12 ft. | HA3 | 7 | Buffed or Brushed | 15.37 | 14.76 | 14.45 | 14.14 | 13.53 |
| 120061 | Mirror Divider Trim without holes, | FM15 | | Non-Buffed Non-Brushed | 19.39 | 18.61 | 18.23 | 17.84 | 17.06 |
| 120001 | 12 ft. (420109 with holes) | FMIS | ^ | Buffed or Brushed | 23.64 | 22.69 | 22.22 | 21.75 | 20.80 |
| 120062 | 45° Trim Mirror, 12 ft. | | | Non-Buffed Non-Brushed | 20.66 | 19.83 | 19.42 | 19.01 | 18.18 |
| 120002 | 43 Hilli Millol, 12 IC. | FM17 | <u> </u> | Buffed or Brushed | 25.58 | 24.56 | 24.05 | 23.53 | 22.51 |
| 120063 | Column Corner without Slots, 150" | FM16 | | Non-Buffed Non-Brushed | 49.89 | 47.89 | 46.90 | 45.90 | 43.90 |
| 120063 | (420110 with slots) | FMIO | <i>P</i> | Buffed or Brushed | 57.22 | 54.93 | 53.79 | 52.64 | 50.35 |
| 42007.4 | 1-1/2" Radius Column Corner, | FILL | -/_ | Non-Buffed Non-Brushed | 61.00 | 58.56 | 57.34 | 56.12 | 53.68 |
| 120064 | 12 ft. | FM16 | | Buffed or Brushed | 62.52 | 60.02 | 58.77 | 57.52 | 55.02 |
| 400045 | 90° Column Mirror Trim, | | | Non-Buffed Non-Brushed | 42.27 | 40.58 | 39.73 | 38.89 | 37.20 |
| 120065 | 12 ft. | FM17 | > | Buffed or Brushed | 51.21 | 49.16 | 48.14 | 47.11 | 45.06 |
| 100011 | | | | Non-Buffed Non-Brushed | 33.96 | 32.60 | 31.92 | 31.24 | 29.88 |
| 120066 | 135° Column Trim, 12 ft. | FM17 | | Buffed or Brushed | 51.20 | 49.15 | 48.13 | 47.10 | 45.06 |
| 120067 | Outside Corner Molding, 12 ft. | FM17 | | Non-Buffed Non-Brushed | 35.92 | 34.48 | 33.76 | 33.05 | 31.61 |
| 400070 | | | | Non-Buffed Non-Brushed | 39.20 | 37.63 | 36.85 | 36.06 | 34.50 |
| 120070 | Tri-Vue Wing Horizontal, 137" | FM11 | > | Buffed or Brushed | 48.80 | 46.85 | 45.87 | 44.90 | 42.94 |
| 120086 | Angle 3" v 1/2" 12 ft | HA4 | 7 | Non-Buffed Non-Brushed | 61.82 | 59.35 | 58.11 | 56.87 | 54.40 |
| 120000 | Angle, 3" x 1/2", 12 ft. | П А4 | <u></u> | Buffed or Brushed | 72.58 | 69.68 | 68.23 | 66.77 | 63.87 |
| 129006 | Gray Plastic Glazing Clip, 12 ft. | FM16 | P | Non-Buffed Non-Brushed | 13.73 | 13.18 | 12.91 | 12.63 | 12.08 |

| | | Cat. | | | | Discount | Quantity | / Pricing | |
|----------------|--|--------------|------------|---------------------------|---------|----------|----------|-----------|---------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 130022 | Header, Door Wardrobe, 12 ft. | RD17 | 7 | Non-Buffed Non-Brushed | 80.33 | 77.12 | 75.51 | 73.90 | 70.69 |
| 130022 | neader, boor wardrobe, 12 ft. | KD17 | | Buffed or Brushed | 94.43 | 90.65 | 88.76 | 86.88 | 83.10 |
| 130023 | Threshold, Wardrobe Door, 12 ft. | RD17 | Π_ΛΛ_Π | Non-Buffed Non-Brushed | 44.36 | 42.59 | 41.70 | 40.81 | 39.04 |
| 120024 | Top Pail Wardrobe Door 12 ft | | .لما. | Non-Buffed Non-Brushed | 26.78 | 25.71 | 25.17 | 24.64 | 23.57 |
| 130024 | Top Rail, Wardrobe Door, 12 ft. | | *[] | Buffed or Brushed | 34.08 | 32.72 | 32.04 | 31.35 | 29.99 |
| 420025 | Data and Brill Westerlands David 42 G | | िसि | Non-Buffed Non-Brushed | 50.28 | 48.27 | 47.26 | 46.26 | 44.25 |
| 130025 | Bottom Rail, Wardrobe Door, 12 ft. | | | Buffed or Brushed | 57.61 | 55.31 | 54.15 | 53.00 | 50.70 |
| 420027 | Skille Wandacke Deep 70" | DD47 | > \ | Non-Buffed Non-Brushed | 18.63 | 17.88 | 17.51 | 17.14 | 16.39 |
| 130026 | Stile, Wardrobe Door, 79" | RD17 | 57 | Buffed or Brushed | 29.40 | 28.22 | 27.64 | 27.05 | 25.87 |
| 42000= | | | 7 12 | Non-Buffed Non-Brushed | 48.61 | 46.67 | 45.69 | 44.72 | 42.78 |
| 130027 | Stile, Wardrobe Door, 106" | RD17 | 57 | Buffed or Brushed | 70.10 | 67.30 | 65.89 | 64.49 | 61.69 |
| 420020 | Stille Westerland David OF! | DD47 | 7 2 | Non-Buffed Non-Brushed | 22.85 | 21.94 | 21.48 | 21.02 | 20.11 |
| 130028 | Stile, Wardrobe Door, 95" | RD17 | 57 | Buffed or Brushed | 33.04 | 31.72 | 31.06 | 30.40 | 29.08 |
| 139007 | 1/4" Black Vinyl Glazing, (comes in 500/ft. roll) | RD17 | | Black Vinyl | .21/ft. | .21/ft. | .21/ft. | .21/ft. | .21/ft. |
| 150012 | 2 1/9" v E/44" Ctrip 9 ft | HA16 | _ √ | Non-Buffed Non-Brushed | 36.35 | 34.90 | 34.17 | 33.44 | 31.99 |
| 130012 | 3-1/8" x 5/64" Strip, 8 ft. | ПАТО | Λ. | Buffed or Brushed | 51.60 | 49.54 | 48.50 | 47.47 | 45.41 |
| 150014 | 1-1/2" x 3/4" Tubular Bracket | HA27 | | Non-Buffed Non-Brushed | 24.43 | 23.45 | 22.96 | 22.48 | 21.50 |
| | Endcap, 12 ft. | | Λ. | Buffed or Brushed | 30.73 | 29.50 | 28.89 | 28.27 | 27.04 |
| 150015 | 1" x 1/2" Tubular Bracket Hanger, | | | Non-Buffed Non-Brushed | 43.37 | 41.64 | 40.77 | 39.90 | 38.17 |
| | 8 ft. | | | Buffed or Brushed | 62.51 | 60.01 | 58.76 | 57.51 | 55.01 |
| 170008 | Wall Jamb Without Holes, 12 ft. (see | HA10 | | Non-Buffed Non-Brushed | 26.20 | 25.15 | 24.63 | 24.10 | 23.06 |
| | 470012 for Wall Jamb with holes) | | | Buffed or Brushed | 34.34 | 32.97 | 32.28 | 31.59 | 30.22 |

| | | Cat. | | | | Discount | Quantity | / Pricing | |
|----------------|--------------------------------------|--------------|---------------|---------------------------|--------|----------|----------|-----------|-------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 170009 | Header Con. 12 ft | FM3 | √ | Non-Buffed Non-Brushed | 19.65 | 18.86 | 18.47 | 18.08 | 17.29 |
| 170009 | Header Cap, 12 ft. | LW2 | | Buffed or Brushed | 27.23 | 26.14 | 25.60 | 25.05 | 23.96 |
| 170011 | Corner Post, 7 ft. | FM3 | > F | Non-Buffed Non-Brushed | 47.83 | 45.92 | 44.96 | 44.00 | 42.09 |
| 170011 | comer rost, 7 ft. | TMS | > [M] < | Buffed or Brushed | 57.08 | 54.80 | 53.66 | 52.51 | 50.23 |
| 170012 | Jamb Header, 12 ft. | FM3 | 7 1 | Non-Buffed Non-Brushed | 32.98 | 31.66 | 31.00 | 30.34 | 29.02 |
| 170012 | Jamb Headel, 12 IC. | 1 ///3 | | Buffed or Brushed | 39.09 | 37.53 | 36.74 | 35.96 | 34.40 |
| 170013 | Filler Strip for 170011, 7 ft. | FM3 | √ | Non-Buffed Non-Brushed | 9.81 | 9.42 | 9.22 | 9.03 | 8.63 |
| 170013 | The Serip for 170011, 7 fc. | 17/13 | | Buffed or Brushed | 12.59 | 12.09 | 11.83 | 11.58 | 11.08 |
| .====== | | = | V | Non-Buffed Non-Brushed | 10.38 | 9.96 | 9.76 | 9.55 | 9.13 |
| 170013-01 | Filler Strip for 170011, 8 ft. | FM3 | | Buffed or Brushed | 13.14 | 12.61 | 12.35 | 12.09 | 11.56 |
| 170012 02 | Filler Ctrip for 170014 12 ft | FM3 | √ | Non-Buffed Non-Brushed | 12.92 | 12.40 | 12.14 | 11.89 | 11.37 |
| 170013-02 | Filler Strip for 170014, 12 ft. | LWO | | Buffed or Brushed | 15.36 | 14.75 | 14.44 | 14.13 | 13.52 |
| 170014 | Corner Post, 12 ft. | FM3 | > F | Non-Buffed Non-Brushed | 98.62 | 94.68 | 92.70 | 90.73 | 86.79 |
| 170014 | Corner Post, 12 It. | TMS | > [M] < | Buffed or Brushed | 109.07 | 104.71 | 102.53 | 100.34 | 95.98 |
| 190055 | 2/0" O.D. Tubo. 0.100" Thick, 12 ft | цлэо | $\overline{}$ | Non-Buffed Non-Brushed | 17.40 | 16.70 | 16.36 | 16.01 | 15.31 |
| 180055 | 3/8" O.D. Tube, 0.100" Thick, 12 ft. | HA29 | O | Buffed or Brushed | 22.56 | 21.66 | 21.21 | 20.76 | 19.85 |
| 480073 | 4 4 / 4" To 2 42 6 | 11420 | | Non-Buffed Non-Brushed | 43.25 | 41.52 | 40.66 | 39.79 | 38.06 |
| 180063 | 1-1/4" Tee, 12 ft. | HA28 | | Buffed or Brushed | 56.40 | 54.14 | 53.02 | 51.89 | 49.63 |
| 400077 | | 5510 | 1 | Non-Buffed Non-Brushed | 33.85 | 32.50 | 31.82 | 31.14 | 29.79 |
| 180077 | 1-1/4" Enlongated Reflector, 12 ft. | SC18 | ~ | Buffed or Brushed | 42.74 | 41.03 | 40.18 | 39.32 | 37.61 |
| 180079 | Shell Reflector, 1-1/2" Dia., 12 ft. | SC18 | | Non-Buffed Non-Brushed | 38.70 | 37.15 | 36.38 | 35.60 | 34.06 |
| 1000/9 | Shert reflector, 1-1/2 Did., 12 ft. | 3010 | | Buffed or Brushed | 44.41 | 42.63 | 41.75 | 40.86 | 39.08 |
| 180107 | Shell Reflector, 1" Dia., 12 ft. | SC17 | | Non-Buffed Non-Brushed | 21.39 | 20.53 | 20.11 | 19.68 | 18.82 |
| 130107 | Shert refrector, 1 Dia., 12 It. | 3017 | الح | Buffed or Brushed | 30.25 | 29.04 | 28.44 | 27.83 | 26.62 |

| | | Cat. | | | | Discount | Quantity | / Pricing | |
|----------------|--|--------------|--|---------------------------|-------|----------|----------|-----------|-------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 180117 | Shell Reflector, Small, 12 ft. | SC18 | 7 200 | Non-Buffed Non-Brushed | 30.20 | 28.99 | 28.39 | 27.78 | 26.58 |
| 160117 | Shell Reflector, Small, 12 It. | 3010 | | Buffed or Brushed | 34.58 | 33.20 | 32.51 | 31.81 | 30.43 |
| 180118 | Shell Reflector Small with Integrated | SC18 | | Non-Buffed Non-Brushed | 36.17 | 34.72 | 34.00 | 33.28 | 31.83 |
| 100116 | Tee, 12 ft. | 3010 | | Buffed or Brushed | 49.52 | 47.54 | 46.55 | 45.56 | 43.58 |
| 190127 | 0.448" O.D. Tibo. 0.462" thick, 42.55 | HA29 | \ \(| Non-Buffed Non-Brushed | 14.98 | 14.38 | 14.08 | 13.78 | 13.18 |
| 180127 | 0.448" O.D. Tube, 0.162" thick, 12 ft. | ПАZ9 | | Buffed or Brushed | 17.82 | 17.11 | 16.75 | 16.39 | 15.68 |
| 490422 | Chall Deflector 4" Die 42 ft | 5649 | 1 | Non-Buffed Non-Brushed | 21.73 | 20.86 | 20.43 | 19.99 | 19.12 |
| 180133 | Shell Reflector 1" Dia. 12 ft. | SC18 | | Buffed or Brushed | 28.64 | 27.49 | 26.92 | 26.35 | 25.20 |
| 180139 | Shell Reflector, Top Front Frame, | SC18 | > \(\sqrt{1} \) | Non-Buffed Non-Brushed | 52.81 | 50.70 | 49.64 | 48.59 | 46.47 |
| 100139 | 12 ft. | 3010 | | Buffed or Brushed | 59.92 | 57.52 | 56.32 | 55.13 | 52.73 |
| 180144 | Shell Reflector, 1.3" Dia. | 5649 | C. | Non-Buffed Non-Brushed | 32.86 | 31.55 | 30.89 | 30.23 | 28.92 |
| 100144 | 12 ft. | SC18 | | Buffed or Brushed | 41.76 | 40.09 | 39.25 | 38.42 | 36.75 |
| 190147 | Shell Reflector Teardrop, | SC18 | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | Non-Buffed Non-Brushed | 54.04 | 51.88 | 50.80 | 49.72 | 47.56 |
| 180147 | 1.5" Dia., 12 ft. | 3010 | \[\frac{\partial \text{2.5}}{\partial \text{2.5}} | Buffed or Brushed | 58.40 | 56.06 | 54.90 | 53.73 | 51.39 |
| 180150 | Shell Reflector Teardrop, | SC18 | | Non-Buffed Non-Brushed | 55.63 | 53.40 | 52.29 | 51.18 | 48.95 |
| 160150 | 1.5" Dia., 12 ft. | 3010 | [| Buffed or Brushed | 62.82 | 60.31 | 59.05 | 57.79 | 55.28 |
| 400004 | T.b. 4" 4" 42 ft | 622 | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | Non-Buffed Non-Brushed | 32.01 | 30.73 | 30.09 | 29.45 | 28.17 |
| 190001 | Tube, 1" x 1", 12 ft. | G23 | | Buffed or Brushed | 36.21 | 34.76 | 34.04 | 33.31 | 31.86 |
| 100003 | | (22 | | Non-Buffed Non-Brushed | 56.26 | 54.01 | 52.88 | 51.76 | 49.51 |
| 190003 | Sq. Tube, 1" X 1" with Flange, 12 ft. | G23 | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | Buffed or Brushed | 66.35 | 63.70 | 62.37 | 61.04 | 58.39 |
| 190007 | Sq. Tube, 1" x 1" with 2 Flanges at | C22 | 7 | Non-Buffed Non-Brushed | 50.97 | 48.93 | 47.91 | 46.89 | 44.85 |
| 17000/ | 180°, 12 ft. | G23 | | Buffed or Brushed | 71.41 | 68.55 | 67.13 | 65.70 | 62.84 |

| | | Cat. | | | | Discount | Quantity | / Pricing | |
|----------------|--|--------------|---------------------------------------|---------------------------|-------|----------|----------|-----------|-------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 100014 | Square 1" with Channel, | C22 | √ -> | Non-Buffed Non-Brushed | 44.31 | 42.54 | 41.65 | 40.77 | 38.99 |
| 190014 | 12 ft. (works with end cap 241014) | G23 | \(\hlim_{\text{\chi}}\) | Buffed or Brushed | 51.13 | 49.08 | 48.06 | 47.04 | 44.99 |
| 190015 | Double Square 1" with Channel, 12 | G23 | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | Non-Buffed Non-Brushed | 42.91 | 41.19 | 40.34 | 39.48 | 37.76 |
| 190013 | ft. (works with end cap 241015) | G23 | <u> </u> | Buffed or Brushed | 48.95 | 46.99 | 46.01 | 45.03 | 43.08 |
| 100010 | Channel, Single, 1" x 1-1/2", 12 ft. | G23 | 1 | Non-Buffed Non-Brushed | 50.16 | 48.15 | 47.15 | 46.15 | 44.14 |
| 190019 | (Works with endcap 390031) | G23 | | Buffed or Brushed | 63.60 | 61.06 | 59.78 | 58.51 | 55.97 |
| 40000 | Channel, 4-Way, 2" x 2", 12 ft. | | > | Non-Buffed Non-Brushed | 93.19 | 89.46 | 87.60 | 85.73 | 82.01 |
| 190022 | (Works with endcap 241038) | G24 | > | Buffed or Brushed | 99.85 | 95.86 | 93.86 | 91.86 | 87.87 |
| 400022 | Channel, 3-Way, 1-1/2" x 2", 12 ft. | 62.4 | 7 1 | Non-Buffed Non-Brushed | 74.02 | 71.06 | 69.58 | 68.10 | 65.14 |
| 190023 | (Works with endcap 241001) | G24 | > | Buffed or Brushed | 89.71 | 86.12 | 84.33 | 82.53 | 78.94 |
| 100007 | Channel, Double, 1" x 2", 12 ft. | 63.4 | √ √ | Non-Buffed Non-Brushed | 63.57 | 61.03 | 59.76 | 58.48 | 55.94 |
| 190026 | (Works with endcap 241004) | G24 | | Buffed or Brushed | 74.74 | 71.75 | 70.26 | 68.76 | 65.77 |
| 400040 | Channel, Double, 1-1/2" x 1-1/2", 12 | | > \ | Non-Buffed Non-Brushed | 62.89 | 60.37 | 59.12 | 57.86 | 55.34 |
| 190042 | ft. (Works with endcap 241003) | | | Buffed or Brushed | 79.81 | 76.62 | 75.02 | 73.43 | 70.23 |
| | | | V | Non-Buffed Non-Brushed | 13.54 | 13.00 | 12.73 | 12.46 | 11.92 |
| 190054 | Frame, .080" x 1", 8.5 ft. | | > & | Buffed or Brushed | 17.20 | 16.51 | 16.17 | 15.82 | 15.14 |
| 190056 | Back Frame, 1" Print Frame, 8.5 ft. | | \(\frac{1}{2} \) | Non-Buffed Non-Brushed | 10.98 | 10.54 | 10.32 | 10.10 | 9.66 |
| 190061 | Snap Frame, 1-3/8", 8.5 ft. | | √ √ | Non-Buffed Non-Brushed | 18.79 | 18.04 | 17.66 | 17.29 | 16.54 |
| | | | > () | Buffed or Brushed | 23.91 | 22.95 | 22.48 | 22.00 | 21.04 |

| | | Cat. | | | | Discount | Quantity | / Pricing | |
|----------------|--|--------------|---------------------------------------|---------------------------|-------|----------|----------|-----------|-------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 190093 | Back Frame, 1-3/8" PrintFrame, 102" | | <u> </u> | Non-Buffed Non-Brushed | 25.28 | 24.27 | 23.76 | 23.26 | 22.25 |
| 190128 | Channel, .750" x 1.063", | | > - | Non-Buffed Non-Brushed | 33.29 | 31.96 | 31.29 | 30.63 | 29.30 |
| 170120 | 12 ft. | | <i>^ ^</i> | Buffed or Brushed | 48.76 | 46.81 | 45.83 | 44.86 | 42.91 |
| 190129 | Double Channel, .750" x 1.378", 12 | | > - | Non-Buffed Non-Brushed | 40.18 | 38.57 | 37.77 | 36.97 | 35.36 |
| 170127 | ft. | | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | Buffed or Brushed | 57.72 | 55.41 | 54.26 | 53.10 | 50.79 |
| 400472 | A | 1142 | | Non-Buffed Non-Brushed | 28.67 | 27.52 | 26.95 | 26.38 | 25.23 |
| 190172 | Angle, 1" x 1" x .125, 12 ft. | HA3 | ^ | Buffed or Brushed | 42.90 | 41.18 | 40.33 | 39.47 | 37.75 |
| 211042 | Flat Head Machine Screw #6-32 x 3/8" Phil | S15 | | Zinc Plated Steel | 0.05 | 0.05 | 0.05 | 0.05 | 0.05 |
| 217008 | Corner Bracket Plate with Screws | | | Zinc | 0.26 | 0.26 | .26 | .26 | .26 |
| 218035 | Fender Washer 1-1/2" O.D. | SC29 | | | 0.10 | 0.10 | 0.10 | 0.10 | 0.10 |
| 221014 | Gray Bumper | FM11 RD15 | | Gray Rubber | 0.30 | 0.30 | 0.30 | 0.30 | 0.30 |
| 221015 | Clear Bumper | RD15 | | Clear Rubber | 0.30 | 0.30 | 0.30 | 0.30 | 0.30 |
| 222012 | 1/8" x 3/16" Rivet | | | Steel Zinc | 0.30 | 0.30 | 0.30 | 0.30 | 0.30 |
| 222023 | Cartridge Rivet, 1821-0412 | | 0 | Steel | 0.15 | 0.15 | 0.15 | 0.15 | 0.15 |
| 222025 | Rivet, 1/8 x 0.085-0.135 Stl Zinc | | 9 | Steel | 0.10 | 0.10 | 0.10 | 0.10 | 0.10 |
| 224007 | 1" Piano Hinge without Holes, 8 ft. (see 419020 with holes) | HA34 | | Non-Buffed Non-Brushed | 15.17 | 14.56 | 14.26 | 13.96 | 13.35 |
| 224008 | 1-1/2" Piano Hinge with Holes, 8 ft. | HA34 S15 | @ | Non-Buffed Non-Brushed | 21.14 | 20.29 | 19.87 | 19.45 | 18.60 |

| | | Cat. | | | | Discount | Quantity | / Pricing | |
|----------------|---|--------------|--|---------------------------|---------------|---------------|---------------|---------------|---------------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 224009 | 1-1/2" Piano Hinge without Holes, 8 ft. | HA34 S15 | Ğ | Non-Buffed Non-Brushed | 18.60 | 17.86 | 17.48 | 17.11 | 16.37 |
| 224022 | 3-1/2" Brushed Nickel Butt Hinge | FM4 | 8 8 8 | Brushed Nickel | 15.17 | 15.17 | 15.17 | 15.17 | 15.17 |
| 226010 | Felt Tape: 3/4" x 1/16" x 132" | HA36 | Felt Tape Available in -01 Grey, -02 Brown and -03 Beige | | 5.79 | 5.79 | 5.79 | 5.79 | 5.10 |
| 226011 | Felt Tape: 1-3/4" x 1/16" x 84" | HA36 | Felt Tape Available in -01 Grey and -03 Beige | Felt Tape | 9.39 | 9.39 | 9.39 | 9.39 | 8.26 |
| 226012 | Felt Tape: 1-3/16" x 1/16" x 84" | HA36 | Felt Tape Available in -01 Grey, 02 Brown and -03 Beige | Felt Tape | 7.70 | 7.70 | 7.70 | 7.70 | 6.78 |
| 226013 | WallMaker Glazing Vinyl, 1/2" (comes in 125ft. per roll) | G4 | 1 | Black Rubber | .50/ft. | .50/ft. | .50/ft. | .50/ft. | .50/ft. |
| 226014 | Setting Block, 1/2" x 5/8" x 4" | G5 | | Black Rubber | 0.90 | 0.90 | 0.90 | 0.90 | 0.90 |
| 226015 | Setting Block, 1/4" x 5/8" x 4" | G5 | | Black Rubber | 0.55 | 0.55 | 0.55 | 0.55 | 0.55 |
| 226016 | WallMaker Glazing Vinyl, 1/4" (comes in 125 ft. roll) | G4 | * | Black Rubber | .56/ft. | .56/ft. | .56/ft. | .56/ft. | .56/ft. |
| 226019 | Tape, Foam 1/4" x 5/16" x 14 ft. | | | Grey | 1.44/ roll | 1.44/ roll | 1.44/ roll | 1.44/ roll | 1.44/ roll |
| 226021 | 3/8" Glazing Strip | G4 | T | Black Rubber | .36/ft. | .36/ft. | .36/ft | .36/ft. | .36/ft. |
| 226022 | 3/8" Glazing Strip with Hook | G4 | 7 | Black Rubber | .36/ft. | .36/ft. | .36/ft | .36/ft. | .36/ft. |
| 226023 | Glass Setting Tape, 100 ft. Roll | | | Black | .43/ft. | .43/ft. | .43/ft. | .43/ft. | .43/ft. |
| 226024 | Outside Rubber Glazing, 1/2" Glass | G4 | • | Black Rubber | .31/ft. | .31/ft. | .31/ft. | .31/ft. | .31/ft. |
| 226025 | Inside Rubber Glazing, 1/2" Glass | G4 | 4 | Black Rubber | .31/ft. | .31/ft. | .31/ft. | .31/ft. | .31/ft. |
| 226027-01 | 9/16" x 1/16" Grey Felt, 8 ft. | G8 | | Grey Felt | 8.33 | 8.33 | 8.33 | 8.33 | 7.33 |

| | | Cat. | | | | Discount | Quantity | / Pricing | |
|----------------|--|---------------------|--|----------------------|---------|----------|----------|-----------|---------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 227025 | Suction Cup, 4-1/2" Dia, 80lbs Capacity | | | | 8.00 | 8.00 | 8.00 | 8.00 | 8.00 |
| 230028 | Receptacle, Grounded | SC32 | | | 2.49 | 2.49 | 2.49 | 2.49 | 2.49 |
| 230056 | Super Flex Conduit (3/8" I.D.), 250ft roll (No UL Listing / Recognition on conduit) Per Roll | SC31 | COCCUINATION | Galvanized Steel | 188.13 | 180.60 | 176.84 | 173.08 | 165.55 |
| 230056-01 | Super Flex Conduit (3/8" I.D.), (No UL Listing / Recognition on conduit) 7 ft. | SC31 | Company | Galvanized Steel | 5.46 | 5.24 | 5.13 | 5.02 | 4.80 |
| 230056-02 | Super Flex Conduit (3/8" I.D.), (No UL Listing / Recognition on conduit) 4 ft. | SC31 | | Galvanized Steel | 3.01 | 2.89 | 2.83 | 2.77 | 2.65 |
| 230056-04 | Super Flex Conduit (3/8" I.D.), (No UL Listing / Recognition on conduit) Per ft. | SC31 | Company | Galvanized Steel | .97/ft. | .93/ft. | .91/ft. | .89/ft. | .85/ft. |
| 230085 | Switch, Rocker 20A 125-277 VAC | SC32 | | | 8.45 | 8.45 | 8.45 | 8.45 | 8.45 |
| 232006 | Steel Bracket, 6" Anochrome | SC15 HA26 SH7 | <u>Ki</u> | Steel | 3.92 | 3.92 | 3.92 | 3.92 | 3.92 |
| 232008 | Steel Bracket, 8" Anochrome | SC15 HA26 SH7 | <u>Ei</u> | Steel | 4.14 | 4.14 | 4.14 | 4.14 | 4.14 |
| 232010 | Steel Bracket, 10" Anochrome | SC15 HA26 SH7 | <u>Ei</u> | Steel | 4.35 | 4.35 | 4.35 | 4.35 | 4.35 |
| 232012 | Steel Bracket, 12" Anochrome | SC43 HA26 SH7 | <u>ki</u> | Steel | 6.26 | 6.26 | 6.26 | 6.26 | 6.26 |
| 232014 | Steel Bracket, 14" Anochrome | SC43 HA26 SH7 | <u>ki</u> | Steel | 7.43 | 7.43 | 7.43 | 7.43 | 7.43 |
| 232016 | Steel Bracket, 16" Anochrome | SC43 HA26 SH7 | <u>ki</u> | Steel | 7.96 | 7.96 | 7.96 | 7.96 | 7.96 |
| 232023 | Slotted Steel Standard, 3 ft. | SC16 HA26 SH7 | & The state of the | Plated Steel | 7.85 | 7.85 | 7.85 | 7.85 | 7.85 |
| 232028 | Slotted Steel Standard, 8 ft. | SC16 HA26 SH7 | & The state of the | Plated Steel | 14.42 | 14.42 | 14.42 | 14.42 | 14.42 |
| 232045 | 135° Rectangular Glass Clip for 3/8" & 1/2" glass | G20 | (a) | Buffed or Brushed | 27.61 | 26.51 | 25.95 | 24.85 | 24.30 |

| | | Cat. | | | | Discount | : Quantity | / Pricing | |
|------------------------|---|--------------|------|------------------------|------|----------|------------|-----------|------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 232056 | Alu Clip | G23 | | Cast Zinc | 4.51 | 4.51 | 4.51 | 4.51 | 4.51 |
| 241001-01 241001-03 | Endcap for 190023, Plastic (01) Black, (03) Grey | G25 | | Plastic | 0.96 | 0.96 | 0.96 | 0.96 | 0.84 |
| 241003-01 | Endcap for 190042, Plastic (01) Black | | | Plastic | 0.96 | 0.96 | 0.96 | 0.96 | 0.84 |
| 241004-01 241004-03 | Endcap for 190026, Plastic (01) Black, (03) Grey | G25 | | Plastic | 2.00 | 2.00 | 2.00 | 2.00 | 1.76 |
| 241009 | Cap for Aluclip (#232056) | | | Plastic | 0.09 | 0.09 | 0.09 | 0.09 | 0.09 |
| 241014-01 | Endcap for 190014, Plastic (01) Black | G25 | | Plastic | 0.96 | 0.96 | 0.96 | 0.96 | 0.84 |
| 241015-01 241015-03 | Endcap, .995", Square (01) Black, (03) Grey | G25 | | Plastic | 0.96 | 0.96 | 0.96 | 0.96 | 0.84 |
| 241038-01 | Endcap for 190022, Plastic (01) Black | | | Plastic | 0.96 | 0.96 | 0.96 | 0.96 | 0.84 |
| 310052 | Retaining Ring for 511040 | | | Carbon Spring Steel | 0.80 | 0.77 | 0.75 | 0.74 | 0.70 |
| 310079 | Ballast Box Cover | SC33 | | Black | 6.64 | 6.37 | 6.24 | 6.11 | 5.84 |
| 310080 | Ballast Box Tray | SC32 | | Galvanized Steel | 2.65 | 2.54 | 2.49 | 2.44 | 2.33 |
| 310085 | Ballast Box Insert Tray for Double Ballast Box | SC33 | | Galvanized Steel | 6.58 | 6.32 | 6.19 | 6.05 | 5.79 |
| 310124 | 90° Connector for 230056 (No UL Listing / Recognition on connector) | SC29 | 00 | Black | 0.99 | 0.95 | 0.93 | 0.91 | 0.87 |
| 310130 | Hinge Pin | S8 | | Zinc Plated | 5.93 | 5.69 | 5.57 | 5.46 | 5.22 |

| | | Cat. | | | | Discount | Quantity | / Pricing | |
|----------------|---|--------------|--------------------|----------------------|-------|----------|----------|-----------|-------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 310204 | Endcap for 110200 | AT8 | | Buffed or Brushed | 11.23 | 10.78 | 10.56 | 10.33 | 9.88 |
| 310205 | Endcap for 110201 and 110295 | AT8 | | Buffed or Brushed | 10.22 | 9.81 | 9.61 | 9.40 | 8.99 |
| 310206 | Endcap for 110202 | AT8 | | Buffed or Brushed | 10.99 | 10.55 | 10.33 | 10.11 | 9.67 |
| 310207 | Endcap for 110210 | AT8 | | Buffed or Brushed | 11.86 | 11.39 | 11.15 | 10.91 | 10.44 |
| 310209 | Endcap for 110212 | AT8 | | Buffed or Brushed | 11.68 | 11.21 | 10.98 | 10.75 | 10.28 |
| 310210 | Endcap for 110214 - RH (LH-310211) | AT14 | | Buffed or Brushed | 17.07 | 16.39 | 16.05 | 15.70 | 15.02 |
| 310211 | Endcap for 110214 - LH (RH - 310210) | AT14 | | Buffed or Brushed | 17.07 | 16.39 | 16.05 | 15.70 | 15.02 |
| 310212 | Endcap for 110223 | AT11 | | Buffed or Brushed | 9.29 | 8.92 | 8.73 | 8.55 | 8.18 |
| 310213 | Endcap for 110225 | AT11 | 2221 :: kezz | Buffed or Brushed | 11.13 | 10.68 | 10.46 | 10.24 | 9.79 |
| 310214 | Endcap for 110226 | AT11 | 222 :: \text{lext} | Buffed or Brushed | 12.15 | 11.66 | 11.42 | 11.18 | 10.69 |
| 310215 | Endcap for 110227 | AT11 | | Buffed or Brushed | 16.23 | 15.58 | 15.26 | 14.93 | 14.28 |
| 310218 | Endcap for 110232 | AT14 | | Buffed or Brushed | 13.03 | 12.51 | 12.25 | 11.99 | 11.47 |
| 310219 | Endcap for 110233 | AT14 | | Buffed or Brushed | 22.14 | 21.25 | 20.81 | 20.37 | 19.48 |
| 310227 | Endcap for 110244 - LH (RH 310228) | AT14 | | Buffed or Brushed | 17.52 | 16.82 | 16.47 | 16.12 | 15.42 |
| 310228 | Endcap for 110244 - RH (LH 310227) | AT14 | | Buffed or Brushed | 17.52 | 16.82 | 16.47 | 16.12 | 15.42 |
| 310229 | Endcap for 110245 | | | Buffed or Brushed | 11.22 | 10.77 | 10.55 | 10.32 | 9.87 |
| 310233 | Endcap for 110260 | AT14 | | Buffed or Brushed | 11.41 | 10.95 | 10.73 | 10.50 | 10.04 |

| | | Cat. | | | | Discount | Quantity | / Pricing | |
|----------------|---------------------------------------|--------------|------|----------------------|-------|----------|----------|-----------|-------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 310235 | Endcap for 110269 | AT11 | | Buffed or Brushed | 13.93 | 13.37 | 13.09 | 12.82 | 12.26 |
| 310239 | Endcap for 110286 - RH (LH 310242) | AT6 | | Buffed or Brushed | 15.48 | 14.86 | 14.55 | 14.24 | 13.62 |
| 310240 | Endcap for 110290 - RH (LH 310243) | AT6 | | Buffed or Brushed | 12.51 | 12.01 | 11.76 | 11.51 | 11.01 |
| 310241 | Endcap for 110294 | AT11 | | Buffed or Brushed | 22.79 | 21.88 | 21.42 | 20.97 | 20.06 |
| 310242 | Endcap for 110286 - LH (RH 310239) | AT6 | | Buffed or Brushed | 15.48 | 14.86 | 14.55 | 14.24 | 13.62 |
| 310243 | Endcap for 110290 - LH (RH 310240) | AT6 | | Buffed or Brushed | 12.51 | 12.01 | 11.76 | 11.51 | 11.01 |
| 310244 | Endcap for 110299 - RH (LH 310245) | AT6 | | Buffed or Brushed | 13.27 | 12.74 | 12.47 | 12.21 | 11.68 |
| 310245 | Endcap for 110299 - LH (RH 310244) | AT6 | | Buffed or Brushed | 13.27 | 12.74 | 12.47 | 12.21 | 11.68 |
| 310249 | Endcap for 110310 | AT8 | | Buffed or Brushed | 15.18 | 14.57 | 14.27 | 13.97 | 13.36 |
| 310250 | Endcap, Rectangular for 110307 | AT11 | | Buffed or Brushed | 8.92 | 8.56 | 8.38 | 8.21 | 7.85 |
| 310251 | Endcap for 110304 | AT9 | E#3 | Buffed or Brushed | 14.27 | 13.70 | 13.41 | 13.13 | 12.56 |
| 310252 | Endcap for 110308 - RH (LH 310253) | AT6 | | Buffed or Brushed | 9.85 | 9.46 | 9.26 | 9.06 | 8.67 |
| 310253 | Endcap for 110308 - LH (RH 310252) | AT6 | | Buffed or Brushed | 9.85 | 9.46 | 9.26 | 9.06 | 8.67 |
| 310259 | Endcap for 110325 - LH (RH 310260) | AT14 | | Buffed or Brushed | 15.57 | 14.95 | 14.64 | 14.32 | 13.70 |
| 310260 | Endcap for 110325 - RH (LH 310259) | AT14 | | Buffed or Brushed | 15.57 | 14.95 | 14.64 | 14.32 | 13.70 |
| 310286 | Endcap for 110381 | AT14 | | Buffed or Brushed | 16.02 | 15.38 | 15.06 | 14.74 | 14.10 |
| 310287 | Endcap for 110382 - LH (RH 310288) | AT14 | | Buffed or Brushed | 11.97 | 11.49 | 11.25 | 11.01 | 10.53 |

| | | Cat. | | | | Discount | Quantity | / Pricing | |
|----------------|--|--------------|--|---------------------------|-------|----------|----------|-----------|-------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 310288 | Endcap for 110382 - RH (LH 310287) | AT14 | | Buffed or Brushed | 11.97 | 11.49 | 11.25 | 11.01 | 10.53 |
| 310292 | Endcap for 110383 - LH (RH 310293) | AT15 | | Buffed or Brushed | 13.89 | 13.33 | 13.06 | 12.78 | 12.22 |
| 310293 | Endcap for 110383 - RH (LH 310292) | AT15 | | Buffed or Brushed | 13.89 | 13.33 | 13.06 | 12.78 | 12.22 |
| 310323 | Endcap for 110328 | AT8 | | Buffed or Brushed | 6.44 | 6.18 | 6.05 | 5.92 | 5.67 |
| 310324 | Endcap for 110432 - LH (RH 310325) | | | Buffed or Brushed | 7.90 | 7.58 | 7.43 | 7.27 | 6.95 |
| 310325 | Endcap for 110432 - RH (LH 310324) | | | Buffed or Brushed | 7.90 | 7.58 | 7.43 | 7.27 | 6.95 |
| 310342 | WallMaker Vertical Bracket | | 69 | Non-Buffed Non-Brushed | 3.22 | 3.09 | 3.03 | 2.96 | 2.83 |
| 310351 | 1-1/4" Piano Hinge w/Unequal Legs (without holes) 8 ft. | HA34 S15 | and the same of th | Non-Buffed Non-Brushed | 16.28 | 15.63 | 15.30 | 14.98 | 14.33 |
| 310354-01 | 90°Corner Bracket | G4 | 0000 | Zinc | 29.07 | 27.91 | 27.33 | 26.74 | 25.58 |
| 310354-02 | 135° Corner Bracket | G4 | | Zinc | 75.00 | 72.00 | 70.50 | 69.00 | 66.00 |
| 310354-03 | 120° Corner Bracket | G4 | | Zinc | 31.82 | 30.55 | 29.91 | 29.27 | 28.00 |
| 310374 | Endcap for 110296 - LH (RH 310375) | AT6 | | Buffed or Brushed | 8.83 | 8.48 | 8.30 | 8.12 | 7.77 |
| 310375 | Endcap for 110296 - RH (LH 310374) | AT6 | | Buffed or Brushed | 8.83 | 8.48 | 8.30 | 8.12 | 7.77 |
| 310377 | Endcap for 110420 - RH (LH 310378) | AT15 | | Buffed or Brushed | 17.58 | 16.88 | 16.53 | 16.17 | 15.47 |
| 310378 | Endcap for 110420 - LH (RH 310377) | AT15 | | Buffed or Brushed | 17.58 | 16.88 | 16.53 | 16.17 | 15.47 |
| 310385 | Endcap for 110400 - RH (LH 310386) | | | Buffed or Brushed | 13.23 | 12.70 | 12.44 | 12.17 | 11.64 |

| | | Cat. | | | | Discount | Quantity | / Pricing | |
|----------------|---------------------------------------|--------------|------|---------------------------|-------|----------|----------|-----------|-------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 310386 | Endcap for 110400 - LH (RH 310385) | | | Buffed or Brushed | 13.23 | 12.70 | 12.44 | 12.17 | 11.64 |
| 310395 | Endcap for 110267 | AT8 | | Buffed or Brushed | 16.49 | 15.83 | 15.50 | 15.17 | 14.51 |
| 310399 | Endcap for 110465 - LH (RH 310400) | AT15 | | Buffed or Brushed | 21.86 | 20.99 | 20.55 | 20.11 | 19.24 |
| 310400 | Endcap for 110465 - RH (LH 310399) | AT15 | | Buffed or Brushed | 21.86 | 20.99 | 20.55 | 20.11 | 19.24 |
| 310403 | Endcap for 110410 | AT11 | | Buffed or Brushed | 19.53 | 18.75 | 18.36 | 17.97 | 17.19 |
| 310471 | WallMaker Vertical Bracket 4" x 6" | | | | 4.42 | 4.24 | 4.15 | 4.07 | 3.89 |
| 310577 | Ballast Box Cover | SC33 | | | 6.01 | 5.77 | 5.65 | 5.53 | 5.29 |
| 310614 | Endcap, Round Threaded | | | Non-Buffed Non-Brushed | 8.33 | 8.00 | 7.83 | 7.66 | 7.33 |
| 310735 | Endcap for 110639 | AT11 | | Buffed or Brushed | 12.74 | 12.23 | 11.98 | 11.72 | 11.21 |
| 330017-01 | Unflocked Top Guide | | | Black Nylon | 0.31 | 0.30 | 0.29 | 0.29 | 0.27 |
| 330017-02 | Flocked Top Guide | RD17 | | Black Nylon | 2.86 | 2.75 | 2.69 | 2.63 | 2.52 |
| 370006 | SteelCoat Hook | FM4 | | Zinc | 12.60 | 12.10 | 11.84 | 11.59 | 11.09 |
| 370008 | Chrome Door Latch | FM4 | | Satin Chrome | 18.89 | 18.13 | 17.76 | 17.38 | 16.62 |
| 370012 | Strike Plate | FM4 | 0 0 | Zinc | 3.92 | 3.76 | 3.68 | 3.61 | 3.45 |
| 370013 | Shoulder Screw | | | Zinc | 0.26 | 0.25 | 0.24 | 0.24 | 0.23 |

| | | Cat. | | | | Discount | Quantity | y Pricing | |
|------------------------|--|--------------|------|----------------------------------|-------|----------|----------|-----------|-------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 380269 | Endcap for 6815xx Series Reflector Assemblies | SS24 | | Buffed or Brushed | 12.01 | 11.53 | 11.29 | 11.05 | 10.57 |
| 380270 | LED 1-1/2" Reflector Mount Bracket (180079 Reflector) | SC29 | | | 4.94 | 4.74 | 4.64 | 4.54 | 4.35 |
| 380583 | Connector | SC29 | 6 | | 17.68 | 16.97 | 16.62 | 16.27 | 15.56 |
| 380697 | Anchor, Rotating Downtube Connector | SC23 | 6 | Non-Buffed Non-Brushed | 9.88 | 9.48 | 9.29 | 9.09 | 8.69 |
| 390031-01 390031-03 | Endcap for 190019, Plastic (01) Black, (03) Grey" | G25 | | Plastic | 0.53 | 0.51 | 0.50 | 0.49 | 0.47 |
| 391501 | Spring, 1-3/8" PrintFrame, 1.410 Dia. SST | | Ŏ | Stainless Steel | 0.26 | 0.25 | 0.24 | 0.24 | 0.23 |
| 391505 | Corner Bracket Plate | | | Galvanized Steel | 1.34 | 1.29 | 1.26 | 1.23 | 1.18 |
| 391527-01 | Radius Corner, 1-3/8" PrintFrame | | | Unfinished Natural Plastic | 1.04 | 1.00 | 0.98 | 0.96 | 0.92 |
| 391527-02 | Radius Corner, 1-3/8" PrintFrame | | | Matte Black | 1.04 | 1.00 | 0.98 | 0.96 | 0.92 |
| 391527-04 | Radius Corner, 1-3/8" PrintFrame, | | | Brite Silver, Plated | 3.37 | 3.24 | 3.17 | 3.10 | 2.97 |
| 391527-05 | Radius Corner, 1-3/8" PrintFrame | | | Gold, Plated | 3.37 | 3.24 | 3.17 | 3.10 | 2.97 |
| 391527-06 | Radius Corner, 1-3/8" PrintFrame | | | Matte Silver, Plated | 3.37 | 3.24 | 3.17 | 3.10 | 2.97 |
| 391548 | Spring, 1" PrintFrame, 0.940 Dia. SST | | Ŏ | Stainless Steel | 0.26 | 0.25 | 0.24 | 0.24 | 0.23 |
| 391550-04 | Radius Corner, 1" PrintFrame | | | Brite Silver - Plated | 3.37 | 3.24 | 3.17 | 3.10 | 2.97 |
| 391550-05 | Radius Corner, 1" PrintFrame | | | Gold - Plated | 3.37 | 3.24 | 3.17 | 3.10 | 2.97 |
| 391550-06 | Radius Corner, 1" PrintFrame | | | Matte Silver - Plated | 3.37 | 3.24 | 3.17 | 3.10 | 2.97 |
| 391551 | Corner Gusset, 1" PrintFrame | | 0000 | Galvanized Steel | 1.04 | 1.00 | 0.98 | 0.96 | 0.92 |

| | | Cat. | | | | Discount | : Quantity | / Pricing | |
|----------------|---|--------------|--------------|----------------------------------|-------|----------|------------|-----------|-------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 391553 | Corner Gusset, 1-3/8" PrintFrame | | | Galvanized Steel | 1.56 | 1.50 | 1.47 | 1.44 | 1.37 |
| 391625-01 | Square Corner, 1" PrintFrame | | | Unfinished Natural Plastic | 1.04 | 1.00 | 0.98 | 0.96 | 0.92 |
| 391625-02 | Square Corner, 1" PrintFrame | | | Matte Black | 1.04 | 1.00 | 0.98 | 0.96 | 0.92 |
| 391625-04 | Square Corner, 1" PrintFrame | | | Brite Silver - Plated | 3.12 | 3.00 | 2.93 | 2.87 | 2.75 |
| 391625-05 | Square Corner, 1" PrintFrame | | | Matte Silver - Plated | 3.12 | 3.00 | 2.93 | 2.87 | 2.75 |
| 391625-06 | Square Corner, 1" PrintFrame | | | Matte Silver - Plated | 3.12 | 3.00 | 2.93 | 2.87 | 2.75 |
| 391625-07 | Square Corner, 1" PrintFrame | | | Gloss Black | 1.04 | 1.00 | 0.98 | 0.96 | 0.92 |
| 391997 | Slatwall Hanger for PrintFrame | | | | 6.88 | 6.60 | 6.47 | 6.33 | 6.05 |
| 410001 | 2-3/4" Door Pull | HA23 | \\frac{1}{2} | Non-Buffed Non-Brushed | 5.51 | 5.29 | 5.18 | 5.07 | 4.85 |
| 410001 | (110027 - 12 ft.) | HAZS | | Buffed or Brushed | 6.61 | 6.35 | 6.21 | 6.08 | 5.82 |
| 410002 | 2-3/4" Door Pull | HA23 | W T | Non-Buffed Non-Brushed | 5.51 | 5.29 | 5.18 | 5.07 | 4.85 |
| 410002 | (110029 - 12 ft.) | ПАСЭ | ^ | Buffed or Brushed | 6.61 | 6.35 | 6.21 | 6.08 | 5.82 |
| 410050 | 1/2" Downtube 3/8" I.D. (36" length) | SC29 | 0 | Non-Buffed Non-Brushed | 5.27 | 5.06 | 4.95 | 4.85 | 4.64 |
| | | | | Non-Buffed Non-Brushed | 18.32 | 17.59 | 17.22 | 16.85 | 16.12 |
| 410099 | Showcase Molding with Holes, 12 ft. (without holes 110577) | SC15 | 7 2 | Buffed or Brushed | 20.01 | 19.21 | 18.81 | 18.41 | 17.61 |
| 410101 | Drawor Bull 3 3/4" (for 2/4" Drawor) | HA23 | 7 | Non-Buffed Non-Brushed | 6.34 | 6.09 | 5.96 | 5.82 | 5.58 |
| 410101 | Drawer Pull, 3-3/4" (for 3/4" Drawer) (110104 - 12 ft.) | ПАСЭ | | Buffed or Brushed | 7.44 | 7.14 | 6.99 | 6.84 | 6.55 |
| 410103 | Drawer Pull, 3-3/4" (for 13/16" | HA23 | 7 | Non-Buffed Non-Brushed | 5.51 | 5.29 | 5.18 | 5.07 | 4.85 |
| 710103 | Drawer) (110105 - 12 ft.) | TIALS | | Buffed or Brushed | 6.61 | 6.35 | 6.21 | 6.08 | 5.82 |

| | | Cat. | | | | Discount | Quantity | / Pricing | |
|----------------|---|--------------|----------|---------------------------|-------|----------|----------|-----------|-------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 410114 | 3-3/4" Drawer Pull | HA23 | N | Non-Buffed Non-Brushed | 6.06 | 5.82 | 5.70 | 5.58 | 5.33 |
| 410114 | (110108 - 12 ft.) | ПАСЭ | | Buffed or Brushed | 7.17 | 6.88 | 6.74 | 6.60 | 6.31 |
| 410123 | 3-3/4" Drawer Pull with Label Holder | HA23 | | Non-Buffed Non-Brushed | 6.34 | 6.09 | 5.96 | 5.83 | 5.58 |
| | (110111 - 12 ft.) | | λ. | Buffed or Brushed | 7.44 | 7.14 | 6.99 | 6.84 | 6.55 |
| 410311 | 2" Hinge Plate | S15 | | Non-Buffed Non-Brushed | 5.51 | 5.29 | 5.18 | 5.07 | 4.85 |
| 110311 | 2 milger tate | 313 | | Buffed or Brushed | 8.97 | 8.61 | 8.43 | 8.25 | 7.89 |
| 410312 | Hinge Plate with Holes, 12 ft. | | ν . | Non-Buffed Non-Brushed | 67.63 | 64.92 | 63.57 | 62.22 | 59.51 |
| 110312 | Thinge Face Well Hotes, 12 fc. | | | Buffed or Brushed | 71.84 | 68.97 | 67.53 | 66.09 | 63.22 |
| 410366 | 1/8" Endcap for 110483 (2"x 1-3/4" Header) | G5 | | Buffed or Brushed | 8.02 | 7.70 | 7.54 | 7.38 | 7.06 |
| 410367 | 1/8" Endcap for 110482 (2"x4" Sill) | G5 | | Buffed or Brushed | 9.34 | 8.97 | 8.78 | 8.59 | 8.22 |
| 410381 | Security Door Retainer (use with 110140, 110350 or 110412 shoe) | RD15 | | Non-Buffed Non-Brushed | 1.31 | 1.26 | 1.23 | 1.21 | 1.15 |
| 410412 | 1/8" Encap for 110360, 111012 or 111013 (1"x2" Header) | G5 | | Buffed or Brushed | 11.46 | 11.00 | 10.77 | 10.54 | 10.08 |
| 410413 | 1/8" Endcap for 110361 (1"x1" Sill) | G5 | | Buffed or Brushed | 11.45 | 10.99 | 10.76 | 10.53 | 10.08 |
| 410443 | 1" Trim Base with Holes, 12 ft. | AT16 | <u>A</u> | Non-Buffed Non-Brushed | 17.87 | 17.16 | 16.80 | 16.44 | 15.73 |
| 410444 | Security Door Retailer (use with 110012 Shoe) | RD15 | | Non-Buffed Non-Brushed | 1.66 | 1.59 | 1.56 | 1.53 | 1.46 |
| 410454 | 1-7/8" Security Door Retainer | RD15 | | Non-Buffed Non-Brushed | 2.59 | 2.49 | 2.43 | 2.38 | 2.28 |
| 410458 | 3" Trim Base, 12 ft. | AT16 | <u> </u> | Non-Buffed Non-Brushed | 39.56 | 37.98 | 37.19 | 36.40 | 34.81 |

| | | Cat. | | | | Discount | Quantity | y Pricing | |
|----------------|---|--------------|-----------|---------------------------|-------|----------|----------|-----------|-------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 410466 | 1" Recessed Trim Base, 12 ft. | AT16 | | Non-Buffed Non-Brushed | 33.82 | 32.47 | 31.79 | 31.11 | 29.76 |
| 410530 | 5/8" Trim Base with Holes, 12 ft. | AT16 | <i>51</i> | Non-Buffed Non-Brushed | 18.17 | 17.44 | 17.08 | 16.72 | 15.99 |
| 410540 | 2" Trim Base with Holes, 12 ft. | AT16 | 5 | Non-Buffed Non-Brushed | 28.91 | 27.75 | 27.18 | 26.60 | 25.44 |
| 410542 | 1/2" Endcap for 110483 (2"x1-3/4" Header) | G7 | | Buffed or Brushed | 17.66 | 16.95 | 16.60 | 16.25 | 15.54 |
| 410543 | 1/2" Endcap for 110482 (2"x4" Sill) | G7 | | Buffed or Brushed | 22.63 | 21.72 | 21.27 | 20.82 | 19.91 |
| 410544 | 1/2" Endcap for 110481 (2"x6" Sill) | G7 | | Buffed or Brushed | 24.90 | 23.90 | 23.41 | 22.91 | 21.91 |
| 410545 | 1/8" Endcap for 110481 (2"x6" Sill) | G7 | | Buffed or Brushed | 15.90 | 15.26 | 14.95 | 14.63 | 13.99 |
| 410644 | 3" Recessed Trim Base with Holes, 12 ft. | AT16 | 4 | Non-Buffed Non-Brushed | 38.80 | 37.25 | 36.47 | 35.70 | 34.14 |
| 410896 | 1/8" Endcap for 110434 (2-1/2"x1- 3/4" Sill) | G7 | | Buffed or Brushed | 10.81 | 10.38 | 10.16 | 9.95 | 9.51 |
| 411185 | 5/8" Recessed Trim Base, 12 ft. | AT16 | | Non-Buffed Non-Brushed | 25.66 | 24.63 | 24.12 | 23.61 | 22.58 |
| 411331 | 3/4" Trim Base with Holes for Endcap, 12 ft. | AT17 | <u> </u> | Non-Buffed Non-Brushed | 13.12 | 12.60 | 12.33 | 12.07 | 11.55 |
| 412002 | 4.50" Trim Base, 145.50" | AT17 | <u></u> | Non-Buffed Non-Brushed | 63.79 | 61.24 | 59.96 | 58.69 | 56.14 |
| 412007 | 5/8" Trim Base with Mounting Holes, 145.50" | AT17 | ~~ | Non-Buffed Non-Brushed | 16.75 | 16.08 | 15.75 | 15.41 | 14.74 |
| 412272 | 3" Trim Base with Mount Holes, 12 ft. | AT17 | | Non-Buffed Non-Brushed | 40.35 | 38.74 | 37.93 | 37.12 | 35.51 |
| 412434 | 1/8" Endcap for 111007 (2"x8" Sill) | G5 | | Buffed or Brushed | 22.05 | 21.17 | 20.73 | 20.29 | 19.40 |
| 412435 | 1/8" Endcap for 111011 (2-1/2"x 8" Sill) | G5 | | Buffed or Brushed | 22.05 | 21.17 | 20.73 | 20.29 | 19.40 |

| | | Cat. | | | | Discount | Quantity | y Pricing | |
|----------------|--|--------------|------|---------------------------|-------|----------|----------|-----------|-------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 412436 | 1/8" Endcap for 111014 (2-1/2"x 6" Sill) | G5 | | Buffed or Brushed | 19.29 | 18.52 | 18.13 | 17.75 | 16.98 |
| 412437 | 1/8" Endcap for 111015 (2-1/2"x 4" Sill) | G5 | | Buffed or Brushed | 15.71 | 15.08 | 14.77 | 14.45 | 13.82 |
| 412443 | Endcap for 111010 Top Channel | | | Buffed or Brushed | 13.23 | 12.70 | 12.44 | 12.17 | 11.64 |
| 412444 | Endcap for 111072 Top Channel | | | Buffed or Brushed | 13.23 | 12.70 | 12.44 | 12.17 | 11.64 |
| 412456 | Endcap for 111089 Top Channel | | | Buffed or Brushed | 12.13 | 11.64 | 11.40 | 11.16 | 10.67 |
| 412457 | Endcap for 111091 Top Channel | | | Buffed or Brushed | 12.13 | 11.64 | 11.40 | 11.16 | 10.67 |
| 419007 | Top Guide | RD15 | | Non-Buffed Non-Brushed | 0.16 | 0.15 | 0.15 | 0.15 | 0.14 |
| 419020 | 1" Piano Hinge with Holes, 8 ft. | HA34 | | Non-Buffed Non-Brushed | 27.93 | 26.81 | 26.25 | 25.70 | 24.58 |
| 419030 | Vinyl Door Guide | RD15 | | Non-Buffed Non-Brushed | 0.38 | 0.36 | 0.36 | 0.35 | 0.33 |
| 419070 | Plastic Snap Base Clip (green) for TrimMaker Extrusion with 2" Openings | AT18 | | Green Plastic | 1.06 | 1.02 | 1.00 | 0.98 | 0.93 |
| 419071 | Plastic Snap Base Clip (yellow) for TrimMaker Extrusion with 3" Openings | AT18 | | Yellow Plastic | 1.06 | 1.02 | 1.00 | 0.98 | 0.93 |
| 419072 | Plastic Snap Base Clip (orange) for TrimMaker Extrusion with 4.5" Openings | AT18 | 1 | Orange Plastic | 1.22 | 1.17 | 1.15 | 1.12 | 1.07 |
| 419073 | Plastic Snap Base Clip (black) for TrimMaker Extrusion with 1" Openings | AT18 | | Black Plastic | 1.22 | 1.17 | 1.15 | 1.12 | 1.07 |
| 419074 | Plastic Snap Base Clip (grey) for TrimMaker Extrusion with 5/8" Openings | AT18 | | Grey Plastic | 1.33 | 1.28 | 1.25 | 1.22 | 1.17 |
| 419076 | Plastic Snap Base Clip (red) for TrimMaker Extrusion with 5/8" Openings | AT18 | | Red Plastic | 1.33 | 1.28 | 1.25 | 1.22 | 1.17 |

| | | Cat. | | | | Discount | : Quantity | / Pricing | |
|----------------|--|---------------------|--------|--|-------|----------|------------|-----------|-------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 419077 | Plastic Snap Base Clip (blue) for TrimMaker Extrusion with 1" Openings | AT18 | | Blue Plastic | 1.06 | 1.02 | 1.00 | 0.98 | 0.93 |
| 120242 | 5/16" J-Molding with Holes, 12 ft. | E114E | > [] | Non-Buffed Non-Brushed | 13.33 | 12.80 | 12.53 | 12.26 | 11.73 |
| 420068 | (without Holes - 120041) | FM15 | | Buffed or Brushed | 20.01 | 19.21 | 18.81 | 18.41 | 17.61 |
| 420107 | 5/8" J-Molding with Holes, | FM15 | \ > | Non-Buffed Non-Brushed | 16.29 | 15.64 | 15.31 | 14.99 | 14.34 |
| 420107 | 12 ft. (without Holes - 120055) | FMIS | | Buffed or Brushed | 22.16 | 21.27 | 20.83 | 20.39 | 19.50 |
| 420108 | Mirror Divider Trim with Holes, 12 ft. | FM15 | | Non-Buffed Non-Brushed | 17.87 | 17.16 | 16.80 | 16.44 | 15.73 |
| 120100 | (without holes 120057) | IMIS | | Buffed or Brushed | 22.72 | 21.81 | 21.36 | 20.90 | 19.99 |
| 420109 | Mirror Divider Trim with Holes, 12 ft. | FM15 | | Non-Buffed Non-Brushed | 27.26 | 26.17 | 25.62 | 25.08 | 23.99 |
| 420109 | (without holes 120061) | FMIS | ^ | Buffed or Brushed | 30.75 | 29.52 | 28.91 | 28.29 | 27.06 |
| 420110 | Slotted Corner Column, 150" (with- | FM16 | V | Non-Buffed Non-Brushed | 54.48 | 52.30 | 51.21 | 50.12 | 47.94 |
| 420110 | out slots 120063) | TMIO | | Buffed or Brushed | 59.78 | 57.39 | 56.19 | 55.00 | 52.61 |
| 429004 | 1/4" Glazing Wedge | FM14 | J | Black | 0.71 | 0.68 | 0.67 | 0.65 | 0.62 |
| 429007 | Glazing Clip | FM14 | | Grey | 0.87 | 0.84 | 0.82 | 0.80 | 0.77 |
| 450010 | Aluminum Showcase Slotted Standard | HA24 SC16 SH5 | | Price per Inch / Cutting charge also applies | 0.60 | 0.60 | 0.60 | 0.60 | 0.59 |
| 450013 | Aluminum Slotted Wall Standard | HA24 SH7 | | Price per Inch / Cutting charge also applies | 0.80 | 0.80 | 0.80 | 0.80 | 0.78 |
| 450020 | Aluminum Showcase Heavy Duty Slotted Standard | HA25 SC19 SH6 | 7 | Price per Inch / Cutting charge also applies | 0.72 | 0.72 | 0.72 | 0.72 | 0.71 |
| 450021 | Aluminum Rear Support for 450020 | HA25 SC16 SH6 | | Price per Inch / Cutting charge also applies | 0.33 | 0.33 | 0.33 | 0.33 | 0.32 |
| 450022 | Aluminum Rear Support for 450010 | SH7 HA24 SC10 | | Price per Inch / Cutting charge also applies | 0.40 | 0.40 | 0.40 | 0.40 | 0.39 |
| 450023 | Aluminum Heavy Duty Slotted Standard, 12 ft. | | | | 57.98 | 55.66 | 54.50 | 53.34 | 51.02 |

| | | Cat. | | | | Discount | Quantity | Pricing | |
|----------------|--|--------------|------|---------------------------|-------|----------|----------|---------|-------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 470040 | Developed 76 | | | Non-Buffed Non-Brushed | 25.94 | 24.90 | 24.38 | 23.86 | 22.83 |
| 470010 | Door Jamb, 7 ft. | F2 | 7 | Buffed or Brushed | 32.44 | 31.14 | 30.49 | 29.84 | 28.55 |
| 470012 | Wall Jamb with Holes, 12 ft. (with- | F2 | | Non-Buffed Non-Brushed | 33.21 | 31.88 | 31.22 | 30.55 | 29.22 |
| 470012 | out holes170008) | FZ | | Buffed or Brushed | 46.64 | 44.77 | 43.84 | 42.91 | 41.04 |
| 480753 | 3/8" Threaded Washer 1" O.D. | SC30 | | Non-Buffed Non-Brushed | 6.71 | 6.44 | 6.31 | 6.17 | 5.90 |
| 480756 | Support Puck | SC30 | | Non-Buffed Non-Brushed | 5.59 | 5.37 | 5.25 | 5.14 | 4.92 |
| 480757 | 3/8" Downtube 9/32" I.D. | SC30 | | Non-Buffed Non-Brushed | 5.96 | 5.72 | 5.60 | 5.48 | 5.24 |
| 480767 | Connector, Downtube | SC30 | | Non-Buffed Non-Brushed | 9.40 | 9.02 | 8.84 | 8.65 | 8.27 |
| 480941 | 7/16" Downtube 9/32" I.D. | SC30 | 0 | Non-Buffed Non-Brushed | 14.91 | 14.31 | 14.02 | 13.72 | 13.12 |
| 480943 | 7/16" Threaded Washer 1-1/4" O.D. | SC30 | | Non-Buffed Non-Brushed | 6.71 | 6.44 | 6.31 | 6.17 | 5.90 |
| 480989 | Endcap, 1.00 Dia Reflector 180133 | SC25 | | Buffed or Brushed | 17.91 | 17.19 | 16.84 | 16.48 | 15.76 |
| 480993 | Connector, Downtube, 1.00 Dia. Reflector | SC25 | | Non-Buffed Non-Brushed | 9.92 | 9.52 | 9.32 | 9.13 | 8.73 |
| 481042 | Connector, Downtube Internal Rotating for 180133 1.00 Dia. Reflector | SC25 | | Non-Buffed Non-Brushed | 23.30 | 22.37 | 21.90 | 21.44 | 20.50 |
| 481056 | Endcap, RH Teardrop Reflector 180147 | SC23 | | Buffed or Brushed | 11.58 | 11.12 | 10.89 | 10.65 | 10.19 |
| 481057 | Endcap, LH Teardrop Reflector 180147 | SC23 | | Buffed or Brushed | 11.58 | 11.12 | 10.89 | 10.65 | 10.19 |
| 490257 | Double-Sided Cornerpiece | | | Non-Buffed Non-Brushed | 21.20 | 20.35 | 19.93 | 19.50 | 18.66 |
| 510001 | Wheel Assembly for 110012 (wheel code W1) | RD15 | | | 0.92 | 0.88 | 0.86 | 0.85 | 0.81 |

| | | Cat. | | | | Discount | Quantity | / Pricing | |
|----------------|--|--------------|--|---------------------|-------|----------|----------|-----------|-------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 510006 | Door Bumper Assembly | RD15 | | | 0.78 | 0.75 | 0.73 | 0.72 | 0.69 |
| 510014 | 1/2" Heavy Duty Door Stop Assembly | RD15 | | | 2.86 | 2.75 | 2.69 | 2.63 | 2.52 |
| 510015 | 3/4" Heavy Duty Door Stop Assembly | RD15 | | | 3.12 | 3.00 | 2.93 | 2.87 | 2.75 |
| 510016-02 | Standard Door Pull Assembly, Natural | HA23 | | Natural | 6.55 | 6.29 | 6.16 | 6.03 | 5.76 |
| 510016-03 | Standard Door Pull Assembly, Black | HA23 | | Black | 8.35 | 8.02 | 7.85 | 7.68 | 7.35 |
| 510041 | Heavy Duty Wheel Assembly (wheel code W5) | RD15 | 0 | | 1.05 | 1.01 | 0.99 | 0.97 | 0.92 |
| 510060 | Heavy Duty Door Stop Assembly, 1/2" | RD15 | | | 2.86 | 2.75 | 2.69 | 2.63 | 2.52 |
| 510073 | Mount Bracket Kit | SC30 | | | 6.24 | 5.99 | 5.87 | 5.74 | 5.49 |
| 510089 | Mounting Bracket Assembly for 110107/110192 | HA21 SC16 | | | 9.00 | 8.64 | 8.46 | 8.28 | 7.92 |
| 510101 | Single Ballast Box | SC34 | tra la companya di | Aluminized Steel | 18.20 | 17.47 | 17.11 | 16.74 | 16.02 |
| 510102 | Double Ballast Box | SC35 | | Aluminized Steel | 30.35 | 29.14 | 28.53 | 27.92 | 26.71 |
| 510126 | 90° Reflector Mitre Bracket Assembly | HA21 | | | 6.20 | 5.95 | 5.83 | 5.70 | 5.46 |
| 510127 | 135° Reflector Mitre Bracket Assembly | HA21 | * | | 6.20 | 5.95 | 5.83 | 5.70 | 5.46 |
| 510199-01 | Chrome Cam Lock used with 110153 hinged door frame extrusion. 7/8" cam length, key retaining. Includes 2 keys. (Kenstan CLD03-type) | HA22 S15 | | Chrome | 16.80 | 16.13 | 15.79 | 15.46 | 14.78 |
| 510199-02 | Chrome Cam Lock used with 110153 hinged door frame extrusion. 7/8" cam length, key retaining. Includes 6 keys. (Kenstan CLD03-type) | HA22 S15 | M | Chrome | 20.88 | 20.04 | 19.63 | 19.21 | 18.37 |

| | | Cat. | | | | Discount | Quantity | / Pricing | |
|----------------|---|--------------|--|---------------------------|-------|----------|----------|-----------|-------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 510235 | Hex Shelf Support Assembly | SC10 | The state of the s | | 3.22 | 3.09 | 3.03 | 2.96 | 2.83 |
| 510237 | Corner Bracket Assembly for Transparency Frame | S15 HA21 | | | 9.10 | 8.74 | 8.55 | 8.37 | 8.01 |
| 510238 | Corner Bracket Assembly for Hinged Door | S15 HA21 | | | 9.10 | 8.74 | 8.55 | 8.37 | 8.01 |
| 510241 | Endcap Assembly for 110140 | RD15 | | Non-Buffed Non-Brushed | 6.71 | 6.44 | 6.31 | 6.17 | 5.90 |
| 510245 | Magnetic Latch and Strike Assembly | HA22 | 0 | | 4.00 | 3.84 | 3.76 | 3.68 | 3.52 |
| 510246 | Corner Bracket / Back Place Assembly for Transparence Face Frame Assembly | HA21 | | | 2.60 | 2.50 | 2.44 | 2.39 | 2.29 |
| 510249 | Chrome Offset Cam Lock used with #710000 Series Showcase top or bottom hinged door. 7/8" cam w/ 1/4" offset, key retaining. Includes 2 keys. (Kenstan CLD03-type) | HA22 | SP | Chrome | 16.33 | 15.68 | 15.35 | 15.02 | 14.37 |
| 510269 | Chrome L-Cam Lock used with #710000 Series Showcase side hinged door. 5/8" cam w/ 1/2" L-bend, key retaining. Includes 2 keys. (Kenstan CLD03-type) | HA22 | | Chrome | 17.97 | 17.25 | 16.89 | 16.53 | 15.81 |
| 510274 | 90° WallMaker Bracket Assembly | G4 | 000000 | | 37.44 | 35.94 | 35.19 | 34.44 | 32.95 |
| 510331 | Endcap Assembly for 110350 | RD15 | P | Non-Buffed Non-Brushed | 4.72 | 4.53 | 4.44 | 4.34 | 4.15 |
| 510349 | Mini Latch Assembly | S15 HA22 | | | 21.01 | 20.17 | 19.75 | 19.33 | 18.49 |
| 510371 | Edcap Assembly for 110412 | RD15 | | Non-Buffed Non-Brushed | 8.32 | 7.99 | 7.82 | 7.65 | 7.32 |
| 510378 | Downtube Flange | SC30 | 000 | | 14.87 | 14.28 | 13.98 | 13.68 | 13.09 |
| 510440 | 135° WallMaker Bracket Assembly | G4 | 00:00 | | 80.00 | 76.80 | 75.20 | 73.60 | 70.40 |

| | | Cat. | | | | Discount | Quantity | / Pricing | |
|----------------|---|--------------|------|---------------------------|--------|----------|----------|-----------|--------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 510458 | WallMaker "T" Bracket Assembly Kit | G4 | | | 8.34 | 8.01 | 7.84 | 7.67 | 7.34 |
| 510459 | WallMaker "L" Bracket Assembly Kit | G4 | **** | | 5.17 | 4.96 | 4.86 | 4.76 | 4.55 |
| 510529 | WallMaker Smooth H Assembly | G3 | | Non-Buffed Non-Brushed | 206.19 | 197.94 | 193.82 | 189.69 | 181.45 |
| 310329 | WallMaker Smooth H-Assembly | 03 | | Buffed or Brushed | 241.16 | 231.51 | 226.69 | 221.87 | 212.22 |
| 510571 | 180° Square Glass Clip for 3/8" & 1/2" glass | G19 | | Buffed or Brushed | 27.34 | 26.25 | 25.70 | 25.15 | 24.06 |
| 510572 | 180° Round Glass Clip for 3/8" & 1/2" glass | G17 | | Buffed or Brushed | 26.42 | 25.36 | 24.83 | 24.31 | 23.25 |
| 510582 | Round, Wall Mount Glass Clip for 3/8" & 1/2" glass | G18 | | Buffed or Brushed | 25.68 | 24.65 | 24.14 | 23.63 | 22.60 |
| 510583 | Square, Wall Mount Glass Clip for 3/8" & 1/2" glass | G19 | | Buffed or Brushed | 20.32 | 19.51 | 19.10 | 18.69 | 17.88 |
| 510584 | 90° Round Glass Clip for 3/8" & 1/2" glass | G18 | | Buffed or Brushed | 40.32 | 38.71 | 37.90 | 37.09 | 35.48 |
| 510585 | 90° Square Glass Clip for 3/8" & 1/2" glass | G19 | | Buffed or Brushed | 32.36 | 31.07 | 30.42 | 29.77 | 28.48 |
| 510586 | 135° Round Glass Clip for 3/8" & 1/2" glass | G18 | | Buffed or Brushed | 42.74 | 41.03 | 40.18 | 39.32 | 37.61 |
| 510587 | 135° Square Glass Clip for 3/8" & 1/2" glass | G19 | | Buffed or Brushed | 26.36 | 25.31 | 24.78 | 24.25 | 23.20 |
| 510598 | Ballast Box Accessory Kit (Screws, 12 and 18 Gauge Terminal Connector, Rocker Switch, Ballast Box Bracket and Knock-out Connector) | SC32 | | | 5.77 | 5.54 | 5.42 | 5.31 | 5.08 |
| 510599 | Single Ballast Box Kit (Screws, Palnuts and Single Ballast Box Cover and Tray) | SC32 | | Black | 29.68 | 28.49 | 27.90 | 27.31 | 26.12 |
| 510600 | Single Ballast Box Kit with Accessories | SC33 | | | 27.79 | 26.68 | 26.12 | 25.57 | 24.46 |

| | | Cat. | | | | Discount | Quantity | / Pricing | |
|----------------|---|---------------------|------|---------------------------|--------|----------|----------|-----------|--------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 510621 | Flex Connector 3/8" I.D. Conduit | SC30 | | | 4.06 | 3.90 | 3.82 | 3.74 | 3.57 |
| 510622 | Rigid Connector 1/2" Downtube | SC30 | | | 4.39 | 4.21 | 4.13 | 4.04 | 3.86 |
| 510625 | Double Ballast Box Kit (Screws, Palnuts and Double Ballast Box Cover and Tray) | SC33 | | | 51.64 | 49.57 | 48.54 | 47.51 | 45.44 |
| 510626 | Double Ballast Box with Accessories | SC33 | | | 60.65 | 58.22 | 57.01 | 55.80 | 53.37 |
| | | | | Non-Buffed Non-Brushed | 227.92 | 218.80 | 214.24 | 209.69 | 200.57 |
| 510760 | WallMaker Wireway Assembly | G3 | | Buffed or Brushed | 259.57 | 249.19 | 244.00 | 238.80 | 228.42 |
| | | | | Non-Buffed Non-Brushed | 254.44 | 244.26 | 239.17 | 234.08 | 223.91 |
| 510761 | WallMaker 90° Corner Assembly | G3 | | Buffed or Brushed | 286.03 | 274.59 | 268.87 | 263.15 | 251.71 |
| | | | | Non-Buffed Non-Brushed | 242.14 | 232.45 | 227.61 | 222.77 | 213.08 |
| 510763 | WallMaker H-Assembly | G3 | | Buffed or Brushed | 267.69 | 256.98 | 251.63 | 246.27 | 235.57 |
| 510808 | Chrome Plunger Lock used with 110140, 110350 & 110412 rolling door shoe extrusions. 3/8" length plunger, key retaining. Includes 2 keys. (Kenstan PLD40-type) | RD15 HA22 SC5 | | Chrome | 24.77 | 23.78 | 23.28 | 22.79 | 21.80 |
| 510955 | 180° Rectangular Glass Clip for 3/8" & 1/2" glass | G20 | Ŗ | Buffed or Brushed | 27.62 | 26.52 | 25.96 | 25.41 | 24.31 |
| 511008 | 90° Rectangular Glass Clip for 3/8" & 1/2" glass | G20 | | Buffed or Brushed | 30.84 | 29.61 | 28.99 | 28.37 | 27.14 |
| 511040 | Chrome Plunger Lock used with 110012 & 110067 rolling door shoe extrusions. Through-the-track plung- er, key retaining. Includes 2 keys. (Kenstan PLD49-type) | HA22 SC9 RD15 | | Steel Chrome Plated | 27.29 | 26.20 | 25.65 | 25.11 | 24.02 |
| 511070 | Kit Strut Fixing Mounting Base | | | Non-Buffed Non-Brushed | 13.85 | 13.30 | 13.02 | 12.74 | 12.19 |

| | | Cat. | | | | Discount | Quantity | / Pricing | |
|----------------|---|--------------|----------|---------------------------|-------|----------|----------|-----------|-------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 511079 | Kit, Bracket 1.0 Dia., Vertical Glass Clamp | | e | Non-Buffed Non-Brushed | 25.95 | 24.91 | 24.39 | 23.87 | 22.84 |
| 511085 | Kit, End Piece w/Insert | | | Non-Buffed Non-Brushed | 11.50 | 11.04 | 10.81 | 10.58 | 10.12 |
| 511069 | Kit, Support Fixing 90 Degree Mounting Flange | | | | 26.00 | 24.96 | 24.44 | 23.92 | 22.88 |
| 511178 | Top Shoe Guide Assembly | RD15 SC15 | STYLMARK | | 4.16 | 3.99 | 3.91 | 3.83 | 3.66 |
| 511179 | 90° Round Glass Clip for 5/8" & 3/4" glass | G18 | | Buffed or Brushed | 39.88 | 38.28 | 37.49 | 36.69 | 35.09 |
| 511180 | 135° Round Glass Clip for 5/8" & 3/4" glass | G18 | | Buffed or Brushed | 42.85 | 41.14 | 40.28 | 39.42 | 37.71 |
| 511181 | 180° Round Glass Clip for 5/8" & 3/4" glass | G17 | •• | Buffed or Brushed | 26.24 | 25.19 | 24.67 | 24.14 | 23.09 |
| 511182 | Round, Wall Mount Glass Clip for 5/8" & 3/4" glass | G18 | | Buffed or Brushed | 24.09 | 23.13 | 22.64 | 22.16 | 21.20 |
| 511183 | 135° Rectangular Glass Clip for 5/8" & 3/4" glass | G21 | | Buffed or Brushed | 27.09 | 26.01 | 25.46 | 24.92 | 23.84 |
| 511184 | 180° Rectangular Glass Clip for 5/8" & 3/4" glass | G20 | •\$1 | Buffed or Brushed | 30.04 | 28.84 | 28.24 | 27.64 | 26.44 |
| 511185 | 90° Rectangular Glass Clip for 5/8" & 3/4" glass | G20 | | Buffed or Brushed | 29.70 | 28.51 | 27.92 | 27.32 | 26.14 |
| 511186 | 90° Square Glass Clip for 5/8" & 3/4" glass | G19 | | Buffed or Brushed | 29.75 | 28.56 | 27.97 | 27.37 | 26.18 |
| 511187 | 135° Square Glass Clip for 5/8" & 3/4" glass | G19 | | Buffed or Brushed | 26.40 | 25.34 | 24.82 | 24.29 | 23.23 |
| 511188 | 180° Square Glass Clip for 5/8" & 3/4" glass | G19 | | Buffed or Brushed | 25.91 | 24.87 | 24.36 | 23.84 | 22.80 |
| 511189 | Square, Wall Mount Glass Clip for 5/8" & 3/4" glass | G19 | | Buffed or Brushed | 20.45 | 19.63 | 19.22 | 18.81 | 18.00 |

| | | Cat. | | | | Discount | Quantity | / Pricing | |
|----------------|--|---------------------|------|---------------------------|-------|----------|----------|-----------|-------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 511213 | Kit, AXIA,50 pieces of Intermediate connector, 4" each | AT20 | | | 78.75 | 78.75 | 78.75 | 78.75 | 78.75 |
| 511215 | Kit, AXIA , 10 pieces each of Starter/ End connectors, 4" each | AT20 | | | 39.90 | 39.90 | 39.90 | 39.90 | 39.90 |
| 520005 | Mitre Bracket Assembly | HA21 FM14 | | | 1.55 | 1.49 | 1.46 | 1.43 | 1.36 |
| 520075 | Cleat Mounting Accessory Kit for Admire LED Mirror | | Ja. | | 19.76 | 18.97 | 18.57 | 18.18 | 17.39 |
| 530011 | Wheel Assembly | RD17 | | | 18.36 | 17.63 | 17.26 | 16.89 | 16.16 |
| 530012 | Decor Door Accessory Package | | | | 86.98 | 83.50 | 81.76 | 80.02 | 76.54 |
| 530024 | T-Bolt Plunger Lock | RD17 | | | 35.00 | 33.60 | 32.90 | 32.20 | 30.80 |
| 550006-01 | 6" Shelf Blade Bracket (aluminum) | SC11 SH5 HA24 | | Non-Buffed Non-Brushed | 14.99 | 14.39 | 14.09 | 13.79 | 13.19 |
| 550006-02 | 8" Shelf Blade Bracket (aluminum) | SC11 SH5 HA24 | | Non-Buffed Non-Brushed | 15.75 | 15.12 | 14.81 | 14.49 | 13.86 |
| 550006-03 | 10" Shelf Blade Bracket (aluminum) | SC11 SH5 HA24 | | Non-Buffed Non-Brushed | 16.61 | 15.95 | 15.61 | 15.28 | 14.62 |
| 550006-04 | 12" Shelf Blade Bracket (aluminum) | SC11 SH5 HA24 | | Non-Buffed Non-Brushed | 17.22 | 16.53 | 16.19 | 15.84 | 15.15 |
| 550006-05 | 14" Shelf Blade Bracket (aluminum) | SC11 SH5 HA24 | | Non-Buffed Non-Brushed | 17.86 | 17.15 | 16.79 | 16.43 | 15.72 |
| 550006-06 | 16" Shelf Blade Bracket (aluminum) | SC11 SH5 HA24 | | Non-Buffed Non-Brushed | 18.61 | 17.87 | 17.49 | 17.12 | 16.38 |
| 550006-07 | 6" Shelf Blade Bracket (without lip - aluminum) | SC11 SH5 HA24 | | Non-Buffed Non-Brushed | 14.99 | 14.39 | 14.09 | 13.79 | 13.19 |
| 550006-08 | 8" Shelf Blade Bracket (without lip - aluminum) | SC11 SH5 HA24 | | Non-Buffed Non-Brushed | 15.75 | 15.12 | 14.81 | 14.49 | 13.86 |

| | | Cat. | | | | Discount | Quantity | / Pricing | |
|----------------|--|---------------------|------|---------------------------|-------|----------|----------|-----------|-------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 550006-09 | 10" Shelf Blade Bracket (without lip - aluminum) | SC11 SH5 HA24 | | Non-Buffed Non-Brushed | 16.61 | 15.95 | 15.61 | 15.28 | 14.62 |
| 550006-10 | 12" Shelf Blade Bracket (without lip - aluminum) | SC11 SH5 HA24 | | Non-Buffed Non-Brushed | 17.22 | 16.53 | 16.19 | 15.84 | 15.15 |
| 550006-11 | 14" Shelf Blade Bracket. (without lip - aluminum) | SC11 SH5 HA24 | | Non-Buffed Non-Brushed | 17.86 | 17.15 | 16.79 | 16.43 | 15.72 |
| 550006-12 | 16" Shelf Blade Bracket (without lip - aluminum) | SC11 SH5 HA24 | | Non-Buffed Non-Brushed | 18.61 | 17.87 | 17.49 | 17.12 | 16.38 |
| 550007 | Foot and Cap Assembly | SH6 SC16 HA24 | | Light Gray | 1.25 | 1.20 | 1.18 | 1.15 | 1.10 |
| 550008 | Chrome Bottom Cap Assembly for Steel Standard | HA26 SC16 SH7 | | Chrome | 1.75 | 1.68 | 1.65 | 1.61 | 1.54 |
| 550009 | Chrome Top Cap Assembly for Steel Standard | HA26 SC16 SH7 | | Chrome | 2.25 | 2.16 | 2.12 | 2.07 | 1.98 |
| 550010-01 | 6" Tubular Shelf Bracket (aluminum) | SC11 HA25 SH6 | 955 | Buffed or Brushed | 19.00 | 18.24 | 17.86 | 17.48 | 16.72 |
| 550010-02 | 8" Tubular Shelf Bracket (aluminum) | SC11 HA25 SH6 | 4 | Buffed or Brushed | 19.00 | 18.24 | 17.86 | 17.48 | 16.72 |
| 550010-03 | 10" Tubular Shelf Bracket (aluminum) | SC11 HA25 SH6 | 4 | Buffed or Brushed | 19.50 | 18.72 | 18.33 | 17.94 | 17.16 |
| 550010-04 | 12" Tubular Shelf Bracket (aluminum) | SC11 HA25 SH6 | 4 | Buffed or Brushed | 20.00 | 19.20 | 18.80 | 18.40 | 17.60 |
| 550010-05 | 14" Tubular Shelf Bracket (aluminum) | SC11 HA25 SH6 | 4 | Buffed or Brushed | 20.50 | 19.68 | 19.27 | 18.86 | 18.04 |
| 550010-06 | 16" Tubular Shelf Bracket (aluminum) | SC11 HA25 SH6 | 44/ | Buffed or Brushed | 21.00 | 20.16 | 19.74 | 19.32 | 18.48 |
| 550011 | Shelf End Clip for 550010 | SC16 HA25 SH6 | | Zinc | 4.15 | 3.98 | 3.90 | 3.82 | 3.65 |
| 550012 | Shelf Center Clip for 550010 | SC16 HA25 SH6 | | Zinc | 1.48 | 1.42 | 1.39 | 1.36 | 1.30 |

| | | Cat. | | | | Discount | Quantity | / Pricing | |
|----------------|--|---------------------|--------|---------------------------|-------|----------|----------|-----------|-------|
| Part Number | Description | Page Ref. | View | Finish | 1-5 | 6-10 | 11-24 | 25-99 | 100+ |
| 550013 | Glass End Clip for 550006 | SC16 HA26 SH5 | | Zinc | 2.60 | 2.50 | 2.44 | 2.39 | 2.29 |
| 550014 | Glass Center Clip for 550006 | SC16 HA26 SH5 | | Zinc | 2.60 | 2.50 | 2.44 | 2.39 | 2.29 |
| 570003 | Leveler Assembly | FM4 HA21 | | | 2.19 | 2.10 | 2.06 | 2.01 | 1.93 |
| 570004 | Angle Bracket | FM4 HA21 | 0000 | Non-Buffed Non-Brushed | 5.10 | 4.90 | 4.79 | 4.69 | 4.49 |
| 570005 | Panel Clip (includes hardware and 4 clips) | FM4 | | | 5.98 | 5.74 | 5.62 | 5.50 | 5.26 |
| 570013 | Pivot Hinge Assembly | FM4 HA21 | | | 12.74 | 12.23 | 11.98 | 11.72 | 11.21 |
| 570546 | Drill Block Tool Accessory | FM4 | 60.300 | | 41.40 | 39.74 | 38.92 | 38.09 | 36.43 |
| 580746-01 | Wiring Harness Assy, 2 Connector Cable with Female Receptacles 156" | SC34 | | | 5.46 | 5.24 | 5.13 | 5.02 | 4.80 |
| 580747-01 | Wiring Harness Assy, 2-22A WG Wire w/2 Female Receptacles 156" | SC34 | | | 7.01 | 6.73 | 6.59 | 6.45 | 6.17 |
| 580817-01 | Wiring Harness Cable 3 18A WG 156" | SC34 | | | 15.24 | 14.63 | 14.33 | 14.02 | 13.41 |
| 580818-01 | Wiring Harness,3 18A WG 156" | SC34 | | | 15.28 | 14.67 | 14.36 | 14.06 | 13.45 |
| 580824-01 | Wiring Harness,2 18AWG Power Track LVS | | | | 18.64 | 17.89 | 17.52 | 17.15 | 16.40 |
| 590866 | Wall Mounting Kit, includes wall anchors and screws | | | | 0.42 | 0.40 | 0.39 | 0.39 | 0.37 |

Stock Length Rolling Door Kits


| | | | Inclu | ıdes: | | | | lon-Buffed Brushed F | | Buff | shed | |
|----------------|--|--------|-----------|-------|-----------|----------------------|--------|-------------------------|--------|--------|--------|--------|
| Part Number | Description | Wheels | Retainers | Jambs | Verticals | Cat. Page Ref. | Qty 1 | Qty 6 | Qty 11 | Qty 1 | Qty 6 | Qty 11 |
| 610005-02 | Standard Rolling Door Assembly with Removable Track, 12 ft. | 8 | No | No | n/a | RD5 | 81.41 | 77.02 | 76.68 | 97.41 | 92.19 | 91.72 |
| 610007-02 | Economy Rolling Door Assembly, 12 Ft. | 8 | No | No | n/a | RD5 | 58.44 | 56.09 | 55.09 | 69.91 | 67.10 | 65.87 |
| 610060-02 | Wood Rolling Door Assembly, 12 ft. | 8 | No | n/a | n/a | RD6 | 42.98 | 41.24 | 40.53 | 48.10 | 46.16 | 45.34 |
| 610099-02 | Standard Rolling Door Assembly, 12 ft. | 8 | No | n/a | n/a | RD5 | 66.16 | 63.50 | 62.35 | 83.23 | 79.89 | 78.39 |
| 610143-02 | Security Rolling Door Assembly, 12 ft 110008 Header, 110012 Shoe | 8 | 8 | Yes | Yes | RD7 | 167.60 | 161.15 | 158.40 | 208.77 | 200.68 | 197.10 |
| 610144-02 | Security Rolling Door Assembly, 12 ft 110071 Header, 110012 Shoe | 8 | 8 | Yes | Yes | RD7 | 200.62 | 192.86 | 189.46 | 243.54 | 234.07 | 229.80 |
| 610145-02 | Security Rolling Door Assembly, 12 ft 110102 Header, 110012 Shoe | 8 | 8 | Yes | Yes | RD7 | 207.96 | 199.91 | 196.36 | 248.55 | 238.88 | 234.51 |
| 610146-02 | Security Wood Rolling Door Assembly, 12 ft 110162 Top Channel, 110208 Security Track | 8 | 8 | n/a | n/a | RD6 | 85.58 | 82.11 | 80.95 | 100.22 | 96.16 | 94.71 |
| 610165-02 | Triple Track Rolling Door Assembly, 12 ft. | 6 | n/a | n/a | n/a | RD8 | 135.45 | 128.04 | 126.85 | 160.95 | 152.13 | 150.82 |
| 610183-02 | Security Rolling Door Assembly, 12 ft 110102 Header, 110412 Shoe | 8 | 8 | Yes | n/a | RD9 | 223.75 | 216.54 | 213.38 | 258.83 | 250.22 | 246.35 |
| 610184-02 | Security Rolling Door Assembly, 12 ft 110071 Header, 110412 Shoe | 8 | 8 | Yes | n/a | RD9 | 214.73 | 207.82 | 204.80 | 252.14 | 243.73 | 239.96 |
| 610185-02 | Security Rolling Door Assembly, 12 ft 110008 Header, 110412 Shoe | 8 | 8 | Yes | n/a | RD9 | 181.71 | 176.11 | 173.74 | 217.37 | 210.34 | 207.26 |
| 610187-02 | Heavy Duty Security Rolling Door Assembly, 12 ft 110008 Header, 110140 Shoe | 8 | 8 | Yes | Yes | RD10 | 203.70 | 196.90 | 193.93 | 243.91 | 235.50 | 231.73 |
| 610188-02 | Heavy Duty Security Rolling Door Assembly, 12 ft 110071 Header, 110140 Shoe | 8 | 8 | Yes | Yes | RD10 | 236.72 | 228.61 | 224.99 | 278.68 | 268.89 | 264.43 |
| 610189-02 | Heavy Duty Security Rolling Door Assembly, 12 ft 110102 Header, 110140 Shoe | 8 | 8 | Yes | Yes | RD10 | 244.06 | 235.66 | 231.89 | 283.69 | 273.70 | 269.14 |
| 610190-02 | Security Rolling Door Assembly, 12 ft 110008 Header, 110350 Shoe | 8 | 8 | Yes | Yes | RD11 | 233.92 | 226.55 | 223.30 | 277.87 | 268.74 | 264.61 |
| 610191-02 | Security Rolling Door Assembly, 12 ft 110071 Header, 110350 Shoe | 8 | 8 | Yes | Yes | RD11 | 225.31 | 218.29 | 215.22 | 261.29 | 252.83 | 249.04 |
| 610192-02 | Security Rolling Door Assembly, 12 ft 110102 Header, 110350 Shoe | 8 | 8 | Yes | Yes | RD11 | 274.28 | 265.30 | 261.25 | 317.65 | 306.94 | 302.02 |

Note: Lock and vinyl are sold separately when 12' assemblies are ordered.

The ADMIRE LED Mirror from Stylmark combines budget-friendly design with flattering soft white LED lighting to a full length mirror perfect for fitting rooms.

Admire LED Mirror


The simple styling will fit almost any decor. With the compact depth of the ADMIRE LED Mirror, fitting into your smaller rooms won't be a concern. Complement the fitting room experience and ease the buying decision with Stylmark's ADMIRE LED Mirror.



Admire LED Mirror Model 620105-01-OBWHT40111



Part # 520079- OBWHT40111 60° Wing Bracket



Part # 520078-OBWHT40111 45° Wing Bracket

Admire LED Mirror

| | Dosariation | | | Discou | ınt Quantity | Pricing | |
|--------------------------|---|----------------------------------|--------|----------------|------------------|------------------|--------------|
| Model | Description Note: White powder coat finish # OBWHT40111 | Mirror Size (glass dimension) | 1 Unit | 2 - 9 Units | 10 - 24 Units | 25 - 49 Units | 50+ Units |
| 620105-01- OBWHT40111 | Admire LED Mirror - White (Hardwired) | 28" x 60" | 735.00 | 665.00 | 625.00 | 600.00 | 585.00 |
| 620105-02- OBWHT40111 | Admire LED Mirror - White (Hardwired, On/Off Switch) | 28" x 60" | 745.00 | 675.00 | 635.00 | 610.00 | 595.00 |
| 620105-03- OBWHT40111 | Admire LED Mirror - White (Plug-in Cord) | 28" x 60" | 745.00 | 675.00 | 635.00 | 610.00 | 595.00 |
| 620105-04- OBWHT40111 | Admire LED Mirror - White (Plug-in Cord, On/Off Switch) | 28" x 60" | 755.00 | 685.00 | 645.00 | 620.00 | 605.00 |
| 620105-05- OBWHT40111 | Admire LED Mirror - White (Low Light, On/Off Switch) | 28" x 60" | 745.00 | 675.00 | 635.00 | 610.00 | 595.00 |
| 620105-06- OBWHT40111 | Admire LED Mirror - White (Low Light, Plug-in Cord, On/Off Switch) | 28" x 60" | 755.00 | 685.00 | 645.00 | 620.00 | 605.00 |
| 620105-07- OBWHT40111 | Admire LED Mirror - White (Plug-in Cord, On/Off Switch) | 28" x 72" | 880.00 | 810.00 | 785.00 | 685.00 | 660.00 |
| 620106-01 OBWHT40111 | Admire MIrror Wing | 14" x 60" | 245.00 | 215.00 | 205.00 | 195.00 | 187.50 |
| 620106-02 OBWHT40111 | Admire MIrror Wing | 14" x 72" | 255.00 | 225.00 | 215.00 | 205.00 | 197.50 |
| 520078- OBWHT40111 | 45° Wing Bracket Kit (one kit required per wing, contains two brackets) | N/A | 45.25 | 45.25 | 43.75 | 43.20 | 42.50 |
| 520079- OBWHT40111 | 60° Wing Bracket Kit (one kit required per wing, contains two brackets) | N/A | 45.25 | 45.25 | 43.75 | 43.20 | 42.50 |
| 520075 | Cleat Mounting Accessory Kit | N/A | 19.76 | 18.97 | 18.57 | 18.18 | 17.39 |
| 227025 | Glass Installation Suction Cup, 4-1/2" dia, 80 lb capacity | N/A | 8.00 | 8.00 | 8.00 | 8.00 | 8.00 |

The above pricing is for Stylmark's Admire LED Mirror with standard options. These models include white powder coat finish, hardwired and no power switch. Configurable options include plug-in cord and external power switch also listed above.

| Admire LED Mirror Product Information | | | | | | |
|--|--------|--|--|--|--|--|
| Data Sheet | 971827 | | | | | |
| Installation Instructions | 971826 | | | | | |


Free-Standing Barrier Metal Framing Kit

Free-standing barriers from Stylmark are perfect for hair salons, offices or any environment requiring separation. These free-standing barriers are easy to assemble and lightweight for maneuverability from one location to another.

Free-Standing Barriers


These free-standing barriers can come with feet or lockable casters to prevent unwanted movement. Fabricated from anodized aluminum, these free-standing barriers are available in black,

natural, or brass finishes.




For immediate needs, Stylmark offers the free-standing barriers in 48" x 72" kits. These kits are available in black, natural, or brass finishes. These kits ship knocked-down and are easy to assemble.

- Accepts 3/16", 1/4" or 1/2" panels (supplied by others)
- Specify panel thickness when ordering



48"x 72" Free-Standing Barrier Metal Framing Kit

| 48" x 72" Free-Standing Barrier Metal Framing Kit | Pricing |
|--|---------|
| 48" x 72" Fixed Barrier | 159.00 |
| 48" x 72" Barrier with wheels | 179.00 |



Free-Standing Barrier Stocked Component Pricing

If alternative sizes are needed or if you want to fabricate your own barrier, Stylmark offers stocked length extrusion and hardware to order individually.

| | | | Min | Discount Quantity Pricing | | | | |
|-------------|---|--------------------|--------------|---------------------------|---------------|----------------|----------------|---------------|
| Part Number | Description | Qty per Barrier | Order Qty | 1-5 Units | 6-10 Units | 11-24 Units | 25-99 Units | 100+ Units |
| 190019** | Porsa Frame Extrusion, 1.00 x 1.50, 146") | As Required | 1 | 50.16 | 48.15 | 47.15 | 46.15 | 44.14 |
| 226077 | Gasket for .200" panel thickness, 120" | As Required | 1 | 14.00 | 14.00 | 14.00 | 14.00 | 14.00 |
| 391983-17 | Gasket for .250" panel thickness, 120" | As Required | 1 | 14.00 | 14.00 | 14.00 | 14.00 | 14.00 |
| 392705-023 | Foot, Divider Satin Black | 1 | 10 | N/A | 36.00 | 25.00 | 25.00 | 25.00 |
| 390031-01 | Endcap, Black Plastic | 2 | 20 | N/A | N/A | 0.50 | 0.49 | 0.47 |
| 390031-03 | Endcap, Grey Plastic | 2 | 20 | N/A | N/A | 0.50 | 0.49 | 0.47 |
| 232056 | Aluclip | 4 | 40 | N/A | N/A | N/A | 4.51 | 4.51 |
| 231041 | Caster, 2-1/4" Dia Lockable (black) | 3 | 30 | N/A | N/A | N/A | 3.76 | 3.76 |
| 219118 | Nutsert (caster) 3/8-16 ZC | 1 | 10 | N/A | 1.50 | 1.50 | 1.50 | 1.40 |
| 219112 | Nut Hex (caster) 3/8-16x7/32 BK | 2 | 20 | N/A | N/A | 0.30 | 0.30 | 0.27 |
| 219050 | Nutsert (foot divider) 1/4-20 ZC | 2 | 20 | N/A | N/A | 0.40 | 0.40 | 0.35 |
| 211172 | Screw (Foot, Divider) 1/4-20 x 3/4 | 2 | 50 | N/A | N/A | N/A | 0.32 | .032 |


Note: ** 190019 stock length extrusion is available in 020 Satin Natural, 021 Satin Brass or 023 Satin Black finishes.

Cafe Barrier System

The Café Barrier System from Stylmark consists of a variety of components used to create partition systems. The Clamp system uses brackets to secure the 1/4" panel to the post and provides a clean, modern aesthetic. A more traditional look is achieved with the Channel system that uses recessed channels and plastic glazing to secure the panel. Post are sold in stock lengths (12') and in prefabricated 24" and 36" lengths for selected finishes. Optional accessories are available.


Panel Channel System

Prefabricated posts available in 24" or 36" lenghts Standard finishes: Satin Natural (020) or Satin Brass (021)



Panel Clamp System

Prefabricated posts available in 24" or 36" lenghts Standard finishes: Satin Natural (020) or Satin Brass (021)



Cafe Barrier System Stocked Component Pricing

If alternative sizes are needed or if you want to fabricate your own barrier, Stylmark offers stocked length extrusion and hardware to order.

| | | Discount Quantity Pricing | | | | |
|---------------|--|---------------------------|---------------|----------------|----------------|---------------|
| Part Number | Description | 1-5 Units | 6-10 Units | 11-24 Units | 25-99 Units | 100+ Units |
| 491007-01-020 | Smooth Post, 24" Length, 020 Finish (Extrusion 110853) | 10.60 | 10.18 | 9.96 | 9.75 | 9.33 |
| 491007-01-021 | Smooth Post, 24" Length, 021 Finish (Extrusion 110853) | 10.60 | 10.18 | 9.96 | 9.75 | 9.33 |
| 491007-02-020 | Smooth Post, 36" Length, 020 Finish (Extrusion 110853) | 13.78 | 13.23 | 12.95 | 12.68 | 12.13 |
| 491007-02-021 | Smooth Post, 36" Length, 021 Finish (Extrusion 110853) | 13.78 | 13.23 | 12.95 | 12.68 | 12.13 |
| 491008-01-020 | Single Channel Post, 24" Length, 020 Finish (Extrusion 110854) | 15.64 | 15.01 | 14.70 | 14.39 | 13.76 |
| 491008-01-021 | Single Channel Post, 24" Length, 021 Finish (Extrusion 110854) | 15.64 | 15.01 | 14.70 | 14.39 | 13.76 |
| 491008-02-020 | Single Channel Post, 36" Length, 020 Finish (Extrusion 110854) | 18.82 | 18.07 | 17.69 | 17.31 | 16.56 |
| 491008-02-021 | Single Channel Post, 36" Length, 021 Finish (Extrusion 110854) | 18.82 | 18.07 | 17.69 | 17.31 | 16.56 |
| 491009-01-020 | Double Channel Post, 24" Length, 020 Finish (Extrusion 110855) | 16.27 | 15.62 | 15.29 | 14.97 | 14.32 |
| 491009-01-021 | Double Channel Post, 24" Length, 021 Finish (Extrusion 110855) | 16.27 | 15.62 | 15.29 | 14.97 | 14.32 |
| 491009-02-020 | Double Channel Post, 36" Length, 020 Finish (Extrusion 110855) | 19.77 | 18.98 | 18.58 | 18.19 | 17.40 |
| 491009-02-021 | Double Channel Post, 36" Length, 021 Finish (Extrusion 110855) | 19.77 | 18.98 | 18.58 | 18.19 | 17.40 |
| 119045 | Glazing, 96" Length (use with channel post) | 47.55 | 47.55 | 47.55 | 47.55 | 47.55 |
| 392706-01 | Glazing, 24" Length (use with channel post) | 12.80 | 12.29 | 12.03 | 11.78 | 11.26 |
| 392706-02 | Glazing, 36" Length (use with channel post) | 19.20 | 18.43 | 18.05 | 17.66 | 16.90 |
| 310614-020 | Endcap, Round Threaded, 020 Finish | 7.20 | 6.91 | 6.77 | 6.62 | 6.34 |
| 310614-021 | Endcap, Round Threaded, 021 Finish | 7.20 | 6.91 | 6.77 | 6.62 | 6.34 |
| 511085-020 | Kit, End Cap w/Insert 020 Finish | 11.50 | 11.04 | 10.81 | 10.58 | 10.12 |
| 511085-021 | Kit, End Cap w/Insert 021 Finish | 11.50 | 11.04 | 10.81 | 10.58 | 10.12 |
| 511079-020 | Kit, 1.0 Dia Vertical Panel Clamp, 020 Finish | 25.95 | 24.91 | 24.39 | 23.87 | 22.84 |
| 511079-021 | Kit, 1.0 Dia Vertical Panel Clamp, 021 Finish | 25.95 | 24.91 | 24.39 | 23.87 | 22.84 |
| 511069 | Kit, Supporting Fixing 90 Deg Mtng Flange | 26.00 | 24.96 | 24.44 | 23.92 | 22.88 |
| 511070-020 | Kit, Mounting Base, 020 Finish | 13.85 | 13.30 | 13.02 | 12.74 | 12.19 |
| 511070-021 | Kit, Mounting Base, 021 Finish | 13.85 | 13.30 | 13.02 | 12.74 | 12.19 |
| 511216-020 | Accessory Kit, Table Top Clamp, 020 Finish | 30.08 | 28.88 | 28.28 | 27.67 | 26.47 |
| 511216-021 | Accessory Kit, Table Top Clamp, 021 Finish | 30.08 | 28.88 | 28.28 | 27.67 | 26.47 |
| 110853 | Smooth Post (used with panel clamps) | 55.61 | 53.39 | 52.27 | 51.16 | 48.94 |
| 110854 | Post, Single Channel | 61.68 | 59.21 | 57.98 | 56.75 | 54.28 |
| 110855 | Post, Double Channel | 67.04 | 64.36 | 63.02 | 61.68 | 59.00 |



Stylmark, Inc. 6536 Main Street NE, PO Box 32008 Minneapolis, MN 55432

Phone: 800-328-2495 763-574-7474 Fax: 763-574-1415 stylmark.com info@stylmark.com