

2022 Net Price List

Prices effective April 1, 2022

To learn more about the products in this price book, you can view the entire Stylmark product catalog on our website - stylmark.com

You can also visit our online store to purchase select items.

shop.stylmark.com

Stylmark, Inc. 6536 Main Street NE, PO Box 32008 Minneapolis, MN 55432

Phone: 800-328-2495 763-574-7474 Fax: 763-574-1415 stylmark.com info@stylmark.com

Contents	Page
Terms & Conditions	<u>1</u>
Stylmark Warranty Statement	<u>Z</u>
Price List Column Descriptions	<u>8</u>
Extrusions, Hardware and Accessories (listed numerically by part number	·) <u>9</u>
Rolling Doors	<u>67</u>
Admire LED Mirror	<u>68</u>
Free-Standing Barriers	<u>70</u>
Cafe Barrier System	<u>72</u>

Phone: 800-328-2495 763-574-7474 Fax: 763-574-1415 stylmark.com info@stylmark.com

To place an ORDER or obtain a QUOTE, please call 800-328-2495 or 763-574-7474
Fax 763-574-1415 • info@stylmark.com

Placing an Order

You may place an order via the Stylmark eCommerce site (shop.stylmark.com), email, or phone. When placing an order, please specify the part number along with the finish number. Refer to our catalog to verify the stock lengths and the buffed/brushed finished surfaces. All buffed or brushed finishes may be purchased as non-buffed or non-brushed as well. Order acknowledgements will be sent for review.

*All order change requests are subject to additional charges.

Minimum Order Amount

Product	Amount
Stocked Finished Goods (inc. hardware, wheels, screws, etc.)	\$ 100.00
Stocked (Finished) Extrusions	\$ 100.00
Non-Stocked Extrusions (Std Colors, per color) ¹	\$ 500.00
Non-Stocked Extrusions (Special Colors, per color) ²	\$ 500.00
Non-Stocked Extrusions (Custom Colors, per color) ³ (See page 6 for additional Custom Color Information)	\$1,000.00
Fabricated Items (from Finished Goods Stock)	\$ 500.00
Fabricated Items / Curving (Orders will be evaluated)	Must be Quoted

^{*} minimum item quantities may apply to all orders

Due to recent issues with material and labor shortages, factory capacity on specific colors, Lead Times on all new orders will be reviewed and quoted based on current conditions.

We apologize in advance for any inconvenience

¹ Standard colors include: Natural, Black, Brown, Brass and Stainless Steel.

² Special colors include: Bronze, White Gold, Pewter and Copper.

³ Custom colors include anything not listed above or special color matches.

To place an ORDER or obtain a QUOTE, please call 800-328-2495 or 763-574-7474

Fax 763-574-1415 • info@stylmark.com

Prices

Prices are subject to change without notice. Orders are shipped at prevailing prices at the time of the order. Quotes are valid for 30 days from the date of quote, unless otherwise specified. Prices

do not include applicable sales taxes and delivery charges, which will be added to your order.

Taxes

Taxes are based on delivery address. If the company or job is tax exempt, please include a copy

of the Tax Exemption Certificate with the order.

Methods of Payment

With approved credit, we will ship your order on an open 30-day account. To open an account, simply request a credit application. The credit approval process may take 1-2 weeks. To expedite

your first order, we recommend paying with cash-in-advance. Open accounts are subject to 1%-15

days/net 30 terms.

We accept Visa, Mastercard, Discover and American Express. Prepayment by check is also an

acceptable method. Credit card or prepayment by check are not eligible for the prompt payment

discount. Call our Customer Service Department for details.

Delivery

All orders are shipped F.O.B. Stylmark. Larger orders and 12' lengths are shipped freight via truck

lines selected by Stylmark, unless otherwise specified by the customer.

Smaller orders and extrusions cut to 8' or less are shipped best way parcel, prepaid & add

unless otherwise specified. Shipping and handling charges for parcel shipments are added to your

invoice. Expedited shipping available upon request.

All freight and processing fees will be charged to the customer if collect freight terms are no

longer active or in good standing with the client's chosen freight company.

Special delivery requirements?

Please let us know and we will do everything we can to meet your needs.

To place an ORDER or obtain a QUOTE, please call 800-328-2495 or 763-574-7474

Fax 763-574-1415 • info@stylmark.com

International Shipping

Preferred payment options for international customers would be a wire transfer. A wire transfer fee will be charged.

Stylmark currently does not arrange international transportation. Customers are responsible to coordinate transportation internationally to their locations. (Exception for parcel shipments to Canada).

Prepay and Add Freight

Eliminate the hassles associated with collect freight deliveries and let us find the most economical rate to meet your requested delivery. We will share the benefits of our established relationships with multiple carriers and pass those savings on to you. To take advantage of this new option, simply talk to your customer service representative when you are ready to place your order. Once your order is completed and in shipping, our staff will compare rates and service levels and select the one that best fits your needs. This option is available to customers with established terms or those that remit via credit card.

NOTE: A second debit for shipping charges will be charged against the credit card when the order ships.

NOTE: Additional freight and accessorial charges prepaid by Stylmark will be invoiced separately.

Customer Pick-Up Policy

Once complete and packaged for shipment, customer pickup orders will be transacted and you will be invoiced accordingly. As always, our shipping team will notify you that your order is ready and provide you with the weights & dimensions of your order.

* All orders are to be picked up as soon as possible (within 3 days) after you have been notified. If orders are not picked up within this timeframe, Stylmark reserves the right to apply additional holding charges, including shipping the order via best method at your expense.

Limited Warranty

Stylmark products are warranted to be free from defects in workmanship and materials under normal use and service when properly installed. This warranty is limited to actual invoiced charges; we are not liable for any other damages or charges. Refer to Stylmark's complete warranty statement on page 9 for further details.

To place an ORDER or obtain a QUOTE, please call 800-328-2495 or 763-574-7474
Fax 763-574-1415 • info@stylmark.com

Anodizing Range Samples

Stylmark strives to provide consistent and uniform anodized finishes; however, variation in gloss, light & dark, and tristimulus system values (RGB) should be expected. Additionally, because anodized coatings are translucent, appearance will vary with viewing angle and base level finish of material. Therefore, for critical installations, minimum/maximum samples which represent the acceptable range of variation in the finish should be requested & approved prior to processing any orders. Without approved range samples, Stylmark will produce orders using standard range tolerances around the target anodized finish.

Anodized Aluminum Racking Marks

All anodized aluminum extrusion and parts must have electrical contact to the part to be anodized. Various contact types are used depending upon the size and geometry of the part being anodized. The electrical contact will leave racking marks on the finished parts. Racking marks include bolt marks, clip marks or thread marks. Most extrusions will include bolt marks, and for this reason, Stylmark's typical extrusion length is 2" over its nominal length, e.g., a 12 ft extrusion measures to 146". This way the user of the finished extrusion can trim the extrusion to size and have 12 ft of useable, finished material. Other anodized aluminum parts, such as anodized sheet aluminum may also have bolt or clip marks. Please verify allowable locations or contact Stylmark for options. Cut to length extrusions and machined parts may be racked using clips. Although clips leave smaller rack marks, they are generally placed in the least conspicuous locations possible as to minimize the appearance of the mark. It is important to communicate the critical surfaces & finish expectation to Stylmark so we can work with you to identify acceptable rack mark locations. Heavier materials, such as machined items or parts made from aluminum plate may require the electrical contact to be made in a tapped hole in the part. In this case, the rack mark will be in and around the threads of the tapped hole, where the bolt threads engage the part. If racking marks are a concern for the anodized materials on your project, you are encouraged to contact Stylmark, prior to placing your order, to discuss racking options.

Custom Color Charges

Stylmark has an extensive library of colors. Custom colors will be subject to an additional charge. If you have a color to match or would like a custom color, please call for details.

* Minimum order quantities and longer lead times will apply.

To place an ORDER or obtain a QUOTE, please call 800-328-2495 or 763-574-7474
Fax 763-574-1415 • info@stylmark.com

Order Quantity Tolerances

Orders for non-stocked, made-to-order items are subject to a quantity range tolerance of +/10% and these items may also be subject to a minimum quantity per item. This includes all FTOE's (Finish-to-Order Extrusions) and all other products not held in Finished Goods inventory by Stylmark.

For example, for an order of 40 pieces of a made-to-order item, we may deliver 36-44 pieces, bill the actual quantity shipped at the quoted unit price and close the order.

Special Order Extrusion Quantity Tolerances

All special-order extrusions are subject to quantity range tolerances as described below.

Extrusions Push	Piece Part Yield
300-400 pounds	+/- 35%
400-700 pounds	+/- 30%
700-1,000 pounds	+/- 25%
1,000-2,000 pounds	+/- 15%
2,000-5,000 pounds	+/- 10%
5,000-10,000 pounds	+/- 7%
10,000-30,000 pounds	+/- 5%

For example, an order for 200 pieces of a special-order extrusion may require a 300 lb extrusion push based upon profile weight. This push may yield 200 pieces +/- 35% of the extrusion. Stylmark will ship the entire yield (for this example 140-270 pieces) of the push and you will be invoiced for the quantity shipped at the quoted unit price.

Extrusion Dies and Tooling

Unless otherwise designated in writing, all extrusion dies and tooling remains the property of Stylmark. We hold tooling for a minimum of two years. If no order is received in any two-year period, we reserve the right to dispose of the tooling.

^{*} Exact quantity orders will be subject to additional charges.

To place an ORDER or obtain a QUOTE, please call 800-328-2495 or 763-574-7474
Fax 763-574-1415 • info@stylmark.com

Design/Engineering Charges

For customer requesting design or engineering work, a charge of \$150 per hour will apply.

Patents

On orders for customer-specified products, the customer agrees to protect and indemnify Stylmark against any infringement claims.

Shortages and Damaged Shipments

Claims for shortages and damages must be submitted in writing within 5 days of order shipment. Receiver must note damage on BOL at time of delivery. Provide signed BOL, photos of damaged material and packaging to process a claim for replacement. Stylmark will file a freight claim for damage and shortages on prepaid shipments if notified within 5 days of receipt. Keep damaged goods and packaging for inspection until advised by the carrier to dispose of them.

Return Policy

Stylmark's goal is 100% customer satisfaction. Returned materials should be wrapped for protection and tightly bundled to prevent movement in shipping. We cannot accept returns of materials that have been damaged during return shipment due to improper packaging. All returns are subject to Stylmark approval and require a RMA.

- * Contact your Stylmark account representative and request a Return Material Authorization (RMA) number. Please do not return materials to us without first obtaining an RMA number. Provide an order or invoice number and reason for return request.
- * Return the materials to us (shipped pre-paid) within 21 days of authorization, clearly marking each package with the RMA number. Include the RMA number on the packing slip. Returns shipped freight collect will be back charged for freight.
- * Under normal conditions, returns are only allowed on standard stock items in standard finishes and will be subject to a restocking charge (typically 25% or \$50, whichever is greater).
- * All material returned will be credited using quantity discount price unless referenced on invoice.
- * Upon inspection and approval, a credit will be issued to your account.

Stylmark Warranty Statement

Stylmark, Inc. warrants this product to be free from defects due to workmanship or materials, under normal use and service, for the following warranty period from date of shipment.

Lighting Products:

- Showcase & Flexis Shelf Lights with 24V LED: twenty-four (24) months
- LED Mirror Products: twenty-four (24) months
- Optima LED Light Boxes: twenty-four (24) months

All other products: thirty (30) days

Any product that is proven to be defective in workmanship or material is returned to Stylmark, Inc. within the applicable warranty period, in accordance with the procedure described below, Stylmark, Inc. will, at its option, either repair, replace or credit the customer for the purchase price of the product, in accordance with the procedure described below. This warranty extends only to persons or organizations that originally purchase the product from Stylmark, Inc.

The expressed warranty above constitutes the entire warranty of Stylmark, Inc. with respect to the products in this catalog and is in lieu of all other warranties, express or implied, including any warranty of merchantability or warranty of fitness for a particular purpose. In no event shall Stylmark, Inc. be responsible for any other costs or damages, including, but not limited to, lost revenue or profits, incidental, special or consequential damages of any nature whatsoever. Stylmark, Inc. products are designed to operate as a system. The use of other manufacturers' equipment in conjunction with Stylmark, Inc. products may be hazardous and therefore automatically voids all warranties. This warranty shall not apply to products that have been altered, improperly used or installed, subject to abnormal use or stress, or repaired by anyone other than Stylmark, Inc. authorized representative. Stylmark, Inc. will not pay labor charges or assume any responsibility for labor expended or material used to replace or repair any equipment without prior written authorization.

The following will apply to the return of any product to Stylmark, Inc. under this warranty:

- i. identified with Stylmark, Inc. Return Material Authorization Number;
- ii. listed individually with Sales Order Number or copy of invoice;
- iii. packed separately from other returns and protected from shipping damage;
- iv. returned to Stylmark, Inc. within the applicable warranty period;
- v. are received, transportation pre-paid (returns shipped collect will be back-charged for freight), within 21 days of authorization at (see address below):
- vi. and are found by Stylmark, Inc. inspection to be defective in workmanship or materials under normal use and service; will be handled in accordance with one of the two following procedures, as determined by Stylmark, Inc.:

Credit Procedure. Stylmark, Inc. will issue credit at the actual invoice amount if a copy of that invoice is attached to the packing list. Without an invoice, Stylmark, Inc. will credit using discount pricing.

Repair or Replacement Procedure. Stylmark, Inc. will, at its option, either repair or replace the product free of charge and return it or its replacement lowest cost transportation pre-paid. The replacement will be a functionally equivalent new product. Premium transportation will be used at customer's request and expense.

The warranty will not be honored if:

- i. product is damaged or missing parts or accessory items.
- ii. product exhibits evidence of field misapplications

Final disposition of any warranty claim will be determined solely by Stylmark, Inc. If inspection by Stylmark, Inc. does not disclose any defect covered by the warranty, the product will be returned or scrapped as instructed by the customer and Stylmark, Inc.'s regular service charges will apply. Products returned to the customer may be sent shipping charges collect.

If you have any questions relative to product returns to Stylmark, Inc., contact your Customer Service Representative: Stylmark, Inc.

Customer Care Department 6536 Main Street NE, PO Box 32008 Minneapolis, MN 55432 (800) 328-2495

Price List Column Descriptions

	Cat.						Discount	: Quantity	y Pricing	7
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+	
				5 Non-Buffed Non-Brushed						
(1)	(2)	(3)	(4)	Buffed or 6 Brushed						

- 1 Part Number = Stylmark's part number for the item.
- (2) **Description** = Brief description of the item.
- (3) Catalog Page Reference = This is where you will find the item in the Stylmark Catalog. The following abbreviations are used to indicate a section of the catalog: SP=Shelving Products, S=Showcases, FP=Framing and Partition Systems, AT=Architectural Trim and Moldings, BD=Backlit Displays and Transparency Frames, FR=Fitting Rooms, HA=Hardware and Accessories
- 4 View = Side profile of the extrusion's shape. Check-marks indicate mechanically finished surfaces for buffed/brushed finishes. Views are representative only they are not to scale or in proportion to each other.
- 5 Non-Buffed, Non-Brushed Finish = This includes Stylmark's Satin Natural Finish, number 020, and other non-buffed, non-brushed colored finishes. Minor material blemishes may appear in this finish, as it is not buffed or brushed.
- (6) Buffed or Brushed Finish = This includes the following Stylmark finishes (* see table below).
- 7 **Discount Quantity Pricing Price** = This is the price of the item when ordered in quantities. All extrusions are priced per 12 foot stock length, unless indicated otherwise.

* Ref	item 6			
110	Buffed Brite Natural	123	Buffed Satin Black	216 Brushed Brite Brown
111	Buffed Brite Brass	124	Buffed Satin White Gold	217 Brushed Brite Pewter
112	Buffed Brite Bronze	126	Buffed Satin Brown	218 Brushed Brite Stainless Steel
113	Buffed Brite Black	127	Buffed Satin Pewter	220 Brushed Satin Natural
114	Buffed Brite White Gold	128	Buffed Satin Stainless Steel	228 Brushed Satin Stainless Steel
116	Buffed Brite Brown	210	Brushed Brite Natural	11BRS80010 Buffed Brite
117	Buffed Brite Pewter	211	Brushed Brite Brass	Medium Light Brass
118	Buffed Brite Stainless Steel	212	Brushed Brite Bronze	11PWT80024 Buffed Brite
120	Buffed Satin Natural	213	Brushed Brite Black	Medium Light Pewter
121	Buffed Satin Brass	214	Brushed Brite White Gold	
122	Buffed Satin Bronze			

Many of the above listed finishes are sampled on our color/finish card; other sample color chips are available upon request.

Finishes other than those listed here are available. For painted, powder coated, or other custom colors and finishes, please call our Customer Service Department.

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
				Non-Buffed Non-Brushed	19.24	18.47	18.09	17.70	16.93
110007	Double Channel 9/16", 12 ft.	RD13	7	Buffed or Brushed	23.77	22.82	22.34	21.87	20.92
110008	Davible Channel 42/44" 42 ft	RD13	> []	Non-Buffed Non-Brushed	24.95	23.95	23.45	22.95	21.96
110008	Double Channel 13/16", 12 ft.	KDI3		Buffed or Brushed	30.75	29.52	28.91	28.29	27.06
110009	Drop-In Track, 12 ft.	RD13		Non-Buffed Non-Brushed	11.73	11.26	11.03	10.79	10.32
110012		RD13	7	Non-Buffed Non-Brushed	18.53	17.79	17.42	17.05	16.31
110012	Snoe, 12 ft.	SC9		Buffed or Brushed	25.47	24.45	23.94	23.43	22.41
110014	Glide Shoe, 12 ft.	RD13	7 2	Non-Buffed Non-Brushed	15.00	14.40	14.10	13.80	13.20
110014	(works with 110021 Glide Track)	KDI3		Buffed or Brushed	19.43	18.65	18.26	17.88	17.10
110010	D T 2/4" 42 6	11427		Non-Buffed Non-Brushed	17.84	17.13	16.77	16.41	15.70
110018	Deep Tee 3/4", 12 ft.	HA27	<u> </u>	Buffed or Brushed	24.38	23.40	22.92	22.43	21.45
110019	Double Track, 12 ft.	RD13	_R_R_	Non-Buffed Non-Brushed	17.51	16.81	16.46	16.11	15.41
110021	Glide Track, 12 ft. (works with 110014 Glide Shoe)	RD13		Non-Buffed Non-Brushed	15.16	14.55	14.25	13.95	13.34
		HA7	n n	Non-Buffed Non-Brushed	14.42	13.84	13.55	13.27	12.69
110022	Single Channel 9/16", 12 ft.	RD13	>	Buffed or Brushed	18.82	18.07	17.69	17.31	16.56
440022	12/1/18: 1.5! 1.42.6	HA10	_	Non-Buffed Non-Brushed	16.49	15.83	15.50	15.17	14.51
110023	13/16" Single Channel, 12 ft.	RD13		Buffed or Brushed	23.38	22.44	21.98	21.51	20.57
440004	Ele William 42.6	RD13	n n	Non-Buffed Non-Brushed	12.16	11.67	11.43	11.19	10.70
110024	Edge Molding, 12 ft.	SC5	HA10 SC5	Buffed or Brushed	15.56	14.94	14.63	14.32	13.69
410001	440024	HA10 RD13	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Non-Buffed Non-Brushed	17.27	16.58	16.23	15.89	15.20
110026	Edge Molding, 12 ft.	SC5 S8	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Buffed or Brushed	22.20	21.31	20.87	20.42	19.54

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
110027	Door Bull 12 ft	HA10		Non-Buffed Non-Brushed	19.85	19.06	18.66	18.26	17.47
110027	Door Pull, 12 ft.	RD13) <	Buffed or Brushed	25.83	24.80	24.28	23.76	22.73
110028	Flush Door Pull, 12 ft.	HA23 RD13	1	Non-Buffed Non-Brushed	27.39	26.29	25.75	25.20	24.10
110020	rtusii 2001 rutt, 12 rt.	SC5		Buffed or Brushed	37.75	36.24	35.49	34.73	33.22
110029	Door Pull, 12 ft.	HA23	√ ∫	Non-Buffed Non-Brushed	33.14	31.81	31.15	30.49	29.16
110027	5001 Fatt, 12 ft.	RD13	^	Buffed or Brushed	43.20	41.47	40.61	39.74	38.02
110030	1/2" Angle, 12 ft.	HA3	>	Non-Buffed Non-Brushed	11.38	10.92	10.70	10.47	10.01
110030	172 Aligie, 12 It.	SC15	<u> </u>	Buffed or Brushed	15.70	15.07	14.76	14.44	13.82
110034	3/4" Angle, 12 ft.	HA3		Non-Buffed Non-Brushed	15.02	14.42	14.12	13.82	13.22
110034	574 Aligle, 12 It.	TIAS	^	Buffed or Brushed	20.17	19.36	18.96	18.56	17.75
110035	Slide Track, 12 ft.	RD13		Non-Buffed Non-Brushed	13.57	13.03	12.76	12.48	11.94
110033	(use with 119006)	KDTS		Buffed or Brushed	16.64	15.97	15.64	15.31	14.64
110036	Slide Double Channel, 12 ft.	RD13		Non-Buffed Non-Brushed	20.27	19.46	19.05	18.64	17.84
110030	Side bodste chamet, 12 fe.	ND13	U U U	Buffed or Brushed	22.47	21.57	21.12	20.67	19.77
110050	1" x 1/2" Bar, 12 ft.	HA16	√ 	Non-Buffed Non-Brushed	67.20	64.51	63.17	61.82	59.14
110030	T X 172 Ball, 12 IC.	IIAIO	7	Buffed or Brushed	72.85	69.94	68.48	67.02	64.11
110051	2" x 1/2" Bar, 12 ft.	HA16		Non-Buffed Non-Brushed	118.43	113.69	111.32	108.96	104.22
110031	2 x 1/2 bai, 121t.	TIATO	7 <	Buffed or Brushed	129.60	124.42	121.82	119.23	114.05
110061	Jamb, 12 ft.	HA32		Non-Buffed Non-Brushed	20.58	19.76	19.35	18.93	18.11
		RD13		Buffed or Brushed	25.89	24.85	24.34	23.82	22.78
110063	10063 Double Channel Track, 12 ft. RD13	D13 >[\L] -	Non-Buffed Non-Brushed	20.11	19.31	18.90	18.50	17.70	
. 10003	2000 Chamet Trucky 12 It.	1.013		Buffed or Brushed	26.32	25.27	24.74	24.21	23.16

Page 10

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
110015		RD13	√	Non-Buffed Non-Brushed	10.24	9.83	9.63	9.42	9.01
110065	Anti-Jump Strip, 12 ft.	HA27		Buffed or Brushed	12.13	11.64	11.40	11.16	10.67
110066	10° Choo 12 ft	RD14		Non-Buffed Non-Brushed	44.53	42.75	41.86	40.97	27.21
110066	19° Shoe, 12 ft.	KD14		Buffed or Brushed	47.63	45.72	44.77	43.82	29.94
110067	Deep Shoe, 12 ft.	RD14		Non-Buffed Non-Brushed	25.02	24.02	23.52	23.02	22.02
110067	реер зное, 12 гс.	KD14		Buffed or Brushed	29.91	28.71	28.12	27.52	26.32
110069	Door Pull, 12 ft.	HA23 RD14		Non-Buffed Non-Brushed	26.59	25.53	24.99	24.46	23.40
110069	D001 Pull, 12 It.	SC5		Buffed or Brushed	33.23	31.90	31.24	30.57	29.24
110071	Showers Channel 12 ft	SC29		Non-Buffed Non-Brushed	61.53	59.07	57.84	56.61	54.15
110071	Showcase Channel, 12 ft.	RD14	4	Buffed or Brushed	69.08	66.32	64.94	63.55	60.79
110076	° Deep Shoe, 12 ft. RD14		Non-Buffed Non-Brushed	49.88	47.88	46.89	45.89	30.16	
110076	35° Deep Shoe, 12 ft.	KD14		Buffed or Brushed	53.19	51.06	50.00	48.93	33.07
110078	Channel Track, 12 ft	RD14	- [12.21]	Non-Buffed Non-Brushed	26.16	25.11	24.59	24.07	23.02
110078	Channel Track, 12 ft.	KD14		Buffed or Brushed	31.76	30.49	29.85	29.22	27.95
110079	Wood Door Track, 12 ft.	RD14		Non-Buffed Non-Brushed	18.90	18.14	17.77	17.39	16.63
110090	Top II Channel 42 ft	RD14		Non-Buffed Non-Brushed	20.36	19.55	19.14	18.73	17.92
110080	Top U-Channel, 12 ft.	SC5 HA10		Buffed or Brushed	25.48	24.46	23.95	23.44	22.42
110007	1/2" O.D. Tubo 2//4" Abid. 42 C	ПУЗО	1	Non-Buffed Non-Brushed	15.34	14.73	14.42	14.11	13.50
110087	1/2" O.D. Tube, 3/64" thick, 12 ft.	HA29		Buffed or Brushed	17.26	16.57	16.22	15.88	15.19
110090	2000 Sharara Aarla 42 ft	HA3		Non-Buffed Non-Brushed	18.19	17.46	17.10	16.73	16.01
110090	Showcase Angle, 12 ft.	TAS	<u></u>	Buffed or Brushed	22.99	22.07	21.61	21.15	20.23

		Cat.				Discount	Quantity	/ Pricing				
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+			
110093	13/16" Tee Molding, 12 ft.	HA27	V	Non-Buffed Non-Brushed	14.64	14.05	13.76	13.47	12.88			
110073	13/10 fee Motaling, 12 ft.	TIAZ/	<u> </u>	Buffed or Brushed	18.59	17.85	17.47	17.10	16.36			
110099	3/4" x 1/16" Reflector Strip, 12 ft.	HA16	>	Non-Buffed Non-Brushed	10.22	9.81	9.61	9.40	8.99			
110077	374 X 1710 Reflector 3trip, 121t.	SC29		Buffed or Brushed	14.61	14.03	13.73	13.44	12.86			
110102	Top Rear Showcase Channel, 12 ft.	RD29	\ 	Non-Buffed Non-Brushed	68.17	65.44	64.08	62.72	59.99			
110102	Top Real Showcase Channet, 12 ft.	ND27		Buffed or Brushed	73.39	70.45	68.99	67.52	64.58			
110104	3/4" - 4° Slant Top Drawer Pull, 12 ft.	HA23	> 🗸	Non-Buffed Non-Brushed	42.00	40.32	39.48	38.64	36.96			
110104	(410101 - 3-3/4" Pull)	HAZS		Buffed or Brushed	48.20	46.27	45.31	44.34	42.42			
110105	13/16" Slant Top Drawer Pull,	шлээ	> 1	Non-Buffed Non-Brushed	42.58	40.88	40.03	39.17	37.47			
110103	12 ft. (410103 - 3-3/4" Pull)	HA23		Buffed or Brushed	49.09	47.13	46.14	45.16	43.20			
110106		RD14	78	Non-Buffed Non-Brushed	68.79	66.04	64.66	63.29	60.54			
110100	mutton, 12 it.	HA32 SC15				_\V_ ,	Buffed or Brushed	74.85	71.86	70.36	68.86	65.87
110107	Front Frame, 12 ft.	SC15		Non-Buffed Non-Brushed	25.96	24.92	24.40	23.88	22.84			
110107	Tronc France, 12 fc.	HA32		Buffed or Brushed	30.78	29.55	28.93	28.32	27.09			
110108	3/4" Flat Guard Drawer Pull, 12 ft.	HA23	>	Non-Buffed Non-Brushed	36.92	35.44	34.70	33.97	32.49			
110100	(410114 - 3-3/4" Pull)	TIAZJ		Buffed or Brushed	43.38	41.64	40.78	39.91	38.17			
110111	Drawer Pull with Label Holder, 12 ft.	HA23	>	Non-Buffed Non-Brushed	51.97	49.89	48.85	47.81	45.73			
110111	(410123 - 3-3/4" Pull)	HAZS		Buffed or Brushed	56.03	53.79	52.67	51.55	49.31			
110113	1" Square Tube, 1/16" thick, 12 ft.	HA30		Non-Buffed Non-Brushed	36.43	34.97	34.24	33.52	32.06			
110115	1 Square tube, 1710 tiller, 121t.	TIASU	>	Buffed or Brushed	59.28	56.91	55.72	54.54	52.17			
110114	1" Square Tube with Leg, 12 ft.	HA30		Non-Buffed Non-Brushed	44.75	42.96	42.07	41.17	39.38			
110114	. Square ruse with Eeg, 12 ft.	11/20	<u> </u>	Buffed or Brushed	53.29	51.16	50.09	49.03	46.90			

		Cat.				Discount	Quantity	/ Pricing		
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+	
110119	Security Channel, 12 ft.	SC15		Non-Buffed Non-Brushed	18.26	17.53	17.16	16.80	16.07	
110117	security channet, 12 ft.	HA35		Buffed or Brushed	22.19	21.30	20.86	20.41	19.53	
110122	Top and Side Glass Support, 12 ft.	SC15		Non-Buffed Non-Brushed	34.03	32.67	31.99	31.31	29.95	
110122	Top and Side Gaas Support, 12 1t.	HA35		Buffed or Brushed	36.98	35.50	34.76	34.02	32.54	
110124	Base Channel, 12 ft.	HA35		Non-Buffed Non-Brushed	20.99	20.15	19.73	19.31	18.47	
110121	base channel, 12 fe.	TIASS	حيسا د	Buffed or Brushed	26.03	24.99	24.47	23.95	22.91	
110125	Glazing Channel, 12 ft.	HA35	> -	Non-Buffed Non-Brushed	16.98	16.30	15.96	15.62	14.94	
110123	Guzing chamet, 12 ft.	TIASS		Buffed or Brushed	23.45	22.51	22.04	21.57	20.64	
110127	Top Front Frame, 12 ft.	HA32	> \[\]	Non-Buffed Non-Brushed	17.81	17.10	16.74	16.39	15.67	
110127	Top Front France, 12 fc.	SC15		Buffed or Brushed	23.15	22.22	21.76	21.30	20.37	
110128	Top Frame Rear, 12 ft.	CCE	SC5		Non-Buffed Non-Brushed	28.63	27.48	26.91	26.34	25.19
110120	Top Traine Real, 12 Te.	363		Buffed or Brushed	33.67	32.32	31.65	30.98	29.63	
110129	Bottom Frame, 12 ft.	SC4	> 2	Non-Buffed Non-Brushed	23.42	22.48	22.01	21.55	20.61	
				Buffed or Brushed	25.25	24.24	23.74	23.23	22.22	
110130	Rear Header, 12 ft.	SC4		Non-Buffed Non-Brushed	75.04	72.04	70.54	69.04	66.04	
				Buffed or Brushed	82.14	78.85	77.21	75.57	72.28	
110131	Front Vertical, 12 ft.	SC8	5	Non-Buffed Non-Brushed	26.03	24.99	24.47	23.95	22.91	
				Buffed or Brushed	30.07	28.87	28.27	27.66	26.46	
110132	Rear Vertical, 12 ft.	SC4		Non-Buffed Non-Brushed	59.37	57.00	55.81	54.62	52.25	
			1 2	Buffed or Brushed	68.17	65.44	64.08	62.72	59.99	
110133	10133 Jamb, 12 ft. SC4		Non-Buffed Non-Brushed	39.84	38.25	37.45	36.65	35.06		
		301	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Buffed or Brushed	51.92	49.84	48.80	47.77	45.69	

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
110134	Channel Wireyay 12 ft	SC4	7 7	Non-Buffed Non-Brushed	13.32	12.79	12.52	12.25	11.72
110134	Channel, Wireway, 12 ft.	3C4	<u> </u>	Buffed or Brushed	18.66	17.91	17.54	17.17	16.42
110135	Reflector, Shell, 12 ft.	SC26		Non-Buffed Non-Brushed	43.62	41.88	41.00	40.13	38.39
110133	reflector, shear, 12 ft.	3020	>	Buffed or Brushed	64.39	61.81	60.53	59.24	56.66
440427	Cavan Turkh 4/4" Patrum 42 ft	SC15	√	Non-Buffed Non-Brushed	18.68	17.93	17.56	17.19	16.44
110137	Cover T with 1/4" Return, 12 ft.	HA32		Buffed or Brushed	20.85	20.02	19.60	19.18	18.35
110140	Heavy Duty Shoe, 12 ft. (works with	SC5		Non-Buffed Non-Brushed	30.43	29.21	28.60	28.00	26.78
110140	Endcap Assembly 510241)	RD14		Buffed or Brushed	36.41	34.95	34.23	33.50	32.04
440444	435° Para Variant 43 G		7 8 1	Non-Buffed Non-Brushed	141.77	136.10	133.26	130.43	124.76
110141	135° Rear Vertical, 12 ft.			Buffed or Brushed	159.23	152.86	149.68	146.49	140.12
110142	135° Front Vertical, 12 ft.	SC8	XЛ	Non-Buffed Non-Brushed	18.81	18.06	17.68	17.31	16.55
110142	133 Front Vertical, 12 ft.	300) · <u> </u>	Buffed or Brushed	24.32	23.35	22.86	22.37	21.40
110143	Rear Top Frame, Extended, 12 ft.			Non-Buffed Non-Brushed	30.54	29.32	28.71	28.10	26.88
110143	rear top rrame, extended, 12 ft.			Buffed or Brushed	32.59	31.29	30.63	29.98	28.68
110144	lamb Havight 12 ft	SC4	_ [Non-Buffed Non-Brushed	18.07	17.35	16.99	16.62	15.90
110144	Jamb, Upright, 12 ft.	304	<i>></i>	Buffed or Brushed	22.69	21.78	21.33	20.87	19.97
110145	Cover Channel, 12 ft.		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Non-Buffed Non-Brushed	21.24	20.39	19.97	19.54	18.69
			Λ	Buffed or Brushed	26.63	25.56	25.03	24.50	23.43
110146	Security Top Channel, 12 ft.	SC4	√	Non-Buffed Non-Brushed	20.04	19.24	18.84	18.44	17.64
	Total to for smaller, 12 to	501		Buffed or Brushed	24.44	23.46	22.97	22.48	21.51
4404.47	Channel 12 ft	56.4		Non-Buffed Non-Brushed	16.22	15.57	15.25	14.92	14.27
110147	Channel, 12 ft.	SC4		Buffed or Brushed	19.51	18.73	18.34	17.95	17.17

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
440450	4.4/2"4.4/2"4/9" Apple 42.5	1142		Non-Buffed Non-Brushed	47.51	45.61	44.66	43.71	41.81
110150	1-1/2" x 1-1/2" x 1/8" Angle, 12 ft.	HA3	<i>^</i>	Buffed or Brushed	55.76	53.53	52.41	51.30	49.07
440452	Harry B. J. Walliam 42 G	S9	7 1	Non-Buffed Non-Brushed	41.14	39.49	38.67	37.85	36.20
110153	Heavy Duty Molding, 12 ft.	HA34		Buffed or Brushed	51.32	49.27	48.24	47.21	45.16
110156	Hinge Molding, 12 ft.	S8	> [] <	Non-Buffed Non-Brushed	27.50	26.40	25.85	25.30	24.20
110130	Timige mording, 12 ft.	HA34		Buffed or Brushed	32.74	31.43	30.78	30.12	28.81
110157	Glazing Strip, 12 ft.	SC8	<u></u>	Non-Buffed Non-Brushed	10.36	9.95	9.74	9.53	9.12
440450			>	Non-Buffed Non-Brushed	13.93	13.37	13.09	12.82	12.26
110159	1" x 1/2" x 1/16" Angle, 12 ft.	HA3	<u></u>	Buffed or Brushed	18.72	17.97	17.60	17.22	16.47
440470	2.4/2" 4.2/4" T. L. 42.6	HA30	√	Non-Buffed Non-Brushed	115.45	110.83	108.52	106.21	101.60
110160	2-1/2" x 1-3/4" Tube, 12 ft.		7	Buffed or Brushed	138.84	133.29	130.51	127.73	122.18
440472	4.2/4///Top Channel 42.6	HA7	7	Non-Buffed Non-Brushed	24.27	23.30	22.81	22.33	21.36
110162	1-3/16" Top Channel, 12 ft.	RD14		Buffed or Brushed	31.03	29.79	29.17	28.55	27.31
110164	Hings Dists 42 ft	ШАЗА		Non-Buffed Non-Brushed	10.41	9.99	9.79	9.58	9.16
110164	Hinge Plate, 12 ft.	HA34		Buffed or Brushed	16.86	16.19	15.85	15.51	14.84
1404/5	4" 4" 4 /4/" Apple 42 ft	1142	7	Non-Buffed Non-Brushed	18.33	17.60	17.23	16.86	16.13
110165	1" x 1" x 1/16" Angle, 12 ft.	HA3	, L	Buffed or Brushed	22.50	21.60	21.15	20.70	19.80
440444	4" 4 /0" Chris - 40 C	11444	√	Non-Buffed Non-Brushed	18.59	17.85	17.47	17.10	16.36
110166	1" x 1/8" Strip, 12 ft.	HA16	· ·	Buffed or Brushed	23.89	22.93	22.46	21.98	21.02
110167	2" x 2" X 1/8" Angle, 12 ft.	HA3	7	Non-Buffed Non-Brushed	65.61	62.99	61.67	60.36	57.74
110107	2 A 2 A 170 Aligue, 12 It.	TIAS	<u></u>	Buffed or Brushed	77.93	74.81	73.25	71.70	68.58

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
4404/0	4.4(2), 2(4), 4(0), 4.2(-4.2(-4.2(-4.2(-4.2(-4.2(-4.2(-4.2(-	1143		Non-Buffed Non-Brushed	35.27	33.86	33.15	32.45	31.04
110168	1-1/2" x 3/4" x 1/8" Angle, 12 ft.	HA3	<u> </u>	Buffed or Brushed	42.45	40.75	39.90	39.05	37.35
140474	4.4/4" 2./22" Flat Page 42.6	11144		Non-Buffed Non-Brushed	19.23	18.46	18.08	17.69	16.92
110171	1-1/4" x 3/32" Flat Bar, 12 ft.	HA16		Buffed or Brushed	24.03	23.07	22.59	22.11	21.15
440470	Constitut Trank 42 ft	SC66	-12 21	Non-Buffed Non-Brushed	30.32	29.11	28.50	27.89	26.68
110178	Security Track, 12 ft.	RD14	> []]	Buffed or Brushed	34.75	33.36	32.67	31.97	30.58
110190	E/0" v 7/44" v 4/44" Apple 42.44	HA3	~	Non-Buffed Non-Brushed	12.25	11.76	11.52	11.27	10.78
110180	5/8" x 7/16" x 1/16" Angle, 12 ft.	SC4	<u> </u>	Buffed or Brushed	17.04	16.36	16.02	15.68	15.00
110181	135° Molding, 12 ft.	HA36		Non-Buffed Non-Brushed	44.52	42.74	41.85	40.96	39.18
110161	135 Motding, 12 It.	ПАЗО		Buffed or Brushed	53.60	51.46	50.38	49.31	47.17
110192	1 1/4" v 2/9" v 1/44" Apple 12 ft	HA3	~ [Non-Buffed Non-Brushed	15.53	14.91	14.60	14.29	13.67
110182	1-1/4" x 3/8" x 1/16", Angle 12 ft.	ПАЗ	<u> </u>	Buffed or Brushed	22.06	21.18	20.74	20.30	19.41
110192	Front Frame with Lin. 12 ft	SC15	\ -\[Non-Buffed Non-Brushed	30.28	29.07	28.46	27.86	26.65
110192	Front Frame with Lip, 12 ft.	HA32		Buffed or Brushed	35.18	33.77	33.07	32.37	30.96
110104	Cover Strip 12 ft	C16		Non-Buffed Non-Brushed	24.72	23.73	23.24	22.74	21.75
110194	Cover Strip, 12 ft.	G16		Buffed or Brushed	25.80	24.77	24.25	23.74	22.70
110195	Security Top and Side Glass Support,	SC15	_ √	Non-Buffed Non-Brushed	34.19	32.82	32.14	31.45	30.09
110175	12 ft.	HA35		Buffed or Brushed	37.11	35.63	34.88	34.14	32.66
110104	Transparency Frame, 12 ft	S11		Non-Buffed Non-Brushed	52.93	50.81	49.75	48.70	46.58
110196	Transparency Frame, 12 ft.	HA33	<u> </u>	Buffed or Brushed	60.62	58.20	56.98	55.77	53.35
110197	Z-Strip for 1/2" Panel, 12 ft.	HA33 S15		Non-Buffed Non-Brushed	23.63	22.68	22.21	21.74	20.79

		Cat.			Discount Quantity Pricing						
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+		
110100		S15		Non-Buffed Non-Brushed	26.29	25.24	24.71	24.19	23.14		
110198	Face Frame, 12 ft.	HA33	<u> </u>	Buffed or Brushed	29.07	27.91	27.33	26.74	25.58		
110200	1-1/2" Diameter Half Round, 12 ft.	4.0	√	Non-Buffed Non-Brushed	28.18	27.05	26.49	25.93	24.80		
110200	(works with Endcap 310204 and Base 410443)	AT9		Buffed or Brushed	37.88	36.36	35.61	34.85	33.33		
440204	2" Diameter Half Round, 12 ft.	ATO		Non-Buffed Non-Brushed	33.89	32.53	31.86	31.18	29.82		
110201	(works with Endcaps 310205 and Base 410443)	AT9		Buffed or Brushed	39.97	38.37	37.57	36.77	35.17		
440202	3" Diameter Half Round, 12 ft.	470	√ —	Non-Buffed Non-Brushed	62.57	60.07	58.82	57.56	55.06		
110202	(works with Endcaps 310206, and Base 410540)	AT9		Buffed or Brushed	78.77	75.62	74.04	72.47	69.32		
		HA34		Non-Buffed Non-Brushed	23.01	22.09	21.63	21.17	20.25		
110204	Heavy Duty Hinge Plate, 12 ft.	S15		Buffed or Brushed	27.78	26.67	26.11	25.56	24.45		
			0	Non-Buffed Non-Brushed	38.59	37.05	36.27	35.50	33.96		
110208	Security Track, 12 ft.	RD14	> <u> </u>	Buffed or Brushed	46.47	44.61	43.68	42.75	40.89		
	4" Diameter Half Round, 12 ft.		√	Non-Buffed Non-Brushed	80.09	76.89	75.28	73.68	70.48		
110210	(works with Endcap 310207 and Base 410458)	AT10		Buffed or Brushed	101.14	97.09	95.07	93.05	89.00		
	6" Diameter Half Round, 12 ft.		V	Non-Buffed Non-Brushed	132.29	127.00	124.35	121.71	116.42		
110212	(works with Endcap 310209 and Base 412002)	AT10		Buffed or Brushed	161.85	155.38	152.14	148.90	142.43		
	Crown Wall Trim, 12 ft. (works			Non-Buffed Non-Brushed	79.68	76.49	74.90	73.31	70.12		
110214	with LH Endcap 310211, RH Endcap 310210, and Base 410458)	AT14	\\ \(\sigma\)	Buffed or Brushed	83.39	80.05	78.39	76.72	73.38		
		_	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Non-Buffed Non-Brushed	196.94	189.06	185.12	181.18	173.31		
110215	2-Way 180° Vertical, 12 ft.	G16		Buffed or Brushed	205.28	197.07	192.96	188.86	180.65		
			√ n	Non-Buffed Non-Brushed	20.19	19.38	18.98	18.57	17.77		
110216	Door Stop Jamb, 12 ft.	HA32		Buffed or Brushed	27.33	26.24	25.69	25.14	24.05		

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
440220	5 5 H. III 42.6	S14	746	Non-Buffed Non-Brushed	90.25	86.64	84.84	83.03	79.42
110220	Face Frame Mullion, 12 ft.	HA32	<u> </u>	Buffed or Brushed	94.61	90.83	88.93	87.04	83.26
110223	1-3/8" x 21/64" Rectangular Trim, 12	AT11	√	Non-Buffed Non-Brushed	23.34	22.41	21.94	21.47	20.54
110223	ft. (works with Endcap 310212 and Base 410443)	AT11	> \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Buffed or Brushed	33.84	32.49	31.81	31.13	29.78
440224	Claries lamb without last 42 ft	640	√.	Non-Buffed Non-Brushed	14.54	13.96	13.67	13.38	12.80
110224	Glazing, Jamb, without leg, 12 ft.	S10	> -	Buffed or Brushed	18.12	17.40	17.03	16.67	15.95
440225	1-1/2" x 1/2" Rectangular Trim, 12	1711	√ ×	Non-Buffed Non-Brushed	29.27	28.10	27.51	26.93	25.76
110225	ft. (works with Endcap 310213 and Base 410443)	AT11	7	Buffed or Brushed	38.91	37.35	36.58	35.80	34.24
440004	3" x 3/4" Rectangular Trim, 12 ft.	1711		Non-Buffed Non-Brushed	59.63	57.24	56.05	54.86	52.47
110226	(works with Endcap 310214 and Base 410540)	AT11	>	Buffed or Brushed	77.84	74.73	73.17	71.61	68.50
	4" x 3/4" Rectangular Trim, 12 ft.		√	Non-Buffed Non-Brushed	76.25	73.20	71.68	70.15	67.10
110227	(works with Endcap 310215 and Base 412272)	AT11	7] ~	Buffed or Brushed	102.09	98.01	95.96	93.92	89.84
110228	Front Frame Molding, 12 ft.	HA32	√ 	Non-Buffed Non-Brushed	14.47	13.89	13.60	13.31	12.73
110220	Tronc traine motung, 12 ft.	TIASZ		Buffed or Brushed	22.02	21.14	20.70	20.26	19.38
110229	3-1/2" x 1/8" Rectangular Bar, 12 ft.	HA16	V	Non-Buffed Non-Brushed	60.77	58.34	57.12	55.91	53.48
110227	3 1/2 × 1/6 Rectaligatal ball, 12 ft.	IIAIO		Buffed or Brushed	71.54	68.68	67.25	65.82	62.96
440222	4" x 2" Rectangular Trim, 12 ft.	AT4.4	√	Non-Buffed Non-Brushed	75.48	72.46	70.95	69.44	66.42
110232	(works with Endcap 310218 and Base 410458)	AT11	7	Buffed or Brushed	86.50	83.04	81.31	79.58	76.12
440222	1-3/8" Inside Cove, 12 ft. (works	AT4.4	7	Non-Buffed Non-Brushed	54.19	52.02	50.94	49.85	33.52
110233	with Endcap 310219 and Base 410443)	AT14		Buffed or Brushed	58.72	56.37	55.20	54.02	37.51
440224	4" Cornice Trim, 12 ft. (works with	AT4.6	7<	Non-Buffed Non-Brushed	69.72	66.93	65.54	64.14	61.35
110234	LH Endcap 310221, RH Endcap 310220 and Base 410458)	AT14		Buffed or Brushed	80.05	76.85	75.25	73.65	70.44

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
440244	4-1/2" x 1-1/2" Stepped Trim, 12 ft.	AT4.4	7	Non-Buffed Non-Brushed	86.01	82.57	80.85	79.13	75.69
110244	(works with LH Endcap 310228, RH Endcap 310227 and Base 410458)	AT14	7 7	Buffed or Brushed	103.33	99.20	97.13	95.06	90.93
110245	3" x 1.5" Rectangular Trim, 12 ft.	AT14	√	Non-Buffed Non-Brushed	112.89	108.37	106.12	68.18	64.78
110245	(works with Endcap 310229 and Base 410540)	AT11	7 4	Buffed or Brushed	126.74	121.67	119.14	80.37	76.36
110248	1" X 1/2" Rectangular Trim, 12 ft.	AT4.4	√ V	Non-Buffed Non-Brushed	26.26	25.21	24.68	24.16	23.11
110248	(works with Base 411331)	AT11	3 8 5	Buffed or Brushed	35.65	34.22	33.51	32.80	31.37
440254	Chan Fillan 42.65	RD14	√ √	Non-Buffed Non-Brushed	6.32	6.07	5.94	5.81	5.56
110251	Shoe Filler, 12 ft.	HA10		Buffed or Brushed	7.28	6.99	6.84	6.70	6.41
440250	D. II. 42 G	11422	~	Non-Buffed Non-Brushed	63.59	61.05	59.77	58.50	55.96
110258	Pull, 12 ft.	HA23		Buffed or Brushed	74.37	71.40	69.91	68.42	65.45
440240	5" x 3/4" Rectangular Trim, 12 ft.	4742	V	Non-Buffed Non-Brushed	70.15	67.34	65.94	64.54	61.73
110260	(works with Endcap 310233 and Base 412002)	AT13	> [<	Buffed or Brushed	91.53	87.87	86.04	84.21	80.55
440277	3/4" Diameter Half Round, 12 ft.	470	V	Non-Buffed Non-Brushed	10.55	10.13	9.92	9.71	9.28
110267	(works with Endcap 310395 and Base 411331)	AT9		Buffed or Brushed	14.05	13.49	13.21	12.93	12.36
110268	Z-Strip for 1/4" Panel, 12 ft.	HA33 S11		Non-Buffed Non-Brushed	18.17	17.44	17.08	16.72	15.99
440040	6" x 3/4" Rectangular Trim, 12 ft.		√	Non-Buffed Non-Brushed	112.59	108.09	105.83	103.58	99.08
110269	(works with Endcap 310235 and Base 412002)	AT11	>[[]]<	Buffed or Brushed	155.83	149.60	146.48	143.36	137.13
440204	3" Radius Quarter Round, 12 ft.	AT. (Non-Buffed Non-Brushed	76.45	73.39	71.86	70.33	67.28
110286	(works with LH Endcap 310242, RH Endcap 310239 and Base 410540)	AT66		Buffed or Brushed	91.62	87.96	86.12	84.29	80.63

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
110289	Pottom Frame Law Brofile 12 ft	SC5		Non-Buffed Non-Brushed	19.33	18.56	18.17	17.78	17.01
110289	Bottom Frame, Low Profile, 12 ft.	303	7 2 5	Buffed or Brushed	23.98	23.02	22.54	22.06	22.10
	1-1/2" Radius Quarter Round, 12 ft. (works with LH Endcap			Non-Buffed Non-Brushed	44.49	42.71	41.82	40.93	39.15
110290	310243, RH Endcap 310240, and base 410443)	AT6		Buffed or Brushed	54.24	52.07	50.99	49.90	47.73
110293	2-1/2" x 1" Angle, 12 ft.	HA3	>	Non-Buffed Non-Brushed	39.30	37.73	36.94	36.16	34.58
110293	Z-1/Z X I Aligle, IZ II.	ПАЗ	Λ	Buffed or Brushed	51.65	49.58	48.55	47.52	45.45
140204	1-1/2" x 1/2" Scalloped Rectangular,	AT4.4	√ V	Non-Buffed Non-Brushed	27.34	26.25	25.70	25.15	24.06
110294	12 ft. (works with Endcap 310241 and Base 410443)	AT11	7	Buffed or Brushed	35.87	34.44	33.72	33.00	31.57
110205	2" Half Round with 3/4" Returns,	AT/		Non-Buffed Non-Brushed	46.15	44.30	43.38	42.46	40.61
110295	12 ft. (works with Endcap 310205 and Base 410443)	AT6		Buffed or Brushed	60.25	57.84	56.64	55.43	53.02
110296	3/4" Radius Quarter Round, 12 ft. (works with LH Endcap 310374, RH	AT11		Non-Buffed Non-Brushed	15.77	15.14	14.82	14.51	13.88
110270	Endcap 310375 and Base 411331)	AIII		Buffed or Brushed	20.49	19.67	19.26	18.85	18.03
110298	1-1/2" Tee, 12 ft.	HA27		Non-Buffed Non-Brushed	44.54	42.76	41.87	40.98	39.20
110270	172 166, 1216.	11727		Buffed or Brushed	56.20	53.95	52.83	51.70	49.46
110299	1-1/4" Radius Quarter Round, 12 ft. (works with LH Endcap 310245, RH	AT6		Non-Buffed Non-Brushed	37.14	35.65	34.91	34.17	32.68
110277	Endcap 310244 and Base 410530)	ATO		Buffed or Brushed	51.90	49.82	48.79	47.75	45.67
440200	5. 1.5 5 426	S11		Non-Buffed Non-Brushed	41.85	40.18	39.34	38.50	36.83
110300	Extended Face Frame, 12 ft.	HA33	<u> </u>	Buffed or Brushed	50.10	48.10	47.09	46.09	44.09
	2-7/8" Fluted Trim, 12 ft. (works		V	Non-Buffed Non-Brushed	63.09	60.57	59.30	58.04	55.52
110301	with Endcap 310246 and Base 410540)	AT14	- [Buffed or Brushed	81.19	77.94	76.32	74.69	71.45
	2-1/4" x 1/2" Rectangular Trim, 12		V	Non-Buffed Non-Brushed	47.20	45.31	44.37	43.42	41.54
110304	ft. (work with Endcap 310251 and Base 410443)	AT11	>[]<	Buffed or Brushed	64.55	61.97	60.68	59.39	56.80

Page 20

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
440205	7" 4 /4/" Tring Chair 9 66	11447		Non-Buffed Non-Brushed	57.95	55.63	54.47	53.31	51.00
110305	7" x 1/16" Trim Strip, 8 ft.	HA16		Buffed or Brushed	70.94	68.10	66.68	65.26	62.43
110306	1-1/2" x 1-1/2" x 1/8" 135° Angle,	HA3	V	Non-Buffed Non-Brushed	52.51	50.41	49.36	48.31	46.21
110300	12 ft.	TIAS	<i>y</i>	Buffed or Brushed	67.95	65.23	63.87	62.51	59.80
110307	2" x 5/8" Rectangular Trim, 12 ft. (works with Endcap 310250 and Base	AT11	√ √	Non-Buffed Non-Brushed	43.05	41.33	40.47	39.61	37.88
110307	410443)	AIII	>	Buffed or Brushed	58.46	56.12	54.95	53.78	51.44
440200	2" Radius Quarter Round, 12 ft.	1.70		Non-Buffed Non-Brushed	94.89	91.09	89.20	57.54	54.66
110308	(works with LH Endcap 310253, RH Endcap 310252 and Base 410443)	AT6		Buffed or Brushed	101.00	96.96	94.94	62.92	59.77
	2-1/2" Radius Quarter Round, 12 ft.		-	Non-Buffed Non-Brushed	99.73	95.74	93.75	60.29	57.27
110309	(works with LH Endcap 310255, RH Endcap 310254and Base 410540)	AT6).	Buffed or Brushed	106.38	102.12	100.00	66.13	62.83
110210	2-1/2" Diameter Half Round, 12 ft.	4.70	V	Non-Buffed Non-Brushed	63.85	61.30	60.02	58.74	38.88
110310	(works with Endcap 310249 and Base 410540)	AT8		Buffed or Brushed	72.06	69.18	67.74	66.30	46.10
	1-1/2" Front Frame for Curving, 12		√ . F	Non-Buffed Non-Brushed	47.39	45.49	44.55	43.60	29.72
110315	ft.		7 2	Buffed or Brushed	56.87	54.60	53.46	52.32	38.07
	3" x 1" Stepped Trim, 12 ft. (works			Non-Buffed Non-Brushed	103.42	99.28	97.21	63.51	60.34
110325	with LH Endcap 310259, RH Endcap 310260 and Base 410443)	AT14	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Buffed or Brushed	114.27	109.70	107.41	73.06	69.41
	1" Diameter Half Round, 12 ft.		V	Non-Buffed Non-Brushed	18.55	17.81	17.44	17.07	16.32
110328	(works with Endcap 310323 and Base 411331)	AT8		Buffed or Brushed	27.66	26.55	26.00	25.45	24.34
110340	Reflector Strip, 12 ft.			Non-Buffed Non-Brushed	17.88	17.16	16.81	16.45	15.73
440244	Ede Maldie with Law 12.0	S13	>[4]	Non-Buffed Non-Brushed	25.92	24.88	24.36	23.85	22.81
110341	Edge Molding with Leg, 12 ft.	HA34		Buffed or Brushed	35.70	34.27	33.56	32.84	31.42

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
110346	Frame Clip, 12 ft.	HA33		Non-Buffed Non-Brushed	23.32	22.39	21.92	21.45	20.52
110348	13/16" I.D. Tube, .050" Thick, 12 ft.	HA29	1	Non-Buffed Non-Brushed	23.45	22.51	22.04	21.57	20.64
110346	(.913 O.D.)	ПАZ9		Buffed or Brushed	34.06	32.70	32.02	31.34	29.97
440250	Heavy Duty Shoe, 12 ft. (works with	SC9	7 1	Non-Buffed Non-Brushed	45.62	43.80	42.88	41.97	40.15
110350	Endcap Assembly 510331)	RD10	Ü	Buffed or Brushed	55.34	53.13	52.02	50.91	48.70
110358	Anchor Channel for 2" WallMaker Sills, 12 ft.	G2		Non-Buffed Non-Brushed	56.95	54.67	53.53	52.39	50.12
440050	1"x2" WallMaker Flanged Header,	G10		Non-Buffed Non-Brushed	91.19	87.54	85.72	83.89	80.25
110359	smooth, 12 ft.	HA10		Buffed or Brushed	103.81	99.66	97.58	95.51	91.35
110210	1"x2" WallMaker Header, smooth,	G10		Non-Buffed Non-Brushed	59.78	57.39	56.19	55.00	52.61
110360	12 ft.	HA11	7 2	Buffed or Brushed	80.55	77.33	75.72	74.11	70.88
110241	411 411 11 11 11 12 13	G7		Non-Buffed Non-Brushed	36.20	34.75	34.03	33.30	31.86
110361	1"x1" WallMaker Sill, 12 ft.	HA10		Buffed or Brushed	47.55	45.65	44.70	43.75	41.84
4400=0	Single Channel with Extended Leg,	RD14	n n	Non-Buffed Non-Brushed	21.31	20.46	20.03	19.61	18.75
110372	12 ft.	HA35		Buffed or Brushed	26.67	25.60	25.07	24.54	23.47
440204	2-5/8" x 1/2" Streamline, 12 ft.	174.4	√	Non-Buffed Non-Brushed	69.53	66.75	65.36	63.97	43.88
110381	(works with Endcap 310286 and Base 410540)	AT14	> [Buffed or Brushed	81.82	78.55	76.91	75.27	54.69
110292	2-5/8" x 1-3/4" Classic Cornice, 12	AT4.4		Non-Buffed Non-Brushed	46.32	44.47	43.54	42.61	40.76
110382	ft. (works with RH Endcap 310288, LH Endcap 310287 and Base 410540)	AT14		Buffed or Brushed	75.20	72.19	70.69	69.18	66.18
110202	3" x 2-1/2" Classic Cove, 12 ft.	AT4E		Non-Buffed Non-Brushed	94.80	91.01	89.11	87.22	83.42
110383	(works with LH Endcap 310292, RH Endcap 310293 and Base 410540)	AT15	1. S	Buffed or Brushed	97.27	93.38	91.43	89.49	85.60

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
110384	2" x 5/8" New Wave, 12 ft. (works	AT15	V	Non-Buffed Non-Brushed	55.34	53.13	52.02	50.91	33.11
110364	with Endcap 310289 and Base 410443)	AT15		Buffed or Brushed	63.99	61.43	60.15	58.87	40.73
110385	2-3/16" x 1/2" Classic Trim, 12 ft. (works with LH Endcap 310290, RH	AT15		Non-Buffed Non-Brushed	31.32	30.07	29.44	28.81	27.56
110303	Endcap 310291 and Base 410443)	AIIJ	3	Buffed or Brushed	39.85	38.26	37.46	36.66	35.07
110391	Accent Strip for Curved Lengths, 12	11446		Non-Buffed Non-Brushed	7.24	6.95	6.81	6.66	6.37
110391	ft.	HA16		Buffed or Brushed	11.04	10.60	10.38	10.16	9.72
110394	1/4" Glass Shelf Edging, 12 ft.	HA35		Non-Buffed Non-Brushed	20.62	19.80	19.38	18.97	18.15
110374	174 Glass Shell Edging, 12 It.	TIAJJ	<i>N</i>	Buffed or Brushed	25.02	24.02	23.52	23.02	22.02
440205	2 (0) (1) (1) (2) (1)	114.25		Non-Buffed Non-Brushed	19.00	18.24	17.86	17.48	16.72
110395	3/8" Glass Shelf Edging, 12 ft.	HA35	<u> </u>	Buffed or Brushed	25.48	24.45	23.95	23.44	22.42
110398	Accent Strip for Straight Lengths,	HA16	√	Non-Buffed Non-Brushed	13.49	12.95	12.68	12.41	11.87
110396	12 ft.	ПАТО		Buffed or Brushed	18.66	17.91	17.54	17.17	16.42
110400	2" x 1-1/2" Panel Molding, 12 ft. (works with LH Endcap 310386, RH	AT15	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Non-Buffed Non-Brushed	47.64	45.73	44.78	43.83	41.92
110400	Endcap 310385 and Base 410443)	AIIJ	N	Buffed or Brushed	52.11	50.03	48.98	47.94	45.86
110403	3/8" Face Frame, 12 ft.	HA33		Non-Buffed Non-Brushed	25.55	24.53	24.02	23.51	22.48
110403	370 rate rialle, 12 it.	S8	<u>L</u> ,	Buffed or Brushed	30.89	29.65	29.04	28.42	27.18
440440	3/4" Square Trim, 12 ft. (works with	AT44	√ √	Non-Buffed Non-Brushed	29.47	28.29	27.70	27.11	25.93
110410	Endcap 310403 and Base 411331)	AT11		Buffed or Brushed	34.04	32.68	32.00	31.32	29.96
440442	Deep Pocket Shoe, 12 ft. (works with	DD4.4		Non-Buffed Non-Brushed	42.38	40.68	39.84	38.99	37.29
110412	Endcap Assembly 510371)	RD14		Buffed or Brushed	59.10	56.74	55.55	54.37	52.01
110413	3/4" x 4" Channel, 12 ft.	HA11		Non-Buffed Non-Brushed	158.49	152.15	148.98	145.81	139.47
110413	57 F AT Chamet, 12 It.	IIAII		Buffed or Brushed	169.45	162.67	159.28	155.89	149.12

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
			,	Non-Buffed Non-Brushed	57.36	55.07	53.92	52.77	50.48
110419	3" x 1/8" Bar, 12 ft.	HA16		Buffed or Brushed	66.09	63.45	62.12	60.80	58.16
110120	3" X 1" Radius Step Trim, 12 ft.		7~	Non-Buffed Non-Brushed	78.69	75.54	73.97	48.93	46.48
110420	(works with LH endcap 310378, RH endcap 310377 and base 410540)	AT15	ا ا	Buffed or Brushed	89.04	85.48	83.70	58.04	55.13
110422	1/2" O.D. Tibo E/44" thick 12 ft	HA29	√	Non-Buffed Non-Brushed	18.85	18.10	17.72	17.34	16.59
110423	1/2" O.D. Tube, 5/64" thick, 12 ft.	ПАZ9	1	Buffed or Brushed	19.74	18.95	18.56	18.16	17.37
440424	1-1/2" x 1-1/2" Corner Trim,	AT4 F		Non-Buffed Non-Brushed	51.57	49.51	48.48	47.44	45.38
110424	12 ft. (Works with base 410443)	AT15	<u> </u>	Buffed or Brushed	56.24	53.99	52.87	51.74	49.49
	Glass End Stock Endcap Extrusion,		1.	Non-Buffed Non-Brushed	47.60	45.70	44.74	43.79	41.89
110426	8 ft.	HA36		Buffed or Brushed	53.78	51.63	50.55	49.48	47.33
110428	Anchor Channel for 2-1/2" WallMaker Sills, 12 ft.	G6		Non-Buffed Non-Brushed	70.21	67.40	66.00	64.59	61.78
	1" Diameter Half Round with 3/8"			Non-Buffed Non-Brushed	35.83	34.40	33.68	32.96	31.53
110432	Channel, 12 ft. (works with Endcaps LH 310324 and RH 310325)	HA35		Buffed or Brushed	37.43	35.93	35.18	34.44	32.94
440424	2-9/16"x2-1/2" WallMaker Header,	643	7 1	Non-Buffed Non-Brushed	207.00	198.72	194.58	190.44	182.16
110434	12 ft.	G12		Buffed or Brushed	224.58	215.60	211.11	206.61	197.63
110441	4 / 4" Trim Channel 42 ft	CCE	√	Non-Buffed Non-Brushed	15.61	14.99	14.67	14.36	13.74
110441	1/4" Trim Channel, 12 ft.	SC5		Buffed or Brushed	23.91	22.95	22.48	22.00	21.04
			_ \	Non-Buffed Non-Brushed	17.65	16.94	16.59	16.24	15.53
110451	7/8" x 7/8" x 1/16" Angle, 12 ft.	HA3	7	Buffed or Brushed	24.70	23.71	23.22	22.72	21.74
110444	2" v 1" Channel 12 ft	ПУ10	7 2	Non-Buffed Non-Brushed	53.98	51.82	50.74	49.66	47.50
110461	2" x 1" Channel, 12 ft.	HA10	\ \	Buffed or Brushed	63.52	60.98	59.71	58.44	55.90
110465	5-3/4" x 2-1/4" Traditional American, 12 ft. (works with LH Endcap 310399	AT15	7	Non-Buffed Non-Brushed	131.08	125.84	123.22	120.59	115.35
110403	RH Endcap 310400 and Base 412002)	ALID	\ \ \	Buffed or Brushed	185.73	178.30	174.59	170.87	163.44

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
110471	Upright, Center, 12 ft.		Ħ	Non-Buffed Non-Brushed	28.79	27.64	27.06	26.49	25.34
110472	Upright, Wall, 12 ft.		> 5	Non-Buffed Non-Brushed	88.76	85.21	83.43	81.66	78.11
110472	Opright, Wall, 12 ft.		7 7	Buffed or Brushed	99.44	95.46	93.47	91.48	87.51
110481	2"x6" WallMaker Sill, 12 ft.	G10	V V	Non-Buffed Non-Brushed	392.00	376.32	368.48	360.64	344.96
110461	2 XO Wattimaker Sitt, 12 It.	Gio	7 2	Buffed or Brushed	425.79	408.76	400.24	391.73	374.70
110482	2"x4" WallMaker Sill, 12 ft.	G9	√ √ N N	Non-Buffed Non-Brushed	272.26	261.37	255.92	250.48	239.59
110462	2 x4 Wallmaker Sill, 12 ft.	G9		Buffed or Brushed	298.88	286.92	280.95	274.97	263.01
110483	2"x1-3/4" WallMaker Header, 12 ft.	G9	7	Non-Buffed Non-Brushed	107.72	103.41	101.26	99.10	94.79
110463	2 x1-3/4 Wallmaker Header, 12 ft.	G9	\ \ \	Buffed or Brushed	123.84	118.89	116.41	113.93	108.98
110507	1-1/4" Dia. Half Round with 1/2" Return, 12 ft. (works with Base	AT8	1	Non-Buffed Non-Brushed	29.20	28.03	27.45	26.86	25.70
110307	410530 and Recessed Base 411185)	Aio		Buffed or Brushed	36.27	34.82	34.09	33.37	31.92
110521	Filler Strip, 12 ft.	G3	7	Non-Buffed Non-Brushed	11.96	11.48	11.24	11.00	10.52
110321	Titler Strip, 12 ft.	3	٨	Buffed or Brushed	15.39	14.77	14.47	14.16	13.54
440522	Backframe Header without Top	6645	√ ————————————————————————————————————	Non-Buffed Non-Brushed	73.95	70.99	69.51	68.03	65.08
110523	Glass, 12 ft.	SC15		Buffed or Brushed	85.18	81.77	80.07	78.37	74.96
440520	1-21/32" x 1/8" Flat Stock, 12 ft.	111.44	V	Non-Buffed Non-Brushed	33.60	32.26	31.58	30.91	29.57
110538	(0.10 crown on surface opposite grove)	HA16		Buffed or Brushed	41.42	39.76	38.93	38.11	36.45
440547	Comp. Compath. Locida (IIII), 42-6		> -	Non-Buffed Non-Brushed	49.37	47.40	46.41	45.42	43.45
110547	Cover, Smooth, Inside "H", 12 ft.		*\ \ \ \ \ \ \	Buffed or Brushed	53.23	51.10	50.04	48.97	46.84
1405 49	Cover Smooth Outside Will 42 C		7	Non-Buffed Non-Brushed	35.36	33.95	33.24	32.53	31.12
110548	Cover, Smooth, Outside "H", 12 ft.		<u>۸</u>	Buffed or Brushed	41.03	39.39	38.57	37.75	36.11
110560	Rod, 3/4" Dia., 12 ft.	HA29	1	Non-Buffed Non-Brushed	63.01	60.49	59.23	57.97	55.45
110300	100, 377 Did., 12 It.	IIAZ7	1	Buffed or Brushed	68.68	65.93	64.56	63.19	60.44

		Cat.				Discount	Quantity	y Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
			No.	Non-Buffed Non-Brushed	403.73	387.58	379.51	371.43	355.28
110563	Rod, 2" Dia., 12 ft.	HA29		Buffed or Brushed	409.67	393.28	385.09	376.90	360.51
110573	Wireway Tube, 12 ft.	HA30	√ 	Non-Buffed Non-Brushed	12.88	12.36	12.11	11.85	11.33
110373	wileway lube, 12 It.	TIAGO		Buffed or Brushed	16.00	15.36	15.04	14.72	14.08
	Showcase Molding w/o Holes,	SC15	7	Non-Buffed Non-Brushed	12.42	11.92	11.67	11.43	10.93
110577	12 ft. (with holes 410099)	HA10		Buffed or Brushed	16.65	15.98	15.65	15.32	14.65
440500	SI 20 (1)	5645	√ -	Non-Buffed Non-Brushed	46.94	45.06	44.12	43.18	41.31
110582	Showcase Rail, 12 ft.	SC15		Buffed or Brushed	49.25	47.28	46.30	45.31	43.34
110/17	Sign Trim, 12 ft. (works with Base	AT45		Non-Buffed Non-Brushed	28.70	27.55	26.98	26.40	25.26
110617	110618)	AT15	<i>.</i>	Buffed or Brushed	36.13	34.68	33.96	33.24	31.79
110618	Sign Trim Base, 12 ft. (works with Trim 110617)	AT16	(F	Non-Buffed Non-Brushed	18.81	18.06	17.68	17.31	16.55
110/22	2/4"4.4/2"4/0".hpml= 0.4"	1144		Non-Buffed Non-Brushed	25.53	24.51	24.00	23.49	22.47
110622	3/4" x 1-1/2" x 1/8" Angle, 84"	HA4	^	Buffed or Brushed	30.93	29.69	29.07	28.46	27.22
	1" x 2" x 1" Rectangular Trim, 12 ft.		√ 	Non-Buffed Non-Brushed	42.40	40.70	39.86	39.01	37.31
110639	(works with Base 410443, 410466) (works with endcap 310735)	AT11		Buffed or Brushed	54.63	52.44	51.35	50.26	48.07
	Top Rear Showcase Channel, for 1/2"		1	Non-Buffed Non-Brushed	74.46	71.48	69.99	68.50	65.52
110640	Glass, 12 ft.	SC15		Buffed or Brushed	92.34	88.65	86.80	84.95	81.26
440.5.11			√	Non-Buffed Non-Brushed	131.47	126.21	123.58	120.95	115.69
110641	2" Square Tube, 1/8" Thick, 12 ft.	HA30	>	Buffed or Brushed	141.39	135.73	132.91	130.08	124.42
110646	Trim, Drawer, 12 ft.			Non-Buffed Non-Brushed	13.44	12.90	12.63	12.36	11.83
			√	Non-Buffed Non-Brushed	136.01	130.57	127.85	125.13	119.69
110648	Bar, 1" x 1", 12 ft.	HA16	7	Buffed or Brushed	143.46	137.72	134.85	131.98	126.24

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
110649	Security Channel for 3/8" Glass, 12	SC12	√	Non-Buffed Non-Brushed	20.90	20.06	19.65	19.23	18.39
110049	ft.	3012		Buffed or Brushed	22.47	21.57	21.12	20.67	19.77
110650	3/8" Glass Channel, 12 ft.	HA10		Non-Buffed Non-Brushed	14.97	14.37	14.07	13.77	13.17
110030	376 Glass Chainet, 12 ft.	SC15	7 2	Buffed or Brushed	17.46	16.76	16.41	16.06	15.36
110652	F Channel, 3/8" Glass 12 ft.		> _	Non-Buffed Non-Brushed	23.52	22.58	22.11	21.64	20.70
110032	T Charlet, 576 Stass 12 ft.			Buffed or Brushed	31.46	30.20	29.57	28.94	27.68
110653	Front Frame with Security Lip for	SC15	\ 	Non-Buffed Non-Brushed	32.74	31.43	30.78	30.12	28.81
110033	3/8" Glass, 12 ft.	5013		Buffed or Brushed	38.08	36.56	35.80	35.03	33.51
110655	6-1/2" x 1/4" Bar, 10 ft.	HA11	√	Non-Buffed Non-Brushed	166.76	160.09	156.75	153.42	146.75
110033	0-1/2 X 1/4 Bai, 10 IC.	HAII		Buffed or Brushed	180.51	173.29	169.68	166.07	158.85
110665	1/2" x 1/4" Rectangular Bar, 12 ft.	HA16	√	Non-Buffed Non-Brushed	28.02	26.90	26.34	25.78	24.66
110003	172 X 174 Rectaligutal bal, 12 It.	TIATO	7 <	Buffed or Brushed	35.22	33.81	33.11	32.40	30.99
110666	3/8" Glass "F" Channel, 12 ft.		√ 	Non-Buffed Non-Brushed	26.86	25.79	25.25	24.71	23.64
110000	370 dtass i chamict, 12 ft.			Buffed or Brushed	34.69	33.30	32.61	31.91	30.53
110669	3/4" Column Molding, 12 ft.	FM17		Non-Buffed Non-Brushed	95.16	91.35	89.45	87.55	83.74
	37 F Cotanii Motallig, 12 Ft.	.,,,,,		Buffed or Brushed	104.10	99.94	97.85	95.77	91.61
110670	1/4" Glass Shelf Edging, 12 ft.		\	Non-Buffed Non-Brushed	29.51	28.33	27.74	27.15	25.97
110070	The Glass shear Eaging, 12 fee		7	Buffed or Brushed	32.61	31.31	30.65	30.00	28.70
110671	1/4" Glass "F" Channel with Unequal		\	Non-Buffed Non-Brushed	28.09	26.97	26.40	25.84	24.72
110071	Legs, 12 ft.			Buffed or Brushed	33.83	32.48	31.80	31.12	29.77
110672	3/4" Trim (works with Base 412007),	AT11	\ \ \	Non-Buffed Non-Brushed	11.31	10.86	10.63	10.41	9.95
113072	12 ft.	AIII	7	Buffed or Brushed	13.91	13.35	13.08	12.80	12.24
110674	Shelf Sign Holder, 12 ft.	HA33	1/2	Non-Buffed Non-Brushed	31.94	30.66	30.02	29.38	28.11
				Buffed or Brushed	35.84	34.41	33.69	32.97	31.54

		Cat.		Discount Quantity Pricing					
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
110683	1 22/22" v 2/4" II Channel 40 ft	нлл	7	Non-Buffed Non-Brushed	26.06	25.02	24.50	23.98	22.93
110683	1-23/32" x 3/4" U-Channel, 10 ft.	HA10	Λ.	Buffed or Brushed	34.13	32.76	32.08	31.40	30.03
110689	1/2" x 1/2" Bar Sq., 12 ft.	HA16	√	Non-Buffed Non-Brushed	35.46	34.04	33.33	32.62	31.20
110089	172 X 172 Bal 34., 12 IC.	ПАТО	7	Buffed or Brushed	38.57	37.03	36.26	35.48	33.94
110691	U-Channel with Returns, 12 ft.	HA10		Non-Buffed Non-Brushed	18.78	18.03	17.65	17.28	16.53
110693	1/2" x 3/16" Flat Bar, 12 ft.	HA16	√ V	Non-Buffed Non-Brushed	16.84	16.17	15.83	15.49	14.82
110093	172 X 3710 Flat Dai, 121t.	ПАТО	<	Buffed or Brushed	18.02	17.30	16.94	16.58	15.86
110697	1-1/2" x 1-1/4" Anchor Channel, 10 ft.	G15		Non-Buffed Non-Brushed	50.16	48.15	47.15	46.15	44.14
440708	1-1/2" x 4" Sill, 10 ft.	G15		Non-Buffed Non-Brushed	196.98	189.10	185.16	181.22	173.34
110698				Buffed or Brushed	213.81	205.26	200.98	196.71	188.15
110/00		G16		Non-Buffed Non-Brushed	133.68	128.33	125.66	122.99	117.64
110699	1-1/2" x 1-3/4" H Channel, 10 ft.		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Buffed or Brushed	158.62	152.28	149.10	145.93	139.59
110700	1 1/2" v 1 2/4" Too Channel 10 ft	C14	7	Non-Buffed Non-Brushed	74.84	71.85	70.35	68.85	65.86
110700	1-1/2" x 1-3/4" Top Channel, 10 ft.	G16		Buffed or Brushed	85.43	82.01	80.30	78.60	75.18
440705	F (0" V 2 / 4" 4 / 4 / " T. b = 0 66	11420	√ 	Non-Buffed Non-Brushed	17.81	17.10	16.74	16.39	15.67
110705	5/8" X 3/4" x 1/16" Tube, 8 ft.	HA30	<u></u>	Buffed or Brushed	26.16	25.11	24.59	24.07	23.02
440707	4.4/0 Disease D. 1.42.6	11422	4	Non-Buffed Non-Brushed	139.55	133.97	131.18	128.39	122.80
110706	1-1/8" Diameter Rod, 12 ft.	HA29	1 7	Buffed or Brushed	146.02	140.18	137.26	134.34	128.50
440700	4.4/211.4/211.Post	11444	√ √	Non-Buffed Non-Brushed	93.58	89.84	87.97	86.09	82.35
110709	1-1/3" x 1/2" Rectangular Bar, 12 ft.	HA16	7	Buffed or Brushed	103.26	99.13	97.06	95.00	90.87

		Cat.			Discount Quantity Pricing					
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+	
	Deffective Stell 20° Occidental		√ 	Non-Buffed Non-Brushed	68.35	65.62	64.25	62.88	60.15	
110719	Reflector Shell, 30° Opening with Security Glass Lip, 12 ft.	SC17	} 2	Buffed or Brushed	73.88	70.92	69.45	67.97	65.01	
440720	Deffective Statil 20° Occidental	5647	7	Non-Buffed Non-Brushed	75.58	72.56	71.05	69.53	66.51	
110720	Reflector Shell, 30° Opening without Security Glass Lip, 12 ft.	SC17		Buffed or Brushed	90.45	86.83	85.02	83.21	79.60	
110725	U Channel 3/8" Glass with		7	Non-Buffed Non-Brushed	23.62	22.68	22.20	21.73	20.79	
110723	Extended Leg, 12 ft.			Buffed or Brushed	27.54	26.44	25.89	25.34	24.24	
110728	1 47/22" v 0/44" Aprile 12 ft	HA3		Non-Buffed Non-Brushed	22.96	22.04	21.58	21.12	20.20	
110726	1-17/32" x 9/16" Angle, 12 ft.	ПАЗ		Buffed or Brushed	26.38	25.32	24.80	24.27	23.21	
110730	Channel 3/8" Glass, 12 ft.	HA11		Non-Buffed Non-Brushed	31.52	30.26	29.63	29.00	19.23	
110/30				Buffed or Brushed	34.34	32.97	32.28	31.59	21.72	
110731	Tube, 1-5/8" x 3/4" Rectangle, 12 ft.	HA30	\ 	Non-Buffed Non-Brushed	46.62	44.76	43.82	42.89	41.03	
110731		TIAGO	<i>P</i>	Buffed or Brushed	58.88	56.52	55.35	54.17	51.81	
110734	T 2" 4 (2" 40 6)	HA27	√ √	Non-Buffed Non-Brushed	40.53	38.91	38.10	37.29	35.67	
110734	Tee, 2" x 1/2", 10 ft.			Buffed or Brushed	43.36	41.63	40.76	39.89	38.16	
110735	Tee, 3/4" x 1/2", 10 ft.	HA27	√ 	Non-Buffed Non-Brushed	23.43	22.49	22.02	21.56	20.62	
110733	lee, 374 × 172 , 10 1t.	TIAZ7		Buffed or Brushed	35.37	33.96	33.25	32.54	31.13	
110727	"I" 4" v 4 / 4" 40 5+	шлэ	-	Non-Buffed Non-Brushed	13.31	12.78	12.51	12.25	11.71	
110737	"L", 1" x 1/4", 10 ft.	HA3	^	Buffed or Brushed	23.77	22.82	22.34	21.87	20.92	
110738	H-Channel, 7/16" x 1-3/4", 12 ft.			Non-Buffed Non-Brushed	78.82	75.67	74.09	72.51	69.39	
110720	Trim, 1" x 1", 12 ft., (Works with		√ √	Non-Buffed Non-Brushed	30.24	29.03	28.43	27.82	26.61	
110739	base 412007)		\frac{2}{5}	Buffed or Brushed	34.37	33.00	32.31	31.62	30.25	

		Cat.				/ Pricing			
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
110741	Trim 2" Bullness 42 ft		\	Non-Buffed Non-Brushed	89.50	85.92	84.13	82.34	78.76
110741	Trim, 2" Bullnose, 12 ft.	AT15		Buffed or Brushed	95.37	91.56	89.65	87.74	83.93
110747	3" X 3" Square Tube, 1/8" Thick, 12	HA30	7	Non-Buffed Non-Brushed	203.69	195.54	191.47	187.39	179.25
110747	ft.	TIAGO	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Buffed or Brushed	225.35	216.34	211.83	207.32	198.31
110750	U Channel, 7/8" x 1-1/2", 12 ft.	HA11	7 2	Non-Buffed Non-Brushed	36.56	35.10	34.37	33.64	32.17
110730	o channet, 770 x 1-172, 121t.	ПАП	^	Buffed or Brushed	41.65	39.98	39.15	38.32	36.65
110757	U Channel, 3/4" x 3/4", 12 ft.	HA10		Non-Buffed Non-Brushed	35.89	34.45	33.74	33.02	31.58
110737	0 Chainet, 374 × 374 , 121t.	TIATO	<i>^</i>	Buffed or Brushed	44.82	43.03	42.13	41.23	39.44
	U Channel, .938" x .313", 12 ft.	HA11	>	Non-Buffed Non-Brushed	14.68	14.09	13.80	13.51	12.92
110760				Buffed or Brushed	20.77	19.94	19.52	19.11	18.28
110764	Angle, 7/8" x 3/8" x 1/8", 12 ft.	HA4	7	Non-Buffed Non-Brushed	22.51	21.61	21.16	20.71	19.81
110704			<i>P</i>	Buffed or Brushed	25.47	24.45	23.94	23.43	22.41
110787	Flat Day 4.4 (2) 4 (0) 42 (1	HA16	√ √	Non-Buffed Non-Brushed	26.64	25.57	25.04	24.51	23.44
110767	Flat Bar, 1-1/2" x 1/8", 12 ft.	ПАТО	^	Buffed or Brushed	37.43	35.93	35.18	34.44	32.94
440700	Flot Per 2/4" 4/4" 42 G	11446	√	Non-Buffed Non-Brushed	30.96	29.72	29.10	28.48	27.24
110788	Flat Bar, 3/4" x 1/4", 12 ft.	HA16	>	Buffed or Brushed	39.70	38.11	37.32	36.52	34.94
440790	T.b. 4" 4" 4 (0" 42 6)	11420		Non-Buffed Non-Brushed	63.35	60.82	59.55	58.28	55.75
110789	Tube, 1" x 1" x 1/8" 12 ft.	HA30	7	Buffed or Brushed	79.91	76.71	75.12	73.52	70.32
110700				Non-Buffed Non-Brushed	132.42	127.12	124.47	121.83	116.53
110790	3.5" Bullnose, 12 ft.		7 7	Buffed or Brushed	150.56	144.54	141.53	138.52	132.49
110000	Cover T 1/2" Secure 1:- 42 ft	SC17	\	Non-Buffed Non-Brushed	32.31	31.02	30.37	29.73	28.43
110800	Cover T, 1/2" Secure Lip, 12 ft.	SC17		Buffed or Brushed	42.80	41.09	40.23	39.38	37.66

Page 30

		Cat.				Discount Quantity Pricing			
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
440040	P 4/4" - 4/4" 42 G	11144		Non-Buffed Non-Brushed	14.06	13.50	13.22	12.94	12.37
110810	Bar, 1/4" x 1/4", 12 ft.	HA16	7	Buffed or Brushed	18.02	17.30	16.94	16.58	15.86
440042			√	Non-Buffed Non-Brushed	160.40	153.98	150.78	147.57	141.15
110812	"J" Channel, 1.378" x 2.165", 12 ft.		7	Buffed or Brushed	187.81	180.30	176.54	172.79	165.27
110912	Door Dull Entended Crip 12 ft		_ \ ~ \	Non-Buffed Non-Brushed	38.54	37.00	36.23	35.46	33.92
110813	Door Pull, Extended Grip, 12 ft.		> G	Buffed or Brushed	49.16	47.19	46.21	45.23	43.26
110942	Fluted Trim 12 ft		√	Non-Buffed Non-Brushed	67.83	65.12	63.76	40.24	38.22
110842	Fluted Trim, 12 ft.		vçv	Buffed or Brushed	79.30	76.13	74.54	50.32	47.81
110011	Angle, 4.0" x 1/2" x 1/16", 12 ft.	HA3	7	Non-Buffed Non-Brushed	54.99	52.79	51.69	50.59	48.39
110844		ПАЗ		Buffed or Brushed	66.01	63.37	62.05	60.73	58.09
440052	Post, Fluted, 12 ft.			Non-Buffed Non-Brushed	60.90	58.46	57.25	56.03	53.59
110853				Buffed or Brushed	72.93	70.01	68.55	67.10	64.18
440054	Death Single Consum 42 ft			Non-Buffed Non-Brushed	72.41	69.51	68.07	66.62	63.72
110854	Post, Single Groove, 12 ft.		(4)	Buffed or Brushed	84.34	80.97	79.28	77.59	74.22
110855	Post, Double Groove, 12 ft.			Non-Buffed Non-Brushed	78.86	75.71	74.13	72.55	69.40
110033	rost, bouble groove, 12 ft.			Buffed or Brushed	90.81	87.18	85.36	83.55	79.91
110863	Tube, Round, 1-1/4" dia x 1/16", 12	HA29	√	Non-Buffed Non-Brushed	37.37	35.88	35.13	34.38	32.89
110003	ft.	ПАZ9		Buffed or Brushed	44.90	43.10	42.21	41.31	39.51
110866	Angle 1 380" v 1 00" v 157" 12 ft	НАЛ	>	Non-Buffed Non-Brushed	51.11	49.07	48.04	47.02	44.98
110000	Angle, 1.380" x 1.00" x .157", 12 ft. HA4	IIA T	μ	Buffed or Brushed	61.62	59.16	57.92	56.69	54.23
110926	Bar, Square, 1-1/2" , 12 ft.	HA16		Non-Buffed Non-Brushed	342.27	328.58	321.73	314.89	301.20
110050	Tubo Square 1 1/4" v 00" 12 ft	HA30	> \[\] <	Non-Buffed Non-Brushed	87.24	83.75	82.01	80.26	76.77
110950	Tube, Square, 1-1/4" x .09", 12 ft.	TIASU		Buffed or Brushed	98.99	95.03	93.05	91.07	87.11

		Cat.			Discount Quantity Pricing					
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+	
440054	Dans Dull 4 / 4" Class 42 ft		√	Non-Buffed Non-Brushed	40.37	38.76	37.95	37.14	35.53	
110951	Door Pull, 1/4" Glass, 12 ft.		<u> </u>	Buffed or Brushed	52.23	50.14	49.10	48.05	45.96	
110959	2/4" v 2/9" v1/9" Too 12 ft	HA27		Non-Buffed Non-Brushed	20.03	19.23	18.83	18.43	17.63	
110939	3/4" x 3/8" x1/8" Tee, 12 ft.	ПАZ/	7	Buffed or Brushed	32.00	30.72	30.08	29.44	28.16	
110962	Channel 5/8" V 1 7/8" 10 ft	HA11	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Non-Buffed Non-Brushed	92.67	88.96	87.11	54.05	51.35	
110902	Channel, 5/8" X 1-7/8", 10 ft.	ПАП	7 2	Buffed or Brushed	103.15	99.02	96.96	63.27	60.11	
110963	Angle, 4-1/2" x 2", 12 ft.	HA4	√ 	Non-Buffed Non-Brushed	123.53	118.59	116.12	113.65	108.71	
110703	Aligie, 4-172 X 2 , 12 10.	HA4	\	Buffed or Brushed	140.94	135.30	132.48	129.66	124.03	
110065	Angle 4 27" v E42" 42 ft	HA4	3	Non-Buffed Non-Brushed	29.27	28.10	27.51	26.93	18.89	
110965	Angle, 1.27" x .512", 12 ft.	ПА4	<i> </i>	Buffed or Brushed	34.09	32.73	32.04	31.36	23.12	
110966	Angle 787" v 512" 12 ft	Angle, .787" x .512", 12 ft.	HA3	>	Non-Buffed Non-Brushed	20.92	20.08	19.66	19.25	13.44
110700	Aligic, .707 X .312 , 12 ft.	IIAS	<u></u>	Buffed or Brushed	24.14	23.17	22.69	22.21	16.28	
110975	Tee, 1-1/4" x 1.00" x 1/8", 12 ft.	HA28	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Non-Buffed Non-Brushed	43.47	41.73	40.86	39.99	38.25	
110973				Buffed or Brushed	46.15	44.30	43.38	42.46	40.61	
110981	Channel, 3/4" x 1/2" x .125", 12 ft.	HA11		Non-Buffed Non-Brushed	27.78	26.67	26.11	25.56	24.45	
	Channel, 1-1/2" x 1-1/2" x 1/8", 12		7 2	Non-Buffed Non-Brushed	76.71	73.64	72.11	70.57	67.50	
110984	ft.	HA11	^	Buffed or Brushed	79.76	76.57	74.97	73.38	70.19	
440004	110986 Angle, 2" x 2-3/4" x 1/8", 12 ft.		7	Non-Buffed Non-Brushed	88.49	84.95	83.18	81.41	77.87	
110986		HA4	<u> </u>	Buffed or Brushed	95.79	91.96	90.04	88.13	84.30	
44600=				Non-Buffed Non-Brushed	74.42	71.44	69.95	68.47	65.49	
110987	7" x 1/16" Trim Strip, 12 ft.	HA16		Buffed or Brushed	94.21	90.44	88.56	86.67	82.90	

		Cat.					Discount Quantity Pricing					
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+			
110993	Trim Outside Corner 90° 12 ft	ШАЗЗ		Non-Buffed Non-Brushed	31.23	29.98	29.36	28.73	27.48			
110993	Trim, Outside Corner, 90°, 12 ft.	HA33	1	Buffed or Brushed	36.38	34.92	34.20	33.47	32.01			
110994	1/2" x 1" x .125" Angle, 12 ft.	HA4	>	Non-Buffed Non-Brushed	26.00	24.96	24.44	23.92	22.88			
110774	172 X 1 X . 123 Aligie, 12 It.	IIA4	٨	Buffed or Brushed	30.12	28.92	28.31	27.71	26.51			
110995	2" x 7/8" Tee, 12 ft.	HA27	1	Non-Buffed Non-Brushed	51.97	49.89	48.85	47.81	45.73			
110773	2 x 776 fee, 12 ft.	TIAZI	~	Buffed or Brushed	59.54	57.16	55.97	54.78	52.40			
110996	1 1/9" x 1 1/9" x 1/9" Anglo 12 ft	HA3	~	Non-Buffed Non-Brushed	38.60	37.06	36.28	35.51	33.97			
110996	1-1/8" x 1-1/8" x 1/8" Angle, 12 ft.	ПАЗ	<u> </u>	Buffed or Brushed	43.75	42.00	41.13	40.25	38.50			
110007	7/0"7/0" 425" A - 42.6	114.4	7	Non-Buffed Non-Brushed	32.37	31.08	30.43	29.78	28.49			
110997 7	7/8" x 7/8" x .125" Angle, 12 ft.	HA4	<i>^</i>	Buffed or Brushed	35.22	33.81	33.11	32.40	30.99			
	2"x8" WallMaker Sill, 12 ft.	G11	V V	Non-Buffed Non-Brushed	472.41	453.51	444.07	434.62	415.72			
111007			7	Buffed or Brushed	502.45	482.35	472.30	462.25	442.16			
111010	1"x1-3/4" WallMaker Header w/groove, 12 ft.	G7 HA11		Non-Buffed Non-Brushed	60.32	57.91	56.70	55.49	53.08			
111010				Buffed or Brushed	67.94	65.22	63.86	62.50	59.79			
111011	2-1/2"x8" WallMaker Sill, 12 ft.	G13		Non-Buffed Non-Brushed	593.12	569.40	557.53	545.67	521.95			
111011	2-172 AO Wattimaker Sitt, 12 It.	013		Buffed or Brushed	622.76	597.85	585.39	572.94	548.03			
444042	1"x2" WallMaker Flanged Header	G8		Non-Buffed Non-Brushed	90.84	87.21	85.39	83.57	79.94			
111012	w/groove, 12 ft.	HA11	7 4	Buffed or Brushed	103.47	99.33	97.26	95.19	91.05			
111013	1"x2" WallMaker Header w/ groove,	G8		Non-Buffed Non-Brushed	62.97	60.45	59.19	57.93	55.41			
	12 ft.	HA11		Buffed or Brushed	83.72	80.37	78.70	77.02	73.67			
111014	2-1/2"x6" WallMaker Sill, 12 ft.	G13		Non-Buffed Non-Brushed	441.68	424.01	415.18	406.35	388.68			
			7 2	Buffed or Brushed	449.90	431.90	422.91	413.91	395.91			

		Cat.		Discount Quantity					
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
111015	2 4 /2":.d" WellMoker Cill 42 ft		√ √ N N	Non-Buffed Non-Brushed	291.62	279.96	274.12	268.29	256.63
111015	2-1/2"x4" WallMaker Sill, 12 ft.	G12		Buffed or Brushed	317.99	305.27	298.91	292.55	279.83
111018	5/8" O.D. Tube, .063" thick, 12 ft.	HA29		Non-Buffed Non-Brushed	32.14	30.85	30.21	29.57	20.76
111016	376 O.D. Tube, 1003 tiller, 12 ft.	ПАСУ		Buffed or Brushed	37.48	35.98	35.23	34.48	25.45
444022	Death Organ Call Dean 42 ft		> - - - - - - - - -	Non-Buffed Non-Brushed	95.92	92.08	90.16	88.25	84.41
111022	Post, Open Sell Rear, 12 ft.		<u> </u>	Buffed or Brushed	111.78	107.31	105.07	102.84	98.37
444022			7	Non-Buffed Non-Brushed	99.08	95.12	93.14	91.15	87.19
111023	Post, Open Sell Front, 12 ft.		<u>.</u>	Buffed or Brushed	114.10	109.54	107.25	104.97	100.41
	3-7/8" x 1/8" " Bar, 12 ft. (.145 crown)	HA16	-1	Non-Buffed Non-Brushed	79.36	76.19	74.60	73.01	69.84
111024				Buffed or Brushed	85.84	82.41	80.69	78.97	75.54
		HA16	√	Non-Buffed Non-Brushed	33.95	32.59	31.91	31.23	29.88
111025	1-1/4" x 3/16" Flat Bar, 12 ft.		7	Buffed or Brushed	38.97	37.41	36.63	35.85	34.29
111026		HA16	V	Non-Buffed Non-Brushed	77.97	74.85	73.29	71.73	68.61
111020	3-7/8" x 1/8", Rectangle Bar, 12 ft.			Buffed or Brushed	81.87	78.60	76.96	75.32	72.05
111027	1" x 1/2" x 1/8" T-Shape, 12 ft.	HA28	√ <	Non-Buffed Non-Brushed	25.39	24.37	23.87	23.36	22.34
111027	1 × 1/2 × 1/6 1-311αμε, 12 1C.	ПАZO		Buffed or Brushed	30.80	29.57	28.95	28.34	27.10
			√ √	Non-Buffed Non-Brushed	34.29	32.92	32.23	31.55	30.18
111028	1-3/8" x 1/2" x 1/8" T-Shape, 12 ft.	HA28		Buffed or Brushed	43.07	41.35	40.49	39.62	37.90
111029	1-1/4" x 1/8" Flat Bar, 12 ft.	HA16		Non-Buffed Non-Brushed	26.27	25.22	24.69	24.17	23.12
111027	1 1/4 X 1/0 Flat Bal, 12 It.	TIATO	7	Buffed or Brushed	31.29	30.04	29.41	28.79	27.54
111022	1" v 1/4" Channel 12 ft	HA10	7	Non-Buffed Non-Brushed	16.03	15.39	15.07	14.75	14.11
111033	1" x 1/4" U-Channel, 12 ft.	HA10		Buffed or Brushed	22.28	21.39	20.94	20.50	19.61

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
444024	44/44 44/44 2/22 4 4 4 4 4 4 4 4 4 4 4 4		√ - <	Non-Buffed Non-Brushed	19.79	19.00	18.60	18.21	17.42
111034	11/16" x 11/16" x 3/32" Angle, 12 ft.	HA4	7	Buffed or Brushed	29.27	28.10	27.51	26.93	25.76
111035	1-3/16" x 1-3/16" x 3/32"	HA4	7	Non-Buffed Non-Brushed	40.14	38.53	37.73	36.93	35.32
111035	Angle with 3/4" Return, 12 ft.	ПА 4	<	Buffed or Brushed	54.03	51.87	50.79	49.71	47.55
111036	1.594" x 0.719" x 3/32" Tee, 12 ft.	HA28	√ 7	Non-Buffed Non-Brushed	37.21	35.72	34.98	34.23	32.74
111030	1.374 × 0.717 × 3732 100, 1210.	HAZO	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Buffed or Brushed	44.72	42.93	42.04	41.14	39.35
444027	2 (22 0 504 0	11144	√	Non-Buffed Non-Brushed	14.71	14.12	13.83	13.53	12.94
111037	3/32" x 0.594" Bar, 12 ft.	HA16	>	Buffed or Brushed	24.20	23.23	22.75	22.26	21.30
444030	(45" 4 (2" P 42 G	11146	V	Non-Buffed Non-Brushed	452.18	434.09	425.05	416.01	397.92
111038	6.45" x 1/2" Bar, 12 ft.	HA16	7	Buffed or Brushed	469.76	450.97	441.57	432.18	413.39
111039	F 1/4" x 2 1/4" x 1/9" Apple 12 ft	HA4	1	Non-Buffed Non-Brushed	118.24	113.51	111.15	108.78	104.05
111039	5-1/4" x 2-1/4" x 1/8" Angle, 12 ft.	ПА4		Buffed or Brushed	137.41	131.91	129.17	126.42	120.92
111040	1-3/4" x 1/2" Bar, 12 ft.	HA16	V	Non-Buffed Non-Brushed	135.27	129.86	127.15	124.45	119.04
111040	1-3/4 X 1/2 Dai, 12 It.	ПАТО	~ _ <	Buffed or Brushed	150.29	144.28	141.27	138.27	132.26
111046	3/8" x 3/8" Square Bar with 0.110"	HA30	7	Non-Buffed Non-Brushed	23.57	22.63	22.16	21.68	20.74
111046	dia hole, 12 ft.	ПАЗО	, <u> </u>	Buffed or Brushed	31.01	29.77	29.15	28.53	27.29
111049	Door Dull 4 4 / 2" v 2 / 4" 42 ft		√ .	Non-Buffed Non-Brushed	57.36	55.07	53.92	52.77	34.91
111048	Door Pull, 1-1/2" x 3/4", 12 ft.		7 / 7	Buffed or Brushed	66.33	63.68	62.35	61.02	42.80
111050	5" x 1/8", Rectangle Bar, 12 ft.	HA16	√	Non-Buffed Non-Brushed	99.63	95.64	93.65	91.66	87.67
	,,			Buffed or Brushed	103.52	99.38	97.31	95.24	91.10
111051	5-3/4" x 1/8" Rectangle Bar, 12 ft.	HA16	√	Non-Buffed Non-Brushed	112.80	108.29	106.03	103.78	99.26
	5 5.7 × 7.5 Rectangle bal, 12 ft.	IIAIV		Buffed or Brushed	116.71	112.04	109.71	107.37	102.70

		Cat.				Discount	Quantity	/ Pricing	ng		
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+		
111053	Channel, Hat Header,	HA10		Non-Buffed Non-Brushed	48.93	46.97	45.99	45.02	43.06		
111053	1-1/2" x 5/8", 12 ft.	ПАТО	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Buffed or Brushed	58.64	56.29	55.12	53.95	51.60		
111058	Tubo Post 4" v 2/4" v 1/9" 12 ft	HA30		Non-Buffed Non-Brushed	65.33	62.72	61.41	60.10	57.49		
111036	Tube, Rect. 1" x 3/4" x 1/8", 12 ft.	ПАЗО		Buffed or Brushed	72.73	69.82	68.37	66.91	64.00		
111059	Pod 343 Dia 43 ft	HA29		Non-Buffed Non-Brushed	15.24	14.63	14.33	14.02	13.41		
111059	Rod, .312 Dia., 12 ft.	HAZ9		Buffed or Brushed	22.54	21.64	21.19	20.74	19.84		
111000	Dans Dull 2 4/2" . 2/4" 42 ft		_ √	Non-Buffed Non-Brushed	54.32	52.15	51.06	49.97	47.80		
111060	Door Pull, 2-1/2" x 3/4", 12 ft.		7 < 1 > 1 <	Buffed or Brushed	68.39	65.65	64.29	62.92	60.18		
1110/1	Day 2.4/2" 070" 42.6	11446	V	Non-Buffed Non-Brushed	32.74	31.43	30.78	30.12	28.81		
111061	Bar, 2-1/2" x .070", 12 ft.	HA16		Buffed or Brushed	36.67	35.20	34.47	33.74	32.27		
444040			_ _	Non-Buffed Non-Brushed	46.47	44.61	43.68	42.75	40.89		
111062	Angle, 1" x 1" x 1/4", 12 ft.	HA3	>	Buffed or Brushed	53.79	51.64	50.56	49.49	47.34		
111069	Molding V 4" v 4" v 4" 42 ft	F14	L	Non-Buffed Non-Brushed	57.68	55.37	54.22	53.07	50.76		
111068	Molding Y, 1" x 1" x 1", 12 ft.	F1 4		Buffed or Brushed	64.92	62.32	61.02	59.73	57.13		
111071	Angle, 1-1/4" x 1-1/4" x 1/8", 12 ft.	HA3	7	Non-Buffed Non-Brushed	40.49	38.87	38.06	37.25	35.63		
111071	Angle, 1-1/4 x 1-1/4 x 1/6, 12 lt.	ПАЗ		Buffed or Brushed	50.94	48.90	47.88	46.86	44.83		
444072	Channel, 1" X 1-1/2" with Groove,	11140	7 4	Non-Buffed Non-Brushed	68.73	65.98	64.61	63.23	60.48		
111072	12 ft.	HA10	! !	Buffed or Brushed	76.01	72.97	71.45	69.93	66.89		
444070	D 2.4/9! . 4/9! .42 6	111.44	√	Non-Buffed Non-Brushed	167.55	160.85	157.50	154.15	147.44		
111073	Bar, 2-1/2" x 1/2", 12 ft.	HA16	>	Buffed or Brushed	181.60	174.34	170.70	167.07	159.81		
114077	Angle 4 4 (2" + 4 (2"		>	Non-Buffed Non-Brushed	38.15	36.62	35.86	35.10	33.57		
111077	Angle, 1-1/2" x 1/2" x 1/8", 12 ft.		<u></u>	Buffed or Brushed	45.46	43.64	42.73	41.82	40.00		

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
			7	Non-Buffed Non-Brushed	128.80	123.65	121.07	118.50	113.34
111078	Bar, Rectangle 1-1/4" x 3/4", 12 ft.	HA16		Buffed or Brushed	142.85	137.14	134.28	131.42	125.71
444002	Edwards - E62 Col. 111 42 G		√ ->■	Non-Buffed Non-Brushed	102.54	98.44	96.39	94.34	90.24
111082	Edge Moulding, .563 Column, 12 ft.			Buffed or Brushed	109.77	105.38	103.18	100.99	96.60
444000	Tube, Square 1-1/2" x 1-1/2" x .120,	11430	1	Non-Buffed Non-Brushed	101.55	97.49	95.46	93.43	89.36
111083	12 ft.	HA30	<u></u>	Buffed or Brushed	115.58	110.96	108.65	106.33	101.71
		НА	√ ∏	Non-Buffed Non-Brushed	79.86	76.67	75.07	73.47	70.28
111085	Angle, 2" x 1", Unequal Walls, 12 ft.		7	Buffed or Brushed	87.89	84.37	82.62	80.86	77.34
	Channel, 1-1/4" x 2", with Groove,	G7	П	Non-Buffed Non-Brushed	67.56	64.86	63.51	62.16	59.45
111089	12 ft. (End cap Part number 412456)	HA10	7 <	Buffed or Brushed	90.08	86.48	84.68	82.87	79.27
444004	Channel, 1-1/4" x 1", 12 ft.	G8		Non-Buffed Non-Brushed	42.91	41.19	40.34	39.48	37.76
111091	(End cap Part number 412457)	HA10	7	Buffed or Brushed	55.66	53.43	52.32	51.21	48.98
444004	A		>	Non-Buffed Non-Brushed	54.20	52.03	50.95	49.86	47.70
111094	Angle, 2" x 1" x 1/8", 12 ft.	HA4	ļ.	Buffed or Brushed	60.67	58.24	57.03	55.82	53.39
			√	Non-Buffed Non-Brushed	37.03	35.55	34.81	34.07	32.59
111095	Flat Bar, 2" x 1/8", 12 ft.	HA16	<i>N</i>	Buffed or Brushed	43.12	41.40	40.53	39.67	37.95
4440==			7	Non-Buffed Non-Brushed	107.14	102.85	100.71	98.57	94.28
111097	Angle, 2" x 4" x 1/8", 12 ft.	HA4	<u> </u>	Buffed or Brushed	119.23	114.46	112.08	109.69	104.92

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
444000	I Channel 2" v 4" v 2" 42 ft			Non-Buffed Non-Brushed	105.61	101.39	99.27	97.16	92.94
111098	J-Channel, 2" x 1" x 3", 12 ft.		>	Buffed or Brushed	118.68	113.93	111.56	109.19	104.44
444403	Company 2 00" v. 722" 42 ft	AT40	1	Non-Buffed Non-Brushed	57.42	55.12	53.97	52.83	50.53
111103	Samsara, 3.99" x .722", 12 ft.	AT19		Buffed or Brushed	65.70	63.07	61.76	60.44	57.82
44404	F	4740	1 1 1 1	Non-Buffed Non-Brushed	66.97	64.29	62.95	61.61	58.93
111104	Equalizer, 3.99" x .723", 12 ft.	AT19	5	Buffed or Brushed	75.27	72.26	70.75	69.25	66.24
			* * * *	Non-Buffed Non-Brushed	89.08	85.52	83.74	81.95	78.39
111107	Gamma, 3.99" x .972", 12 ft.	AT20	Типир	Buffed or Brushed	97.38	93.48	91.54	89.59	85.69
				Non-Buffed Non-Brushed	26.40	25.34	24.82	24.29	23.23
111108	Angle, 3/4" x 3/4" x 1/8", 12 ft.			Buffed or Brushed	30.72	29.49	28.88	28.26	27.03
119001	3/16" Black Vinyl Glazing Tape, (comes in 250 ft. coil)	HA36		Black Vinyl	.29/ft.	.28/ft.	.27/ft.	.27/ft.	.26/ft.
119003-01	7/32" Black Vinyl Glazing Tape (comes in 250 ft. coil)	HA36		Black Vinyl	.17/ft.	.16/ft.	.16/ft.	.16/ft.	.15/ft.
119003-02	7/32" Grey Vinyl Glazing Tape (comes in 250 ft. coil)	HA36		Grey Vinyl	.18/ft.	.17/ft.	.17/ft.	.17/ft.	.16/ft.
119004	1/4" Black Vinyl Glazing Tape (comes in 250 ft. coil)	HA36 RD15 FM15		Black Vinyl	.26/ft.	.25/ft.	.24/ft.	.24/ft.	.23/ft.
119006	Black Vinyl Track Slide Insert, 12 ft. (used with 110035)	FM15		Black Vinyl	13.09	13.34	13.07	12.79	12.23
119045-01	Glazing, 196.85 inches (5m)				78.00	74.88	73.32	71.76	68.64
119029	Vinyl Bumper - Natural Color 6 ft.	SC15		Natural Color	12.48	11.98	11.73	11.48	10.98

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
			√ √	Non-Buffed Non-Brushed	10.84	10.41	10.19	9.97	9.54
120016	Division Bar, 12 ft.		<u> </u>	Buffed or Brushed	13.35	12.82	12.55	12.28	11.75
420020	5: 14: 5 40.6	5 1144		Non-Buffed Non-Brushed	41.38	39.72	38.90	38.07	36.41
120029	Fixed Mirror Frame, 12 ft.	FM11	> [Buffed or Brushed	52.59	50.49	49.43	48.38	46.28
420020	Tri Mar France 427"	F1144		Non-Buffed Non-Brushed	49.22	47.25	46.27	45.28	43.31
120030	Tri-Vue Frame, 137"	FM11	> [6]	Buffed or Brushed	60.43	58.01	56.80	55.60	53.18
120031	Top Hanger, 124"	FM11		Non-Buffed Non-Brushed	22.08	21.20	20.76	20.31	19.43
120032	Lower Hanger, 124"	FM11		Non-Buffed Non-Brushed	18.74	17.99	17.62	17.24	16.49
120024	Panal Trim 422"	E441		Non-Buffed Non-Brushed	17.36	16.67	16.32	15.97	15.28
120034	Panel Trim, 132"	FM11		Buffed or Brushed	24.11	23.15	22.66	22.18	21.22
420044	5/16" J Molding Without Holes, 12	5114 5	√ <u> </u>	Non-Buffed Non-Brushed	12.88	12.36	12.11	11.85	11.33
120041	ft. (see 420068 - with holes)	FM15		Buffed or Brushed	18.12	17.40	17.03	16.67	15.95
120050	Mirror Frame, 12 ft.	FM14	> [Buffed or Brushed	40.17	38.56	37.76	36.96	35.35
120052	Mount Bracket, 12 ft.	FM14		Non-Buffed Non-Brushed	12.42	11.92	11.67	11.43	10.93
120054	Mirror Frame, 12 ft.	FM14	7	Buffed or Brushed	29.57	28.39	27.80	27.20	26.02
420055	5/8" J Molding Without Holes, 12 ft.	FMAF	\ \[\sigma\]	Non-Buffed Non-Brushed	17.28	16.59	16.24	15.90	15.21
120055	(420107 with holes)	FM15		Buffed or Brushed	21.62	20.76	20.32	19.89	19.03
120057	Mirror Molding, 12 ft.	FM15		Non-Buffed Non-Brushed	13.97	13.41	13.13	12.85	12.29
	(420108 with holes)		<	Buffed or Brushed	18.00	17.28	16.92	16.56	15.84
120058	Column Edge Molding, 12 ft.	FM15		Non-Buffed Non-Brushed	39.55	37.97	37.18	36.39	34.80
				Buffed or Brushed	57.47	55.17	54.02	52.87	50.57

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
430050		FM14	√ 	Non-Buffed Non-Brushed	10.11	9.71	9.50	9.30	8.90
120059	5/16" x 5/8" Mirror Trim Angle, 12 ft.	HA3	7	Buffed or Brushed	15.88	15.24	14.93	14.61	13.97
120061	Mirror Divider Trim without holes, 12	FM15		Non-Buffed Non-Brushed	21.20	20.35	19.93	19.50	18.66
120061	ft. (420109 with holes)	FMID	<i>\</i>	Buffed or Brushed	25.45	24.43	23.92	23.41	22.40
120062	45° Trim Mirror, 12 ft.			Non-Buffed Non-Brushed	22.40	21.50	21.06	20.61	19.71
120002	45 ITHII MIITOI, 12 IC.	FM17	<i>\</i>	Buffed or Brushed	27.32	26.23	25.68	25.13	24.04
120063	Column Corner without Slots, 150"	FM16		Non-Buffed Non-Brushed	54.53	52.35	51.26	50.17	47.99
120063	(420110 with slots)	FMIO	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Buffed or Brushed	61.86	59.39	58.15	56.91	54.44
430074	4.4/3" Padina Caluma Caman 42 ft	E444	-/_	Non-Buffed Non-Brushed	66.75	64.08	62.75	61.41	58.74
120064	1-1/2" Radius Column Corner, 12 ft.	FM16		Buffed or Brushed	68.27	65.54	64.17	62.81	60.08
1200/5	00° 6 1 11: 7: 40 6			Non-Buffed Non-Brushed	46.03	44.19	43.27	42.35	40.51
120065	90° Column Mirror Trim, 12 ft.	FM17	> 1	Buffed or Brushed	54.97	52.77	51.67	50.57	48.37
430077	425° C. I. v. T. v. 42 6	F1147		Non-Buffed Non-Brushed	40.02	38.42	37.62	36.82	35.22
120066	135° Column Trim, 12 ft.	FM17		Buffed or Brushed	57.26	54.97	53.82	52.68	50.39
120067	Outside Corner Molding, 12 ft.	FM17		Non-Buffed Non-Brushed	38.97	37.41	36.63	35.85	34.29
120070	T. V. Mr. 11 1 42711	5 1144		Non-Buffed Non-Brushed	42.58	40.88	40.03	39.17	37.47
120070	Tri-Vue Wing Horizontal, 137"	FM11	>	Buffed or Brushed	52.18	50.09	49.05	48.01	45.92
120086	Angle, 3" x 1/2", 12 ft.	HA4	7	Non-Buffed Non-Brushed	66.76	64.09	62.75	61.42	58.75
120000	Angre, 3 × 1/2 , 12 It.	1 IA4	<u></u>	Buffed or Brushed	77.52	74.42	72.87	71.32	68.22
129006	Gray Plastic Glazing Clip, 12 ft.	FM16		Non-Buffed Non-Brushed	13.73	13.18	12.91	12.63	12.08

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
420022	Handan Dans Wandraha 42 6	DD47	7	Non-Buffed Non-Brushed	87.63	84.12	82.37	80.62	77.11
130022	Header, Door Wardrobe, 12 ft.	RD17		Buffed or Brushed	101.73	97.66	95.63	93.59	89.52
130023	Threshold, Wardrobe Door, 12 ft.	RD17	Π_ΛΛ_Π	Non-Buffed Non-Brushed	48.33	46.40	45.43	44.46	42.53
120024	Top Pail Wardrobe Door 12 ft		.لما.	Non-Buffed Non-Brushed	29.04	27.88	27.30	26.72	25.56
130024	Top Rail, Wardrobe Door, 12 ft.		*[]	Buffed or Brushed	36.34	34.89	34.16	33.43	31.98
420025			ि	Non-Buffed Non-Brushed	54.75	52.56	51.47	50.37	48.18
130025	Bottom Rail, Wardrobe Door, 12 ft.			Buffed or Brushed	62.08	59.60	58.36	57.11	54.63
420027	Stille Woodship Days 701	DD47	7 2	Non-Buffed Non-Brushed	22.49	21.59	21.14	20.69	19.79
130026	Stile, Wardrobe Door, 79"	RD17	57	Buffed or Brushed	33.26	31.93	31.26	30.60	29.27
42000=			7 12	Non-Buffed Non-Brushed	52.33	50.24	49.19	48.14	46.05
130027	Stile, Wardrobe Door, 106"	RD17	57	Buffed or Brushed	73.82	70.87	69.39	67.91	64.96
420020	C.I. W. I. I. D. OF	2017	7 2	Non-Buffed Non-Brushed	24.48	23.50	23.01	22.52	21.54
130028	Stile, Wardrobe Door, 95"	RD17	57	Buffed or Brushed	34.67	33.28	32.59	31.90	30.51
139007	1/4" Black Vinyl Glazing, (comes in 500/ft. roll)	RD17		Black Vinyl	.21/ft.	.21/ft.	.21/ft.	.21/ft.	.21/ft.
150012	2 4 / 9" v. E / 4 // Chris 9 fb	HA16	_ √	Non-Buffed Non-Brushed	38.39	36.85	36.09	35.32	33.78
150012	3-1/8" x 5/64" Strip, 8 ft.	ПАТО		Buffed or Brushed	53.64	51.49	50.42	49.35	47.20
150014	1-1/2" x 3/4" Tubular Bracket	HA27		Non-Buffed Non-Brushed	26.48	25.42	24.89	24.36	23.30
130014	Endcap, 12 ft.	TIAZI	<u>Γ</u>	Buffed or Brushed	32.78	31.47	30.81	30.16	28.85
150015	1" x 1/2" Tubular Bracket Hanger,			Non-Buffed Non-Brushed	51.04	49.00	47.98	46.96	44.92
130013	8 ft.		7 <	Buffed or Brushed	70.18	67.37	65.97	64.57	61.76
170008	Wall Jamb Without Holes, 12 ft. (see	HA10	7 2	Non-Buffed Non-Brushed	28.81	27.66	27.08	26.51	25.35
.,,,,,,,	470012 for Wall Jamb with holes)	IAIV		Buffed or Brushed	36.95	35.47	34.73	33.99	32.52

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
470000			√	Non-Buffed Non-Brushed	21.24	20.39	19.97	19.54	18.69
170009	Header Cap, 12 ft.	FM3		Buffed or Brushed	28.82	27.67	27.09	26.51	25.36
170011	Corner Post, 7 ft.	FM3	> F	Non-Buffed Non-Brushed	52.82	50.71	49.65	48.59	46.48
170011	Comer Post, 7 ft.	T MS		Buffed or Brushed	62.07	59.59	58.35	57.10	54.62
170012	Jamb Header, 12 ft.	FM3	7	Non-Buffed Non-Brushed	35.98	34.54	33.82	33.10	31.66
170012	Jamb Headel, 12 It.	1 MS		Buffed or Brushed	42.09	40.41	39.59	38.72	37.04
170013	Filler Strip for 170011, 7 ft.	FM3	√	Non-Buffed Non-Brushed	10.35	9.94	9.73	9.52	9.11
170013	The stip is 170011, 7 it.	17/13		Buffed or Brushed	13.13	12.60	12.34	12.08	11.55
1=0010.01			V	Non-Buffed Non-Brushed	11.00	10.56	10.34	10.12	9.68
170013-01	Filler Strip for 170011, 8 ft.	FM3		Buffed or Brushed	13.76	13.21	12.93	12.66	12.11
470042.02	Filler Chris for 470044 42 ft	EW3	√	Non-Buffed Non-Brushed	13.86	13.31	13.03	12.75	12.20
170013-02	Filler Strip for 170014, 12 ft.	FM3		Buffed or Brushed	16.30	15.65	15.32	15.00	14.34
170014	Corner Post, 12 ft.	FM3	> F	Non-Buffed Non-Brushed	107.30	103.01	100.86	98.72	94.42
170014	Corner Post, 12 It.	FMS		Buffed or Brushed	117.75	113.04	110.69	108.33	103.62
190055	2/0" O.D. Tubo. 0.100" Thick, 12 ft	цаго	$\overline{}$	Non-Buffed Non-Brushed	18.06	17.34	16.98	16.62	15.89
180055	3/8" O.D. Tube, 0.100" Thick, 12 ft.	HA29	O	Buffed or Brushed	23.22	22.29	21.83	21.36	20.43
480042	4 4 / 4" To 2 42 6	11420		Non-Buffed Non-Brushed	46.22	44.37	43.45	42.52	40.67
180063	1-1/4" Tee, 12 ft.	HA28		Buffed or Brushed	59.37	57.00	55.81	54.62	52.25
400077	4.4/4// 5-1	5540	1	Non-Buffed Non-Brushed	43.74	41.99	41.12	40.24	38.49
180077	1-1/4" Enlongated Reflector, 12 ft.	SC18	→	Buffed or Brushed	52.63	50.52	49.47	48.42	46.31
180070	Shall Postoctor 1 1/2" Dia 12 ft	CC10	1	Non-Buffed Non-Brushed	45.23	43.42	42.52	41.61	39.80
180079	Shell Reflector, 1-1/2" Dia., 12 ft.	SC18		Buffed or Brushed	50.94	48.90	47.88	46.86	44.83
180107	Shall Perfector 1" Dia 12 ft	SC17		Non-Buffed Non-Brushed	24.96	23.96	23.46	22.96	21.96
100107	Shell Reflector, 1" Dia., 12 ft.	301/	٤	Buffed or Brushed	33.82	32.47	31.79	31.11	29.76

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
180117	Shell Reflector, Small, 12 ft.	SC18	> \[\]	Non-Buffed Non-Brushed	33.04	31.72	31.06	30.40	29.08
160117	Shelt Reflector, Small, 12 It.	3010		Buffed or Brushed	37.42	35.92	35.17	34.43	32.93
180118	Shell Reflector Small with Integrated	SC18		Non-Buffed Non-Brushed	43.37	41.64	40.77	39.90	38.17
160116	Tee, 12 ft.	3010		Buffed or Brushed	56.72	54.45	53.32	52.18	49.91
180127	0.448" O.D. Tube, 0.162" thick, 12 ft.	HA29	\	Non-Buffed Non-Brushed	16.13	15.48	15.16	14.84	14.19
180127	0.448 O.D. lube, 0.162 tilick, 12 it.	ПАСЭ		Buffed or Brushed	18.97	18.21	17.83	17.45	16.69
180133	Shell Reflector 1" Dia. 12 ft.	SC18	1	Non-Buffed Non-Brushed	23.48	22.54	22.07	21.60	20.66
160133	SHER REITECTOR 1 Did. 12 It.	3010		Buffed or Brushed	30.39	29.17	28.57	27.96	26.74
180139	Shell Reflector, Top Front Frame,	SC18	> \(\sqrt{1} \)	Non-Buffed Non-Brushed	57.60	55.30	54.14	52.99	50.69
160139	12 ft.	3010		Buffed or Brushed	64.71	62.12	60.83	59.53	56.94
180144	Shell Reflector, 1.3" Dia. 12 ft.	SC18	\ \(\sigma_{\text{\tin}}\text{\tin}\text{\tetx{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\ti}\}\tittt{\text{\ti}\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\texi}\text{\text{\texit{\tet{\text{\texi}\text{\text{\text{\texi}\titt{\text{\texit{\text{\ti}\tinttit{\texi}\text{\texit{\texi}\text{\texi}\text{\texi}\tex	Non-Buffed Non-Brushed	38.70	37.15	36.38	35.60	34.06
160144	Silent Reflector, 1.3 Dia. 12 ft.	3010		Buffed or Brushed	47.60	45.70	44.74	43.79	41.89
180147	Shell Reflector Teardrop,	SC18	V S	Non-Buffed Non-Brushed	58.87	56.52	55.34	54.16	51.81
100147	1.5" Dia., 12 ft.	3010	(2)	Buffed or Brushed	63.23	60.70	59.44	58.17	55.64
180150	Shell Reflector Teardrop,	SC18		Non-Buffed Non-Brushed	60.80	58.37	57.15	55.94	53.50
100130	1.5" Dia., 12 ft.	3010	(h)	Buffed or Brushed	67.99	65.27	63.91	62.55	59.83
190001	Tubo 1" v 1" 12 ft	G23	>	Non-Buffed Non-Brushed	38.21	36.68	35.92	35.15	33.62
170001	Tube, 1" x 1", 12 ft.	023	<u> </u>	Buffed or Brushed	42.41	40.71	39.87	39.02	37.32
190003	Sq. Tube, 1" X 1" with Flange, 12 ft.	G23		Non-Buffed Non-Brushed	59.09	56.73	55.54	54.36	52.00
170003	Jag. Tabe, 1 A 1 With Lange, 12 It.	323		Buffed or Brushed	69.18	66.41	65.03	63.65	60.88
190007	Sq. Tube, 1" x 1" with 2 Flanges at	G23	7	Non-Buffed Non-Brushed	59.07	56.71	55.53	54.34	51.98
170007	180°, 12 ft.	023		Buffed or Brushed	79.51	76.33	74.74	73.15	69.97

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
100011	Square 1" with Channel, 12 ft.		√ -	Non-Buffed Non-Brushed	47.71	45.80	44.85	43.89	41.98
190014	(works with end cap 241014)	G23	\ \ \ \ \ \ \ \	Buffed or Brushed	54.53	52.35	51.26	50.17	47.99
190015	Double Square 1" with Channel, 12	G23		Non-Buffed Non-Brushed	46.51	44.65	43.72	42.79	40.93
190013	ft. (works with end cap 241015)	G23	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Buffed or Brushed	52.55	50.45	49.40	48.35	46.24
190019	Channel, Single, 1" x 1-1/2", 12 ft.	G23	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Non-Buffed Non-Brushed	54.10	51.94	50.85	49.77	47.61
170017	(Works with endcap 390031)	G23	, , ,	Buffed or Brushed	67.54	64.84	63.49	62.14	59.44
100022	Channel, 4-Way, 2" x 2", 12 ft.	C24	>	Non-Buffed Non-Brushed	105.28	101.07	98.96	96.86	92.65
190022	(Works with endcap 241038)	G24	>	Buffed or Brushed	111.94	107.46	105.22	102.98	98.51
400022	Channel, 3-Way, 1-1/2" x 2", 12 ft.	62.4	7 1	Non-Buffed Non-Brushed	86.97	83.49	81.75	80.01	76.53
190023	(Works with endcap 241001)	G24	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Buffed or Brushed	102.66	98.55	96.50	94.45	90.34
190026	Channel, Double, 1" x 2", 12 ft.	G24	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Non-Buffed Non-Brushed	68.75	66.00	64.63	63.25	60.50
190020	(Works with endcap 241004)	024		Buffed or Brushed	79.92	76.72	75.12	73.53	70.33
190042	Channel, Double, 1-1/2" x 1-1/2", 12		>	Non-Buffed Non-Brushed	71.15	68.30	66.88	65.46	62.61
190042	ft. (Works with endcap 241003)			Buffed or Brushed	88.07	84.55	82.79	81.02	77.50
			√ 	Non-Buffed Non-Brushed	14.10	13.54	13.25	12.97	12.41
190054	Frame, .080" x 1", 8.5 ft.		>6	Buffed or Brushed	17.76	17.05	16.69	16.34	15.63
190056	Back Frame, 1" Print Frame, 8.5 ft.		\\	Non-Buffed Non-Brushed	11.73	11.26	11.03	10.79	10.32
400011	S			Non-Buffed Non-Brushed	20.07	19.27	18.87	18.46	17.66
190061	Snap Frame, 1-3/8", 8.5 ft.		> (3	Buffed or Brushed	25.19	24.18	23.68	23.17	22.17
190093	Back Frame, 1-3/8" PrintFrame, 102"		\$ <u></u>	Non-Buffed Non-Brushed	29.31	28.14	27.55	26.97	25.79

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
400420	Channel 750" v. 4 0/ 2" 42 ft		7	Non-Buffed Non-Brushed	39.08	37.52	36.74	35.95	34.39
190128	Channel, .750" x 1.063", 12 ft.		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Buffed or Brushed	54.55	52.37	51.28	50.19	48.00
190129	Double Channel, .750" x 1.378",		> -	Non-Buffed Non-Brushed	50.74	48.71	47.70	46.68	44.65
190129	12 ft.		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Buffed or Brushed	68.28	65.55	64.18	62.82	60.09
4004=0				Non-Buffed Non-Brushed	31.58	30.32	29.69	29.05	27.79
190172	Angle, 1" x 1" x .125, 12 ft.	HA3	7	Buffed or Brushed	45.81	43.98	43.06	42.15	40.31
211042	Flat Head Machine Screw #6-32 x 3/8" Phil	S15		Zinc Plated Steel	0.05	0.05	0.05	0.05	0.05
217008	Corner Bracket Plate with Screws			Zinc	0.26	0.26	.26	.26	.26
218035	Fender Washer 1-1/2" O.D.	SC29			0.10	0.10	0.10	0.10	0.10
221014	Gray Bumper	FM11 RD15		Gray Rubber	0.30	0.30	0.30	0.30	0.30
221015	Clear Bumper	RD15		Clear Rubber	0.30	0.30	0.30	0.30	0.30
222012	1/8" x 3/16" Rivet			Steel Zinc	0.30	0.30	0.30	0.30	0.30
222023	Cartridge Rivet, 1821-0412		9	Steel	0.15	0.15	0.15	0.15	0.15
222025	Rivet, 1/8 x 0.085-0.135 Stl Zinc		9	Steel	0.10	0.10	0.10	0.10	0.10
224007	1" Piano Hinge without Holes, 8 ft. (see 419020 with holes)	HA34		Non-Buffed Non-Brushed	15.17	14.56	14.26	13.96	13.35
224008	1-1/2" Piano Hinge with Holes, 8 ft.	HA34 S15	@	Non-Buffed Non-Brushed	21.14	20.29	19.87	19.45	18.60
224009	1-1/2" Piano Hinge without Holes, 8 ft.	HA34 S15	Ğ	Non-Buffed Non-Brushed	18.60	17.86	17.48	17.11	16.37

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
224022	3-1/2" Brushed Nickel Butt Hinge	FM4	9 9 9	Brushed Nickel	15.17	15.17	15.17	15.17	15.17
226010	Felt Tape: 3/4" x 1/16" x 132"	HA36	Felt Tape Available in -01 Grey, -02 Brown and -03 Beige		5.79	5.79	5.79	5.79	5.10
226011	Felt Tape: 1-3/4" x 1/16" x 84"	HA36	Felt Tape Available in -01 Grey and -03 Beige	Felt Tape	9.39	9.39	9.39	9.39	8.26
226012	Felt Tape: 1-3/16" x 1/16" x 84"	HA36	Felt Tape Available in -01 Grey, 02 Brown and -03 Beige	Felt Tape	7.70	7.70	7.70	7.70	6.78
226013	WallMaker Glazing Vinyl, 1/2" (comes in 125ft. per roll)	G4	•	Black Rubber	.50/ft.	.50/ft.	.50/ft.	.50/ft.	.50/ft.
226014	Setting Block, 1/2" x 5/8" x 4"	G5		Black Rubber	0.90	0.90	0.90	0.90	0.90
226015	Setting Block, 1/4" x 5/8" x 4"	G5		Black Rubber	0.55	0.55	0.55	0.55	0.55
226016	WallMaker Glazing Vinyl, 1/4" (comes in 125 ft. roll)	G4	*	Black Rubber	.56/ft.	.56/ft.	.56/ft.	.56/ft.	.56/ft.
226019	Tape, Foam 1/4" x 5/16" x 14 ft.			Grey	1.44/ roll	1.44/ roll	1.44/ roll	1.44/ roll	1.44/ roll
226021	3/8" Glazing Strip	G4	T	Black Rubber	.36/ft.	.36/ft.	.36/ft	.36/ft.	.36/ft.
226022	3/8" Glazing Strip with Hook	G4	7	Black Rubber	.36/ft.	.36/ft.	.36/ft	.36/ft.	.36/ft.
226023	Glass Setting Tape, 100 ft. Roll			Black	.43/ft.	.43/ft.	.43/ft.	.43/ft.	.43/ft.
226024	Outside Rubber Glazing, 1/2" Glass	G4	•	Black Rubber	.31/ft.	.31/ft.	.31/ft.	.31/ft.	.31/ft.
226025	Inside Rubber Glazing, 1/2" Glass	G4	1	Black Rubber	.31/ft.	.31/ft.	.31/ft.	.31/ft.	.31/ft.
226027-01	9/16" x 1/16" Grey Felt, 8 ft.	G8		Grey Felt	8.33	8.33	8.33	8.33	7.33
227025	Suction Cup, 4-1/2" Dia, 80lbs Capacity				8.00	8.00	8.00	8.00	8.00
230028	Receptacle, Grounded	SC32			2.49	2.49	2.49	2.49	2.49

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
230056	Super Flex Conduit (3/8" I.D.), 250ft roll (No UL Listing / Recognition on conduit) Per Roll	SC31	COCCERTIFIED	Galvanized Steel	188.13	180.60	176.84	173.08	165.55
230056-01	Super Flex Conduit (3/8" I.D.), (No UL Listing / Recognition on conduit) 7 ft.	SC31	Commission	Galvanized Steel	5.46	5.24	5.13	5.02	4.80
230056-02	Super Flex Conduit (3/8" I.D.), (No UL Listing / Recognition on conduit) 4 ft.	SC31	Commission	Galvanized Steel	3.01	2.89	2.83	2.77	2.65
230056-04	Super Flex Conduit (3/8" I.D.), (No UL Listing / Recognition on conduit) Per ft.	SC31	Colombia	Galvanized Steel	.97/ft.	.93/ft.	.91/ft.	.89/ft.	.85/ft.
230085	Switch, Rocker 20A 125-277 VAC	SC32			8.45	8.45	8.45	8.45	8.45
232006	Steel Bracket, 6" Anochrome	SC15 HA26 SH7	<u>Ki</u>	Steel	3.92	3.92	3.92	3.92	3.92
232008	Steel Bracket, 8" Anochrome	SC15 HA26 SH7	<u>Ei</u>	Steel	4.14	4.14	4.14	4.14	4.14
232010	Steel Bracket, 10" Anochrome	SC15 HA26 SH7	<u>ki</u>	Steel	4.35	4.35	4.35	4.35	4.35
232012	Steel Bracket, 12" Anochrome	SC43 HA26 SH7	<u>Ki</u>	Steel	6.26	6.26	6.26	6.26	6.26
232014	Steel Bracket, 14" Anochrome	SC43 HA26 SH7	<u>Ei</u>	Steel	7.43	7.43	7.43	7.43	7.43
232016	Steel Bracket, 16" Anochrome	SC43 HA26 SH7	<u>ki</u>	Steel	7.96	7.96	7.96	7.96	7.96
232023	Slotted Steel Standard, 3 ft.	SC16 HA26 SH7	Quina i	Plated Steel	7.85	7.85	7.85	7.85	7.85
232028	Slotted Steel Standard, 8 ft.	SC16 HA26 SH7	& The state of the	Plated Steel	14.42	14.42	14.42	14.42	14.42
232045	135° Rectangular Glass Clip for 3/8" & 1/2" glass	G20	2	Buffed or Brushed	27.61	26.51	25.95	24.85	24.30
232056	Alu Clip	G23		Cast Zinc	4.51	4.51	4.51	4.51	4.51
241001-01 241001-03	Endcap for 190023, Plastic (01) Black, (03) Grey	G25		Plastic	0.96	0.96	0.96	0.96	0.84

		Cat.				Discount	Quantity	y Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
241003-01	Endcap for 190042, Plastic (01) Black			Plastic	0.96	0.96	0.96	0.96	0.84
241004-01 241004-03	Endcap for 190026, Plastic (01) Black, (03) Grey	G25		Plastic	2.00	2.00	2.00	2.00	1.76
241009	Cap for Aluclip (#232056)			Plastic	0.09	0.09	0.09	0.09	0.09
241014-01	Endcap for 190014, Plastic (01) Black	G25		Plastic	0.96	0.96	0.96	0.96	0.84
241015-01 241015-03	Endcap, .995", Square (01) Black, (03) Grey	G25		Plastic	0.96	0.96	0.96	0.96	0.84
241038-01	Endcap for 190022, Plastic (01) Black			Plastic	0.96	0.96	0.96	0.96	0.84
310052	Retaining Ring for 511040		U	Carbon Spring Steel	0.80	0.77	0.75	0.74	0.70
310079	Ballast Box Cover	SC33		Black	6.64	6.37	6.24	6.11	5.84
310080	Ballast Box Tray	SC32		Galvanized Steel	2.65	2.54	2.49	2.44	2.33
310085	Ballast Box Insert Tray for Double Ballast Box	SC33		Galvanized Steel	6.58	6.32	6.19	6.05	5.79
310124	90° Connector for 230056 (No UL Listing / Recognition on connector)	SC29	50	Black	0.99	0.95	0.93	0.91	0.87
310130	Hinge Pin	S8		Zinc Plated	5.93	5.69	5.57	5.46	5.22
310204	Endcap for 110200	AT8		Buffed or Brushed	11.23	10.78	10.56	10.33	9.88
310205	Endcap for 110201 and 110295	AT8		Buffed or Brushed	10.22	9.81	9.61	9.40	8.99

		Cat.			Discount Quantity Pricing				
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
310206	Endcap for 110202	AT8		Buffed or Brushed	10.99	10.55	10.33	10.11	9.67
310207	Endcap for 110210	AT8		Buffed or Brushed	11.86	11.39	11.15	10.91	10.44
310209	Endcap for 110212	AT8		Buffed or Brushed	11.68	11.21	10.98	10.75	10.28
310210	Endcap for 110214 - RH (LH-310211)	AT14		Buffed or Brushed	17.07	16.39	16.05	15.70	15.02
310211	Endcap for 110214 - LH (RH - 310210)	AT14		Buffed or Brushed	17.07	16.39	16.05	15.70	15.02
310212	Endcap for 110223	AT11		Buffed or Brushed	9.29	8.92	8.73	8.55	8.18
310213	Endcap for 110225	AT11	zzzl :: bzzz	Buffed or Brushed	11.13	10.68	10.46	10.24	9.79
310214	Endcap for 110226	AT11	277 1 : : : 277	Buffed or Brushed	12.15	11.66	11.42	11.18	10.69
310215	Endcap for 110227	AT11		Buffed or Brushed	16.23	15.58	15.26	14.93	14.28
310218	Endcap for 110232	AT14	ouros Ironos	Buffed or Brushed	13.03	12.51	12.25	11.99	11.47
310219	Endcap for 110233	AT14		Buffed or Brushed	22.14	21.25	20.81	20.37	19.48
310227	Endcap for 110244 - LH (RH 310228)	AT14		Buffed or Brushed	17.52	16.82	16.47	16.12	15.42
310228	Endcap for 110244 - RH (LH 310227)	AT14		Buffed or Brushed	17.52	16.82	16.47	16.12	15.42
310229	Endcap for 110245			Buffed or Brushed	11.22	10.77	10.55	10.32	9.87
310233	Endcap for 110260	AT14		Buffed or Brushed	11.41	10.95	10.73	10.50	10.04
310235	Endcap for 110269	AT11		Buffed or Brushed	13.93	13.37	13.09	12.82	12.26
310239	Endcap for 110286 - RH (LH 310242)	AT6		Buffed or Brushed	15.48	14.86	14.55	14.24	13.62
310240	Endcap for 110290 - RH (LH 310243)	AT6		Buffed or Brushed	12.51	12.01	11.76	11.51	11.01

		Cat.				Discount	Quantity	Discount Quantity Pricing				
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+			
310241	Endcap for 110294	AT11		Buffed or Brushed	22.79	21.88	21.42	20.97	20.06			
310242	Endcap for 110286 - LH (RH 310239)	AT6		Buffed or Brushed	15.48	14.86	14.55	14.24	13.62			
310243	Endcap for 110290 - LH (RH 310240)	AT6		Buffed or Brushed	12.51	12.01	11.76	11.51	11.01			
310244	Endcap for 110299 - RH (LH 310245)	AT6		Buffed or Brushed	13.27	12.74	12.47	12.21	11.68			
310245	Endcap for 110299 - LH (RH 310244)	AT6		Buffed or Brushed	13.27	12.74	12.47	12.21	11.68			
310249	Endcap for 110310	AT8		Buffed or Brushed	15.18	14.57	14.27	13.97	13.36			
310250	Endcap, Rectangular for 110307	AT11	221111 VIIII	Buffed or Brushed	8.92	8.56	8.38	8.21	7.85			
310251	Endcap for 110304	AT9		Buffed or Brushed	14.27	13.70	13.41	13.13	12.56			
310252	Endcap for 110308 - RH (LH 310253)	AT6	***************************************	Buffed or Brushed	9.85	9.46	9.26	9.06	8.67			
310253	Endcap for 110308 - LH (RH 310252)	AT6		Buffed or Brushed	9.85	9.46	9.26	9.06	8.67			
310259	Endcap for 110325 - LH (RH 310260)	AT14		Buffed or Brushed	15.57	14.95	14.64	14.32	13.70			
310260	Endcap for 110325 - RH (LH 310259)	AT14		Buffed or Brushed	15.57	14.95	14.64	14.32	13.70			
310286	Endcap for 110381	AT14		Buffed or Brushed	16.02	15.38	15.06	14.74	14.10			
310287	Endcap for 110382 - LH (RH 310288)	AT14		Buffed or Brushed	11.97	11.49	11.25	11.01	10.53			
310288	Endcap for 110382 - RH (LH 310287)	AT14		Buffed or Brushed	11.97	11.49	11.25	11.01	10.53			
310292	Endcap for 110383 - LH (RH 310293)	AT15		Buffed or Brushed	13.89	13.33	13.06	12.78	12.22			
310293	Endcap for 110383 - RH (LH 310292)	AT15		Buffed or Brushed	13.89	13.33	13.06	12.78	12.22			
310323	Endcap for 110328	AT8		Buffed or Brushed	6.44	6.18	6.05	5.92	5.67			

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
310324	Endcap for 110432 - LH (RH 310325)			Buffed or Brushed	7.90	7.58	7.43	7.27	6.95
310325	Endcap for 110432 - RH (LH 310324)			Buffed or Brushed	7.90	7.58	7.43	7.27	6.95
310342	WallMaker Vertical Bracket		63	Non-Buffed Non-Brushed	3.22	3.09	3.03	2.96	2.83
310351	1-1/4" Piano Hinge w/Unequal Legs (without holes) 8 ft.	HA34 S15		Non-Buffed Non-Brushed	16.28	15.63	15.30	14.98	14.33
310354-01	90° Corner Bracket	G4	• • • • •	Zinc	29.07	27.91	27.33	26.74	25.58
310354-02	135° Corner Bracket	G4	•••••	Zinc	75.00	72.00	70.50	69.00	66.00
310354-03	120° Corner Bracket	G4		Zinc	31.82	30.55	29.91	29.27	28.00
310374	Endcap for 110296 - LH (RH 310375)	AT6		Buffed or Brushed	8.83	8.48	8.30	8.12	7.77
310375	Endcap for 110296 - RH (LH 310374)	AT6		Buffed or Brushed	8.83	8.48	8.30	8.12	7.77
310377	Endcap for 110420 - RH (LH 310378)	AT15		Buffed or Brushed	17.58	16.88	16.53	16.17	15.47
310378	Endcap for 110420 - LH (RH 310377)	AT15		Buffed or Brushed	17.58	16.88	16.53	16.17	15.47
310385	Endcap for 110400 - RH (LH 310386)			Buffed or Brushed	13.23	12.70	12.44	12.17	11.64
310386	Endcap for 110400 - LH (RH 310385)			Buffed or Brushed	13.23	12.70	12.44	12.17	11.64
310395	Endcap for 110267	AT8		Buffed or Brushed	16.49	15.83	15.50	15.17	14.51
310399	Endcap for 110465 - LH (RH 310400)	AT15		Buffed or Brushed	21.86	20.99	20.55	20.11	19.24
310400	Endcap for 110465 - RH (LH 310399)	AT15		Buffed or Brushed	21.86	20.99	20.55	20.11	19.24

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
310403	Endcap for 110410	AT11		Buffed or Brushed	19.53	18.75	18.36	17.97	17.19
310577	Ballast Box Cover	SC33			6.01	5.77	5.65	5.53	5.29
310614	Endcap, Round Threaded			Non-Buffed Non-Brushed	8.33	8.00	7.83	7.66	7.33
310735	Endcap for 110639	AT11		Buffed or Brushed	12.74	12.23	11.98	11.72	11.21
330017-01	Unflocked Top Guide			Black Nylon	0.31	0.30	0.29	0.29	0.27
330017-02	Flocked Top Guide	RD17		Black Nylon	2.86	2.75	2.69	2.63	2.52
370006	SteelCoat Hook	FM4		Zinc	12.60	12.10	11.84	11.59	11.09
370008	Chrome Door Latch	FM4		Satin Chrome	18.89	18.13	17.76	17.38	16.62
370012	Strike Plate	FM4		Zinc	3.92	3.76	3.68	3.61	3.45
370013	Shoulder Screw			Zinc	0.26	0.25	0.24	0.24	0.23
380269	Endcap for 6815xx Series Reflector Assemblies	SS24		Buffed or Brushed	12.01	11.53	11.29	11.05	10.57
380270	LED 1-1/2" Reflector Mount Bracket (180079 Reflector)	SC29			4.94	4.74	4.64	4.54	4.35
380697	Anchor, Rotating Downtube Connector	SC23	6	Non-Buffed Non-Brushed	9.88	9.48	9.29	9.09	8.69
390031-01 390031-03	Endcap for 190019, Plastic (01) Black, (03) Grey"	G25		Plastic	0.53	0.51	0.50	0.49	0.47
391501	Spring, 1-3/8" PrintFrame, 1.410 Dia. SST		Ŏ	Stainless Steel	0.26	0.25	0.24	0.24	0.23

		Cat.				Discount	Quantity	y Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
391505	Corner Bracket Plate			Galvanized Steel	1.34	1.29	1.26	1.23	1.18
391548	Spring, 1" PrintFrame, 0.940 Dia. SST		Ŏ	Stainless Steel	0.26	0.25	0.24	0.24	0.23
391551	Corner Gusset, 1" PrintFrame		0000	Galvanized Steel	1.04	1.00	0.98	0.96	0.92
391553	Corner Gusset, 1-3/8" PrintFrame			Galvanized Steel	1.56	1.50	1.47	1.44	1.37
391997	Slatwall Hanger for PrintFrame				6.88	6.60	6.47	6.33	6.05
	2-3/4" Door Pull		<u></u>	Non-Buffed Non-Brushed	5.51	5.29	5.18	5.07	4.85
410001	(110027 - 12 ft.)	HA23		Buffed or Brushed	6.61	6.35	6.21	6.08	5.82
	2-3/4" Door Pull		100	Non-Buffed Non-Brushed	5.51	5.29	5.18	5.07	4.85
410002	(110029 - 12 ft.)	HA23	^	Buffed or Brushed	6.61	6.35	6.21	6.08	5.82
410050	1/2" Downtube 3/8" I.D. (36" length)	SC29	0	Non-Buffed Non-Brushed	5.27	5.06	4.95	4.85	4.64
440000	Showcase Molding with Holes,	6645		Non-Buffed Non-Brushed	19.35	18.58	18.19	17.80	17.03
410099	12 ft. (without holes 110577)	SC15	7 2	Buffed or Brushed	21.04	20.20	19.78	19.36	18.52
440404	Drawer Pull, 3-3/4" (for 3/4" Drawer)		7	Non-Buffed Non-Brushed	6.34	6.09	5.96	5.83	5.58
410101	(110104 - 12 ft.)	HA23		Buffed or Brushed	7.44	7.14	6.99	6.84	6.55
	Drawer Pull, 3-3/4" (for 13/16"		7	Non-Buffed Non-Brushed	5.51	5.29	5.18	5.07	4.85
410103	Drawer) (110105 - 12 ft.)	HA23		Buffed or Brushed	6.61	6.35	6.21	6.08	5.82
440414	3-3/4" Drawer Pull	11422	7	Non-Buffed Non-Brushed	6.06	5.82	5.70	5.58	5.33
410114	(110108 - 12 ft.)	HA23		Buffed or Brushed	7.17	6.88	6.74	6.60	6.31
440422	3-3/4" Drawer Pull with Label Holder	11422	37-	Non-Buffed Non-Brushed	6.34	6.09	5.96	5.83	5.58
410123	(110111 - 12 ft.)	HA23	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Buffed or Brushed	7.44	7.14	6.99	6.84	6.55

		Cat.				Discount	Quantity	Discount Quantity Pricing				
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+			
410311	2" Hingo Plato	S15		Non-Buffed Non-Brushed	5.51	5.29	5.18	5.07	4.85			
410311	2" Hinge Plate	313		Buffed or Brushed	8.97	8.61	8.43	8.25	7.89			
410312	Hinge Plate with Holes, 12 ft.			Non-Buffed Non-Brushed	67.63	64.92	63.57	62.22	59.51			
110312	Timge race warriotes, 12 re.			Buffed or Brushed	71.84	68.97	67.53	66.09	63.22			
410366	1/8" Endcap for 110483 (2"x 1-3/4" Header)	G5		Buffed or Brushed	8.02	7.70	7.54	7.38	7.06			
410367	1/8" Endcap for 110482 (2"x4" Sill)	G5		Buffed or Brushed	9.34	8.97	8.78	8.59	8.22			
410381	Security Door Retainer (use with 110140, 110350 or 110412 shoe)	RD15		Non-Buffed Non-Brushed	1.31	1.26	1.23	1.21	1.15			
410412	1/8" Encap for 110360, 111012 or 111013 (1"x2" Header)	G5		Buffed or Brushed	11.46	11.00	10.77	10.54	10.08			
410413	1/8" Endcap for 110361 (1"x1" Sill)	G5		Buffed or Brushed	11.45	10.99	10.76	10.53	10.08			
410443	1" Trim Base with Holes, 12 ft.	AT16		Non-Buffed Non-Brushed	19.02	18.26	17.88	17.50	16.74			
410444	Security Door Retainer (use with 110012 Shoe)	RD15		Non-Buffed Non-Brushed	1.66	1.59	1.56	1.53	1.46			
410454	1-7/8" Security Door Retainer	RD15		Non-Buffed Non-Brushed	2.59	2.49	2.43	2.38	2.28			
410458	3" Trim Base, 12 ft.	AT16	<u> </u>	Non-Buffed Non-Brushed	45.94	44.10	43.18	42.26	40.43			
410466	1" Recessed Trim Base, 12 ft.	AT16		Non-Buffed Non-Brushed	37.68	36.17	35.42	34.67	33.16			
410530	5/8" Trim Base with Holes, 12 ft.	AT16	37	Non-Buffed Non-Brushed	21.66	20.79	20.36	19.93	19.06			
410540	2" Trim Base with Holes, 12 ft.	AT16	<u>A</u>	Non-Buffed Non-Brushed	33.35	32.02	31.35	30.68	29.35			

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
410542	1/2" Endcap for 110483 (2"x1-3/4" Header)	G7		Buffed or Brushed	17.66	16.95	16.60	16.25	15.54
410543	1/2" Endcap for 110482 (2"x4" Sill)	G7		Buffed or Brushed	22.63	21.72	21.27	20.82	19.91
410544	1/2" Endcap for 110481 (2"x6" Sill)	G7		Buffed or Brushed	24.90	23.90	23.41	22.91	21.91
410545	1/8" Endcap for 110481 (2"x6" Sill)	G7		Buffed or Brushed	15.90	15.26	14.95	14.63	13.99
410644	3" Recessed Trim Base with Holes, 12 ft.	AT16	٤\$	Non-Buffed Non-Brushed	48.67	46.72	45.75	44.78	42.83
410896	1/8" Endcap for 110434 (2-1/2"x1- 3/4" Sill)	G7		Buffed or Brushed	10.81	10.38	10.16	9.95	9.51
411185	5/8" Recessed Trim Base, 12 ft.	AT16		Non-Buffed Non-Brushed	30.95	29.71	29.09	28.47	27.24
411331	3/4" Trim Base with Holes for Endcap, 12 ft.	AT17	25	Non-Buffed Non-Brushed	14.25	13.68	13.40	13.11	12.54
412002	4.50" Trim Base, 145.50"	AT17		Non-Buffed Non-Brushed	75.43	72.41	70.90	69.40	66.38
412007	5/8" Trim Base with Mounting Holes, 145.50"	AT17	~	Non-Buffed Non-Brushed	17.38	16.68	16.34	15.99	15.29
412272	3" Trim Base with Mount Holes, 12 ft.	AT17		Non-Buffed Non-Brushed	46.73	44.86	43.93	42.99	41.12
412434	1/8" Endcap for 111007 (2"x8" Sill)	G5		Buffed or Brushed	22.05	21.17	20.73	20.29	19.40
412435	1/8" Endcap for 111011 (2-1/2"x 8" Sill)	G5		Buffed or Brushed	22.05	21.17	20.73	20.29	19.40
412436	1/8" Endcap for 111014 (2-1/2"x 6" Sill)	G5		Buffed or Brushed	19.29	18.52	18.13	17.75	16.98
412437	1/8" Endcap for 111015 (2-1/2"x 4" Sill)	G5		Buffed or Brushed	15.71	15.08	14.77	14.45	13.82
412443	Endcap for 111010 Top Channel			Buffed or Brushed	13.23	12.70	12.44	12.17	11.64

		Cat.				Discount	: Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
412444	Endcap for 111072 Top Channel			Buffed or Brushed	13.23	12.70	12.44	12.17	11.64
412456	Endcap for 111089 Top Channel			Buffed or Brushed	12.13	11.64	11.40	11.16	10.67
412457	Endcap for 111091 Top Channel			Buffed or Brushed	12.13	11.64	11.40	11.16	10.67
419007	Top Guide	RD15		Non-Buffed Non-Brushed	0.16	0.15	0.15	0.15	0.14
419020	1" Piano Hinge with Holes, 8 ft.	HA34		Non-Buffed Non-Brushed	27.93	26.81	26.25	25.70	24.58
419030	Vinyl Door Guide	RD15		Non-Buffed Non-Brushed	0.38	0.36	0.36	0.35	0.33
419070	Plastic Snap Base Clip (green) for TrimMaker Extrusion with 2" Openings	AT18		Green Plastic	1.06	1.02	1.00	0.98	0.93
419071	Plastic Snap Base Clip (yellow) for TrimMaker Extrusion with 3" Openings	AT18		Yellow Plastic	1.06	1.02	1.00	0.98	0.93
419072	Plastic Snap Base Clip (orange) for TrimMaker Extrusion with 4.5" Openings	AT18	1	Orange Plastic	1.22	1.17	1.15	1.12	1.07
419073	Plastic Snap Base Clip (black) for TrimMaker Extrusion with 1" Openings	AT18		Black Plastic	1.22	1.17	1.15	1.12	1.07
419074	Plastic Snap Base Clip (grey) for TrimMaker Extrusion with 5/8" Openings	AT18		Grey Plastic	1.33	1.28	1.25	1.22	1.17
419076	Plastic Snap Base Clip (red) for TrimMaker Extrusion with 5/8" Openings	AT18		Red Plastic	1.33	1.28	1.25	1.22	1.17
419077	Plastic Snap Base Clip (blue) for TrimMaker Extrusion with 1" Openings	AT18		Blue Plastic	1.06	1.02	1.00	0.98	0.93
420068	5/16" J-Molding with Holes, 12 ft. (without Holes - 120041)	FM15	> \	Non-Buffed Non-Brushed	14.45	13.87	13.58	13.29	12.72
	(Without Hotes 120011)		l	Buffed or Brushed	21.13	20.28	19.86	19.44	18.59
420107	5/8" J-Molding with Holes,	FM15	√ > □	Non-Buffed Non-Brushed	17.87	17.16	16.80	16.44	15.73
.20107	12 ft. (without Holes - 120055)			Buffed or Brushed	23.74	22.79	22.32	21.84	20.89

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
420108	Mirror Divider Trim with Holes, 12 ft.	FM15		Non-Buffed Non-Brushed	19.11	18.35	17.96	17.58	16.82
420106	(without holes 120057)	FMID	\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \	Buffed or Brushed	23.96	23.00	22.52	22.04	21.08
420109	Mirror Divider Trim with Holes, 12 ft.	FM15		Non-Buffed Non-Brushed	29.07	27.91	27.33	26.74	25.58
420107	(without holes 120061)	IMIS	^	Buffed or Brushed	32.56	31.26	30.61	29.96	28.65
420110	Slotted Corner Column, 150" (with-	FM16	\ \ 	Non-Buffed Non-Brushed	59.12	56.76	55.57	54.39	52.03
	out slots 120063)			Buffed or Brushed	64.42	61.84	60.55	59.27	56.69
429004	1/4" Glazing Wedge	FM14	S	Black	0.71	0.68	0.67	0.65	0.62
429007	Glazing Clip	FM14		Grey	0.87	0.84	0.82	0.80	0.77
450010	Aluminum Showcase Slotted Standard	HA24 SC16 SH5		Price per Inch / Cutting charge also applies	0.60	0.60	0.60	0.60	0.59
450013	Aluminum Slotted Wall Standard	HA24 SH7		Price per Inch / Cutting charge also applies	0.80	0.80	0.80	0.80	0.78
450020	Aluminum Showcase Heavy Duty Slotted Standard	HA25 SC19 SH6	7	Price per Inch / Cutting charge also applies	0.72	0.72	0.72	0.72	0.71
450021	Aluminum Rear Support for 450020	HA25 SC16 SH6		Price per Inch / Cutting charge also applies	0.33	0.33	0.33	0.33	0.32
450022	Aluminum Rear Support for 450010	SH7 HA24 SC10		Price per Inch / Cutting charge also applies	0.40	0.40	0.40	0.40	0.39
450023	Aluminum Heavy Duty Slotted Standard, 12 ft.				61.72	59.25	58.02	56.78	54.31
170010			П	Non-Buffed Non-Brushed	27.84	26.73	26.17	25.61	24.50
470010	Door Jamb, 7 ft.	F2	7	Buffed or Brushed	34.34	32.97	32.28	31.59	30.22
170010	Wall Jamb with Holes, 12 ft. (with-			Non-Buffed Non-Brushed	35.82	34.39	33.67	32.95	31.52
470012	out holes170008)	F2		Buffed or Brushed	49.25	47.28	46.30	45.31	43.34
480753	3/8" Threaded Washer 1" O.D.	SC30	0	Non-Buffed Non-Brushed	6.71	6.44	6.31	6.17	5.90

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
480756	Support Puck	SC30		Non-Buffed Non-Brushed	5.59	5.37	5.25	5.14	4.92
480757	3/8" Downtube 9/32" I.D.	SC30	0	Non-Buffed Non-Brushed	5.96	5.72	5.60	5.48	5.24
480767	Connector, Downtube	SC30		Non-Buffed Non-Brushed	9.40	9.02	8.84	8.65	8.27
480941	7/16" Downtube 9/32" I.D.	SC30	0	Non-Buffed Non-Brushed	14.91	14.31	14.02	13.72	13.12
480943	7/16" Threaded Washer 1-1/4" O.D.	SC30		Non-Buffed Non-Brushed	6.71	6.44	6.31	6.17	5.90
480989	Endcap, 1.00 Dia Reflector 180133	SC25		Buffed or Brushed	17.91	17.19	16.84	16.48	15.76
480993	Connector, Downtube, 1.00 Dia. Reflector	SC25	Ça	Non-Buffed Non-Brushed	9.92	9.52	9.32	9.13	8.73
481042	Connector, Downtube Internal Rotating for 180133 1.00 Dia. Reflector	SC25		Non-Buffed Non-Brushed	23.30	22.37	21.90	21.44	20.50
481056	Endcap, RH Teardrop Reflector 180147	SC23		Buffed or Brushed	11.58	11.12	10.89	10.65	10.19
481057	Endcap, LH Teardrop Reflector 180147	SC23		Buffed or Brushed	11.58	11.12	10.89	10.65	10.19
490257	Double-Sided Cornerpiece			Non-Buffed Non-Brushed	21.20	20.35	19.93	19.50	18.66
510001	Wheel Assembly for 110012 (wheel code W1)	RD15			0.92	0.88	0.86	0.85	0.81
510006	Door Bumper Assembly	RD15			0.78	0.75	0.73	0.72	0.69
510014	1/2" Heavy Duty Door Stop Assembly	RD15			2.86	2.75	2.69	2.63	2.52
510015	3/4" Heavy Duty Door Stop Assembly	RD15			3.12	3.00	2.93	2.87	2.75
510016-02	Standard Door Pull Assembly, Natural	HA23		Natural	6.55	6.29	6.16	6.03	5.76
510016-03	Standard Door Pull Assembly, Black	HA23		Black	8.35	8.02	7.85	7.68	7.35

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
510041	Heavy Duty Wheel Assembly (wheel code W5)	RD15	0		1.05	1.01	0.99	0.97	0.92
510060	Heavy Duty Door Stop Assembly, 1/2"	RD15			2.86	2.75	2.69	2.63	2.52
510073	Mount Bracket Kit	SC30			6.24	5.99	5.87	5.74	5.49
510089	Mounting Bracket Assembly for 110107/110192	HA21 SC16			9.00	8.64	8.46	8.28	7.92
510101	Single Ballast Box	SC34	The state of the s	Aluminized Steel	18.20	17.47	17.11	16.74	16.02
510102	Double Ballast Box	SC35		Aluminized Steel	30.35	29.14	28.53	27.92	26.71
510126	90° Reflector Mitre Bracket Assembly	HA21			6.20	5.95	5.83	5.70	5.46
510127	135° Reflector Mitre Bracket Assembly	HA21	A		6.20	5.95	5.83	5.70	5.46
510199-01	Chrome Cam Lock used with 110153 hinged door frame extrusion. 7/8" cam length, key retaining. Includes 2 keys. (Kenstan CLD03-type)	HA22 S15		Chrome	16.80	16.13	15.79	15.46	14.78
510199-02	Chrome Cam Lock used with 110153 hinged door frame extrusion. 7/8" cam length, key retaining. Includes 6 keys. (Kenstan CLD03-type)	HA22 S15		Chrome	20.88	20.04	19.63	19.21	18.37
510235	Hex Shelf Support Assembly	SC10	The state of the s		3.22	3.09	3.03	2.96	2.83
510237	Corner Bracket Assembly for Transparency Frame	S15 HA21			9.10	8.74	8.55	8.37	8.01
510238	Corner Bracket Assembly for Hinged Door	S15 HA21			9.10	8.74	8.55	8.37	8.01
510241	Endcap Assembly for 110140	RD15		Non-Buffed Non-Brushed	6.71	6.44	6.31	6.17	5.90

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
510245	Magnetic Latch and Strike Assembly	HA22	0		4.00	3.84	3.76	3.68	3.52
510246	Corner Bracket / Back Place Assembly for Transparence Face Frame Assembly	HA21			2.60	2.50	2.44	2.39	2.29
510249	Chrome Offset Cam Lock used with #710000 Series Showcase top or bottom hinged door. 7/8" cam w/ 1/4" offset, key retaining. Includes 2 keys. (Kenstan CLD03-type)	HA22		Chrome	16.33	15.68	15.35	15.02	14.37
510269	Chrome L-Cam Lock used with #710000 Series Showcase side hinged door. 5/8" cam w/ 1/2" L-bend, key retaining. Includes 2 keys. (Kenstan CLD03-type)	HA22		Chrome	17.97	17.25	16.89	16.53	15.81
510274	90° WallMaker Bracket Assembly	G4	000000		37.44	35.94	35.19	34.44	32.95
510331	Endcap Assembly for 110350	RD15	P	Non-Buffed Non-Brushed	4.72	4.53	4.44	4.34	4.15
510349	Mini Latch Assembly	S15 HA22			21.01	20.17	19.75	19.33	18.49
510371	Edcap Assembly for 110412	RD15	The state of the s	Non-Buffed Non-Brushed	8.32	7.99	7.82	7.65	7.32
510378	Downtube Flange	SC30	000		14.87	14.28	13.98	13.68	13.09
510440	135° WallMaker Bracket Assembly	G4	00:00		80.00	76.80	75.20	73.60	70.40
510458	WallMaker "T" Bracket Assembly Kit	G4			8.34	8.01	7.84	7.67	7.34
510459	WallMaker "L" Bracket Assembly Kit	G4	***************************************		5.17	4.96	4.86	4.76	4.55
				Non-Buffed Non-Brushed	182.68	175.37	171.72	168.07	160.76
510529	WallMaker Smooth H-Assembly	G3		Buffed or Brushed	203.68	195.53	191.46	187.39	179.24
510571	180° Square Glass Clip for 3/8" & 1/2" glass	G19		Buffed or Brushed	27.34	26.25	25.70	25.15	24.06
510572	180° Round Glass Clip for 3/8" & 1/2" glass	G17		Buffed or Brushed	26.42	25.36	24.83	24.31	23.25

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
510582	Round, Wall Mount Glass Clip for 3/8" & 1/2" glass	G18		Buffed or Brushed	25.68	24.65	24.14	23.63	22.60
510583	Square, Wall Mount Glass Clip for 3/8" & 1/2" glass	G19		Buffed or Brushed	20.32	19.51	19.10	18.69	17.88
510584	90° Round Glass Clip for 3/8" & 1/2" glass	G18		Buffed or Brushed	40.32	38.71	37.90	37.09	35.48
510585	90° Square Glass Clip for 3/8" & 1/2" glass	G19		Buffed or Brushed	32.36	31.07	30.42	29.77	28.48
510586	135° Round Glass Clip for 3/8" & 1/2" glass	G18		Buffed or Brushed	42.74	41.03	40.18	39.32	37.61
510587	135° Square Glass Clip for 3/8" & 1/2" glass	G19		Buffed or Brushed	26.36	25.31	24.78	24.25	23.20
510598	Ballast Box Accessory Kit (Screws, 12 and 18 Gauge Terminal Connector, Rocker Switch, Ballast Box Bracket and Knock-out Connector)	SC32			5.77	5.54	5.42	5.31	5.08
510599	Single Ballast Box Kit (Screws, Palnuts and Single Ballast Box Cover and Tray)	SC32		Black	29.68	28.49	27.90	27.31	26.12
510600	Single Ballast Box Kit with Accessories	SC33			27.79	26.68	26.12	25.57	24.46
510621	Flex Connector 3/8" I.D. Conduit	SC30			4.06	3.90	3.82	3.74	3.57
510622	Rigid Connector 1/2" Downtube	SC30			4.39	4.21	4.13	4.04	3.86
510625	Double Ballast Box Kit (Screws, Palnuts and Double Ballast Box Cover and Tray)	SC33			51.64	49.57	48.54	47.51	45.44
510626	Double Ballast Box with Accessories	SC33			60.65	58.22	57.01	55.80	53.37
E407/0	Welling her week and the	63		Non-Buffed Non-Brushed	288.33	241.54	236.51	231.48	221.41
510760	WallMaker Wireway Assembly	G3		Buffed or Brushed	317.33	241.54	236.51	231.48	221.41

		Cat.				Discount	Quantity	y Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
510761	WallMaker 90° Corner Assembly	G3		Non-Buffed Non-Brushed	342.04	328.36	321.52	314.68	301.00
310701	Waterland Cornel Assembly	03		Buffed or Brushed	362.63	348.12	340.87	333.62	319.11
510763	WallMaker H-Assembly	G3		Non-Buffed Non-Brushed	233.42	224.08	219.41	214.75	205.41
	,			Buffed or Brushed	253.01	242.89	237.83	232.77	222.65
510808	Chrome Plunger Lock used with 110140, 110350 & 110412 rolling door shoe extrusions. 3/8" length plunger, key retaining. Includes 2 keys. (Kenstan PLD40-type)	RD15 HA22 SC5		Chrome	24.77	23.78	23.28	22.79	21.80
510955	180° Rectangular Glass Clip for 3/8" & 1/2" glass	G20	, Ç	Buffed or Brushed	27.62	26.52	25.96	25.41	24.31
511008	90° Rectangular Glass Clip for 3/8" & 1/2" glass	G20		Buffed or Brushed	30.84	29.61	28.99	28.37	27.14
511040	Chrome Plunger Lock used with 110012 & 110067 rolling door shoe extrusions. Through-the-track plung- er, key retaining. Includes 2 keys. (Kenstan PLD49-type)	HA22 SC9 RD15		Steel Chrome Plated	27.29	26.20	25.65	25.11	24.02
511070	Kit Strut Fixing Mounting Base			Non-Buffed Non-Brushed	13.85	13.30	13.02	12.74	12.19
511079	Kit, Bracket 1.0 Dia., Vertical Glass Clamp			Non-Buffed Non-Brushed	25.95	24.91	24.39	23.87	22.84
511085	Kit, End Piece w/Insert			Non-Buffed Non-Brushed	11.50	11.04	10.81	10.58	10.12
511069	Kit, Support Fixing 90 Degree Mounting Flange				26.00	24.96	24.44	23.92	22.88
511178	Top Shoe Guide Assembly	RD15 SC15	STYLMARK		4.16	3.99	3.91	3.83	3.66
511179	90° Round Glass Clip for 5/8" & 3/4" glass	G18		Buffed or Brushed	39.88	38.28	37.49	36.69	35.09

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
511180	135° Round Glass Clip for 5/8" & 3/4" glass	G18		Buffed or Brushed	42.85	41.14	40.28	39.42	37.71
511181	180° Round Glass Clip for 5/8" & 3/4" glass	G17		Buffed or Brushed	26.24	25.19	24.67	24.14	23.09
511182	Round, Wall Mount Glass Clip for 5/8" & 3/4" glass	G18		Buffed or Brushed	24.09	23.13	22.64	22.16	21.20
511183	135° Rectangular Glass Clip for 5/8" & 3/4" glass	G21		Buffed or Brushed	27.09	26.01	25.46	24.92	23.84
511184	180° Rectangular Glass Clip for 5/8" & 3/4" glass	G20		Buffed or Brushed	30.04	28.84	28.24	27.64	26.44
511185	90° Rectangular Glass Clip for 5/8" & 3/4" glass	G20		Buffed or Brushed	29.70	28.51	27.92	27.32	26.14
511186	90° Square Glass Clip for 5/8" & 3/4" glass	G19		Buffed or Brushed	29.75	28.56	27.97	27.37	26.18
511187	135° Square Glass Clip for 5/8" & 3/4" glass	G19		Buffed or Brushed	26.40	25.34	24.82	24.29	23.23
511188	180° Square Glass Clip for 5/8" & 3/4" glass	G19		Buffed or Brushed	25.91	24.87	24.36	23.84	22.80
511189	Square, Wall Mount Glass Clip for 5/8" & 3/4" glass	G19		Buffed or Brushed	20.45	19.63	19.22	18.81	18.00
511213	Kit, AXIA,50 pieces of Intermediate connector, 4" each	AT20			78.75	78.75	78.75	78.75	78.75
511215	Kit, AXIA , 10 pieces each of Starter/ End connectors, 4" each	AT20			39.90	39.90	39.90	39.90	39.90
520005	Mitre Bracket Assembly	HA21 FM14			1.55	1.49	1.46	1.43	1.36
520075	Cleat Mounting Accessory Kit for Admire LED Mirror				19.76	18.97	18.57	18.18	17.39
530011	Wheel Assembly	RD17			18.36	17.63	17.26	16.89	16.16
530012	Decor Door Accessory Package				86.98	83.50	81.76	80.02	76.54

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
530024	T-Bolt Plunger Lock	RD17			35.00	33.60	32.90	32.20	30.80
550006-01	6" Shelf Blade Bracket (aluminum)	SC11 SH5 HA24		Non-Buffed Non-Brushed	14.99	14.39	14.09	13.79	13.19
550006-02	8" Shelf Blade Bracket (aluminum)	SC11 SH5 HA24		Non-Buffed Non-Brushed	15.75	15.12	14.81	14.49	13.86
550006-03	10" Shelf Blade Bracket (aluminum)	SC11 SH5 HA24		Non-Buffed Non-Brushed	16.61	15.95	15.61	15.28	14.62
550006-04	12" Shelf Blade Bracket (aluminum)	SC11 SH5 HA24		Non-Buffed Non-Brushed	17.22	16.53	16.19	15.84	15.15
550006-05	14" Shelf Blade Bracket (aluminum)	SC11 SH5 HA24		Non-Buffed Non-Brushed	17.86	17.15	16.79	16.43	15.72
550006-06	16" Shelf Blade Bracket (aluminum)	SC11 SH5 HA24		Non-Buffed Non-Brushed	18.61	17.87	17.49	17.12	16.38
550006-07	6" Shelf Blade Bracket (without lip - aluminum)	SC11 SH5 HA24		Non-Buffed Non-Brushed	14.99	14.39	14.09	13.79	13.19
550006-08	8" Shelf Blade Bracket (without lip - aluminum)	SC11 SH5 HA24		Non-Buffed Non-Brushed	15.75	15.12	14.81	14.49	13.86
550006-09	10" Shelf Blade Bracket (without lip - aluminum)	SC11 SH5 HA24		Non-Buffed Non-Brushed	16.61	15.95	15.61	15.28	14.62
550006-10	12" Shelf Blade Bracket (without lip - aluminum)	SC11 SH5 HA24		Non-Buffed Non-Brushed	17.22	16.53	16.19	15.84	15.15
550006-11	14" Shelf Blade Bracket. (without lip - aluminum)	SC11 SH5 HA24		Non-Buffed Non-Brushed	17.86	17.15	16.79	16.43	15.72
550006-12	16" Shelf Blade Bracket (without lip - aluminum)	SC11 SH5 HA24		Non-Buffed Non-Brushed	18.61	17.87	17.49	17.12	16.38
550007	Foot and Cap Assembly	SH6 SC16 HA24		Light Gray	1.25	1.20	1.18	1.15	1.10
550008	Chrome Bottom Cap Assembly for Steel Standard	HA26 SC16 SH7		Chrome	1.75	1.68	1.65	1.61	1.54

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
550009	Chrome Top Cap Assembly for Steel Standard	HA26 SC16 SH7		Chrome	2.25	2.16	2.12	2.07	1.98
550010-01	6" Tubular Shelf Bracket (aluminum)	SC11 HA25 SH6	4/	Buffed or Brushed	19.00	18.24	17.86	17.48	16.72
550010-02	8" Tubular Shelf Bracket (aluminum)	SC11 HA25 SH6	4/	Buffed or Brushed	19.00	18.24	17.86	17.48	16.72
550010-03	10" Tubular Shelf Bracket (aluminum)	SC11 HA25 SH6	4/	Buffed or Brushed	19.50	18.72	18.33	17.94	17.16
550010-04	12" Tubular Shelf Bracket (aluminum)	SC11 HA25 SH6	4/	Buffed or Brushed	20.00	19.20	18.80	18.40	17.60
550010-05	14" Tubular Shelf Bracket (aluminum)	SC11 HA25 SH6	4/	Buffed or Brushed	20.50	19.68	19.27	18.86	18.04
550010-06	16" Tubular Shelf Bracket(aluminum)	SC11 HA25 SH6	4/	Buffed or Brushed	21.00	20.16	19.74	19.32	18.48
550011	Shelf End Clip for 550010	SC16 HA25 SH6		Zinc	4.15	3.98	3.90	3.82	3.65
550012	Shelf Center Clip for 550010	SC16 HA25 SH6		Zinc	1.48	1.42	1.39	1.36	1.30
550013	Glass End Clip for 550006	SC16 HA26 SH5		Zinc	2.60	2.50	2.44	2.39	2.29
550014	Glass Center Clip for 550006	SC16 HA26 SH5		Zinc	2.60	2.50	2.44	2.39	2.29
570003	Leveler Assembly	FM4 HA21			2.19	2.10	2.06	2.01	1.93
570004	Angle Bracket	FM4 HA21	00	Non-Buffed Non-Brushed	5.10	4.90	4.79	4.69	4.49
570005	Panel Clip (includes hardware and 4 clips)	FM4			5.98	5.74	5.62	5.50	5.26

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
570013	Pivot Hinge Assembly	FM4 HA21			12.74	12.23	11.98	11.72	11.21
570546	Drill Block Tool Accessory	FM4	\$ 60 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		41.40	39.74	38.92	38.09	36.43
580747-01	Wiring Harness Assy, 2-22A WG Wire w/2 Female Receptacles 156"	SC34			7.01	6.73	6.59	6.45	6.17
580817-01	Wiring Harness Cable 3 18A WG 156"	SC34			15.24	14.63	14.33	14.02	13.41
580818-01	Wiring Harness,3 18A WG 156"	SC34			15.28	14.67	14.36	14.06	13.45
580824-01	Wiring Harness,2 18AWG Power Track LVS		~~~ €¶		18.64	17.89	17.52	17.15	16.40
590866	Wall Mounting Kit, includes wall anchors and screws				0.42	0.40	0.39	0.39	0.37

Stock Length Rolling Door Kits

			Inclu	ıdes:				lon-Buffed Brushed F		Buff	ed or Bru Finish	shed
Part Number	Description	Wheels	Retainers	Jambs	Verticals	Cat. Page Ref.	Qty 1	Qty 6	Qty 11	Qty 1	Qty 6	Qty 11
610005-02	Standard Rolling Door Assembly with Removable Track, 12 ft.	8	No	No	n/a	RD5	89.11	85.49	83.72	105.11	100.85	98.76
610007-02	Economy Rolling Door Assembly, 12 Ft.	8	No	No	n/a	RD5	63.92	61.31	60.04	75.39	72.32	70.83
610060-02	Wood Rolling Door Assembly, 12 ft.	8	No	n/a	n/a	RD6	46.62	44.73	43.78	51.74	49.64	48.60
610099-02	Standard Rolling Door Assembly, 12 ft.	8	No	n/a	n/a	RD5	72.57	69.61	68.17	89.64	86.00	84.22
610143-02	Security Rolling Door Assembly, 12 ft 110008 Header, 110012 Shoe	8	8	Yes	Yes	RD7	182.16	175.07	171.65	223.33	214.60	210.35
610144-02	Security Rolling Door Assembly, 12 ft 110071 Header, 110012 Shoe	8	8	Yes	Yes	RD7	219.06	210.51	206.35	261.98	251.71	246.70
610145-02	Security Rolling Door Assembly, 12 ft 110102 Header, 110012 Shoe	8	8	Yes	Yes	RD7	225.70	216.88	212.59	266.29	255.85	250.75
610146-02	Security Wood Rolling Door Assembly, 12 ft 110162 Top Channel, 110208 Security Track	8	8	n/a	n/a	RD6	91.98	88.27	86.45	106.62	102.32	100.21
610165-02	Triple Track Rolling Door Assembly, 12 ft.	6	n/a	n/a	n/a	RD8	146.76	140.80	137.98	172.26	165.28	161.95
610183-02	Security Rolling Door Assembly, 12 ft 110102 Header, 110412 Shoe	8	8	Yes	n/a	RD9	229.21	221.31	217.51	264.29	254.98	250.49
610184-02	Security Rolling Door Assembly, 12 ft 110071 Header, 110412 Shoe	8	8	Yes	n/a	RD9	220.89	213.25	209.59	258.30	249.16	244.76
610185-02	Security Rolling Door Assembly, 12 ft 110008 Header, 110412 Shoe	8	8	Yes	n/a	RD9	183.99	177.81	174.89	219.65	212.05	208.41
610187-02	Heavy Duty Security Rolling Door Assembly, 12 ft 110008 Header, 110140 Shoe	8	8	Yes	Yes	RD10	242.84	235.36	231.77	283.05	273.96	269.57
610188-02	Heavy Duty Security Rolling Door Assembly, 12 ft 110071 Header, 110140 Shoe	8	8	Yes	Yes	RD10	279.74	270.79	266.48	321.70	311.07	305.92
610189-02	Heavy Duty Security Rolling Door Assembly, 12 ft 110102 Header, 110140 Shoe	8	8	Yes	Yes	RD10	286.38	277.17	272.72	326.01	315.21	309.97
610190-02	Security Rolling Door Assembly, 12 ft 110008 Header, 110350 Shoe	8	8	Yes	Yes	RD11	250.59	242.50	238.61	294.54	284.69	279.93
610191-02	Security Rolling Door Assembly, 12 ft 110071 Header, 110350 Shoe	8	8	Yes	Yes	RD11	241.87	234.14	230.44	277.85	268.68	264.26
610192-02	Security Rolling Door Assembly, 12 ft 110102 Header, 110350 Shoe	8	8	Yes	Yes	RD11	294.13	284.31	279.56	337.50	325.94	320.33


Note: Lock and vinyl are sold separately when 12' assemblies are ordered.




The ADMIRE LED Mirror from Stylmark combines budget-friendly design with flattering soft white LED lighting to a full length mirror perfect for fitting rooms.

Admire LED Mirror

The simple styling will fit almost any decor. With the compact depth of the ADMIRE LED Mirror, fitting into your smaller rooms won't be a concern. Complement the fitting room experience and ease the buying decision with Stylmark's ADMIRE LED Mirror.



Admire LED Mirror Model 620105-01-OBWHT40111



Part # 520079- OBWHT40111 60° Wing Bracket



Part # 520078-OBWHT40111 45° Wing Bracket

Admire LED Mirror

Contact your Stylmark representative for Admire mirror pricing.

Model	Description Note: White powder coat finish # OBWHT40111	Mirror Size (glass dimension)
620105-01-OBWHT40111	Admire LED Mirror - White (Hardwired)	28" x 60"
620105-02-OBWHT40111	Admire LED Mirror - White (Hardwired, On/Off Switch)	28" x 60"
620105-03-OBWHT40111	Admire LED Mirror - White (Plug-in Cord)	28" x 60"
620105-04-OBWHT40111	Admire LED Mirror - White (Plug-in Cord, On/Off Switch)	28" × 60"
620105-05-OBWHT40111	Admire LED Mirror - White (Low Light, On/Off Switch)	28" x 60"
620105-06-OBWHT40111	Admire LED Mirror - White (Low Light, Plug-in Cord, On/Off Switch)	28" x 60"
620105-07-OBWHT40111	Admire LED Mirror - White (Plug-in Cord, On/Off Switch)	28" x 72"
620106-01 OBWHT40111	Admire Mirror Wing	14" x 60"
620106-02 OBWHT40111	Admire Mirror Wing	14" x 72"
520078-OBWHT40111	45° Wing Bracket Kit (one kit required per wing, contains two brackets)	N/A
520079-OBWHT40111	60° Wing Bracket Kit (one kit required per wing, contains two brackets)	N/A
520075	Cleat Mounting Accessory Kit	N/A
227025	Glass Installation Suction Cup, 4-1/2" dia, 80 lb capacity	N/A

Admire LED Mirro Product Informat	
Data Sheet	971827
Installation Instructions	971826


Free-Standing Barrier Metal Framing Kit

Free-standing barriers from Stylmark are perfect for hair salons, offices or any environment requiring separation. These free-standing barriers are easy to assemble and lightweight for maneuverability from one location to another.

Free-Standing Barriers


These free-standing barriers can come with feet or lockable casters to prevent unwanted movement. Fabricated from anodized aluminum, these free-standing barriers are available in black,

natural, or brass finishes.




For immediate needs, Stylmark offers the free-standing barriers in 48" x 72" kits. These kits are available in black, natural, or brass finishes. These kits ship knocked-down and are easy to assemble.

- Accepts 3/16", 1/4" or 1/2" panels (supplied by others)
- Specify panel thickness when ordering



48"x 72" Free-Standing Barrier Metal Framing Kit

48" x 72" Free-Standing Barrier Metal Framing Kit	Pricing
48" x 72" Fixed Barrier	189.00
48" x 72" Barrier with wheels	209.00



Free-Standing Barrier Stocked Component Pricing

If alternative sizes are needed or if you want to fabricate your own barrier, Stylmark offers stocked length extrusion and hardware to order individually.

			Min	Discount Quantity Pricing				
Part Number	Description	Qty per Barrier	Order Qty	1-5 Units	6-10 Units	11-24 Units	25-99 Units	100+ Units
190019**	Porsa Frame Extrusion, 1.00 x 1.50, 146")	As Required	1	54.10	51.94	50.85	49.77	47.61
226077	Gasket for .200" panel thickness, 120"	As Required	1	14.00	14.00	14.00	14.00	14.00
391983-17	Gasket for .250" panel thickness, 120"	As Required	1	14.00	14.00	14.00	14.00	14.00
392705-023	Foot, Divider Satin Black	1	10	N/A	36.00	25.00	25.00	25.00
390031-01	Endcap, Black Plastic	2	20	N/A	N/A	0.50	0.49	0.47
390031-03	Endcap, Grey Plastic	2	20	N/A	N/A	0.50	0.49	0.47
232056	Aluclip	4	40	N/A	N/A	N/A	4.51	4.51
231041	Caster, 2-1/4" Dia Lockable (black)	3	30	N/A	N/A	N/A	3.76	3.76
219118	Nutsert (caster) 3/8-16 ZC	1	10	N/A	1.50	1.50	1.50	1.40
219112	Nut Hex (caster) 3/8-16x7/32 BK	2	20	N/A	N/A	0.30	0.30	0.27
219050	Nutsert (foot divider) 1/4-20 ZC	2	20	N/A	N/A	0.40	0.40	0.35
211172	Screw (Foot, Divider) 1/4-20 x 3/4	2	50	N/A	N/A	N/A	0.32	0.32


Note: ** 190019 stock length extrusion is available in 020 Satin Natural, 021 Satin Brass or 023 Satin Black finishes.

Cafe Barrier System

The Café Barrier System from Stylmark consists of a variety of components used to create partition systems. The Clamp system uses brackets to secure the 1/4" panel to the post and provides a clean, modern aesthetic. A more traditional look is achieved with the Channel system that uses recessed channels and plastic glazing to secure the panel. Post are sold in stock lengths (12') and in prefabricated 24" and 36" lengths for selected finishes. Optional accessories are available.


Panel Channel System

Prefabricated posts available in 24" or 36" lenghts Standard finishes: Satin Natural (020) or Satin Brass (021)



Panel Clamp System

Prefabricated posts available in 24" or 36" lenghts Standard finishes: Satin Natural (020) or Satin Brass (021)



Cafe Barrier System Stocked Component Pricing

If alternative sizes are needed or if you want to fabricate your own barrier, Stylmark offers stocked length extrusion and hardware to order.

		Discount Quantity Pricing					
Part Number	Description	1-5 Units	6-10 Units	11-24 Units	25-99 Units	100+ Units	
491007-01-020	Smooth Post, 24" Length, 020 Finish (Extrusion 110853)	10.60	10.18	9.96	9.75	9.33	
491007-01-021	Smooth Post, 24" Length, 021 Finish (Extrusion 110853)	10.60	10.18	9.96	9.75	9.33	
491007-02-020	Smooth Post, 36" Length, 020 Finish (Extrusion 110853)	13.78	13.23	12.95	12.68	12.13	
491007-02-021	Smooth Post, 36" Length, 021 Finish (Extrusion 110853)	13.78	13.23	12.95	12.68	12.13	
491008-01-020	Single Channel Post, 24" Length, 020 Finish (Extrusion 110854)	15.64	15.01	14.70	14.39	13.76	
491008-01-021	Single Channel Post, 24" Length, 021 Finish (Extrusion 110854)	15.64	15.01	14.70	14.39	13.76	
491008-02-020	Single Channel Post, 36" Length, 020 Finish (Extrusion 110854)	18.82	18.07	17.69	17.31	16.56	
491008-02-021	Single Channel Post, 36" Length, 021 Finish (Extrusion 110854)	18.82	18.07	17.69	17.31	16.56	
491009-01-020	Double Channel Post, 24" Length, 020 Finish (Extrusion 110855)	16.27	15.62	15.29	14.97	14.32	
491009-01-021	Double Channel Post, 24" Length, 021 Finish (Extrusion 110855)	16.27	15.62	15.29	14.97	14.32	
491009-02-020	Double Channel Post, 36" Length, 020 Finish (Extrusion 110855)	19.77	18.98	18.58	18.19	17.40	
491009-02-021	Double Channel Post, 36" Length, 021 Finish (Extrusion 110855)	19.77	18.98	18.58	18.19	17.40	
119045	Glazing, 96" Length (use with channel post)	47.55	47.55	47.55	47.55	47.55	
392706-01	Glazing, 24" Length (use with channel post)	12.80	12.29	12.03	11.78	11.26	
392706-02	Glazing, 36" Length (use with channel post)	19.20	18.43	18.05	17.66	16.90	
310614-020	Endcap, Round Threaded, 020 Finish	7.20	6.91	6.77	6.62	6.34	
310614-021	Endcap, Round Threaded, 021 Finish	7.20	6.91	6.77	6.62	6.34	
511085-020	Kit, End Cap w/Insert 020 Finish	11.50	11.04	10.81	10.58	10.12	
511085-021	Kit, End Cap w/Insert 021 Finish	11.50	11.04	10.81	10.58	10.12	
511079-020	Kit, 1.0 Dia Vertical Panel Clamp, 020 Finish	25.95	24.91	24.39	23.87	22.84	
511079-021	Kit, 1.0 Dia Vertical Panel Clamp, 021 Finish	25.95	24.91	24.39	23.87	22.84	
511069	Kit, Supporting Fixing 90 Deg Mtng Flange	26.00	24.96	24.44	23.92	22.88	
511070-020	Kit, Mounting Base, 020 Finish	13.85	13.30	13.02	12.74	12.19	
511070-021	Kit, Mounting Base, 021 Finish	13.85	13.30	13.02	12.74	12.19	
511216-020	Accessory Kit, Table Top Clamp, 020 Finish	30.08	28.88	28.28	27.67	26.47	
511216-021	Accessory Kit, Table Top Clamp, 021 Finish	30.08	28.88	28.28	27.67	26.47	
110853	Smooth Post (used with panel clamps)	60.90	58.46	57.25	56.03	53.59	
110854	Post, Single Channel	72.41	69.51	68.07	66.62	63.72	
110855	Post, Double Channel	78.86	75.71	74.13	72.55	69.40	



Stylmark, Inc. 6536 Main Street NE, PO Box 32008 Minneapolis, MN 55432

Phone: 800-328-2495 763-574-7474 Fax: 763-574-1415 stylmark.com info@stylmark.com