

# 2022 Net Price List

Prices effective April 1, 2022

To learn more about the products in this price book, you can view the entire Stylmark product catalog on our website - stylmark.com

You can also visit our online store to purchase select items.

shop.stylmark.com

Stylmark, Inc. 6536 Main Street NE, PO Box 32008 Minneapolis, MN 55432

Phone: 800-328-2495 763-574-7474 Fax: 763-574-1415 stylmark.com info@stylmark.com

Contents	age
Terms & Conditions	. <u>1</u>
Stylmark Warranty Statement	. <u>7</u>
Price List Column Descriptions	. <u>8</u>
Extrusions, Hardware and Accessories (listed numerically by part number) .	. <u>9</u>
Rolling Doors	<u>67</u>
Admire LED Mirror	<u>68</u>
Cafe Barrier System	70

Phone: 800-328-2495 763-574-7474 Fax: 763-574-1415 stylmark.com info@stylmark.com

To place an ORDER or obtain a QUOTE, please call 800-328-2495 or 763-574-7474
Fax 763-574-1415 • info@stylmark.com

### Placing an Order

You may place an order via the Stylmark eCommerce site (<a href="shop.stylmark.com">shop.stylmark.com</a>), email, or phone. When placing an order, please specify the part number along with the finish number. Refer to our catalog to verify the stock lengths and the buffed/brushed finished surfaces. All buffed or brushed finishes may be purchased as non-buffed or non-brushed as well. Order acknowledgements will be sent for review.

\*All order change requests are subject to additional charges.

#### Minimum Order Amount

Product	Amount
Stocked Finished Goods (inc. hardware, wheels, screws, etc.)	\$ 100.00
Stocked (Finished) Extrusions	\$ 100.00
Non-Stocked Extrusions (Std Colors, per color) <sup>1</sup>	\$ 500.00
Non-Stocked Extrusions (Special Colors, per color) <sup>2</sup>	\$ 500.00
Non-Stocked Extrusions (Custom Colors, per color) <sup>3</sup> (See page 6 for additional Custom Color Information)	\$1,000.00
Fabricated Items (from Finished Goods Stock)	\$ 500.00
Fabricated Items / Curving (Orders will be evaluated)	Must be Quoted

<sup>\*</sup> minimum item quantities may apply to all orders

Due to recent issues with material and labor shortages, factory capacity on specific colors, Lead Times on all new orders will be reviewed and quoted based on current conditions.

We apologize in advance for any inconvenience

<sup>&</sup>lt;sup>1</sup> Standard colors include: Natural, Black, Brown, Brass and Stainless Steel.

<sup>&</sup>lt;sup>2</sup> Special colors include: Bronze, White Gold, Pewter and Copper.

<sup>&</sup>lt;sup>3</sup> Custom colors include anything not listed above or special color matches.

To place an ORDER or obtain a QUOTE, please call 800-328-2495 or 763-574-7474

Fax 763-574-1415 • info@stylmark.com

**Prices** 

Prices are subject to change without notice. Orders are shipped at prevailing prices at the time of the order. Quotes are valid for 30 days from the date of quote, unless otherwise specified. Prices do not include applicable sales taxes and delivery charges, which will be added to your order.

**Taxes** 

Taxes are based on delivery address. If the company or job is tax exempt, please include a copy of the Tax Exemption Certificate with the order.

Methods of Payment

With approved credit, we will ship your order on an open 30-day account. To open an account, simply request a credit application. The credit approval process may take 1-2 weeks. To expedite your first order, we recommend paying with cash-in-advance. Open accounts are subject to 1%-15 days/net 30 terms.

We accept Visa, Mastercard, Discover and American Express. Prepayment by check is also an acceptable method. Credit card or prepayment by check are not eligible for the prompt payment discount. Call our Customer Service Department for details.

Delivery

All orders are shipped F.O.B. Stylmark. Larger orders and 12' lengths are shipped freight via truck lines selected by Stylmark, unless otherwise specified by the customer.

Smaller orders and extrusions cut to 8' or less are shipped best way parcel, prepaid & add unless otherwise specified. Shipping and handling charges for parcel shipments are added to your invoice. Expedited shipping available upon request.

All freight and processing fees will be charged to the customer if collect freight terms are no longer active or in good standing with the client's chosen freight company.

Special delivery requirements?

Please let us know and we will do everything we can to meet your needs.

To place an ORDER or obtain a QUOTE, please call 800-328-2495 or 763-574-7474
Fax 763-574-1415 • info@stylmark.com

### International Shipping

Preferred payment options for international customers would be a wire transfer. A wire transfer fee will be charged.

Stylmark currently does not arrange international transportation. Customers are responsible to coordinate transportation internationally to their locations. (Exception for parcel shipments to Canada).

### Prepay and Add Freight

Eliminate the hassles associated with collect freight deliveries and let us find the most economical rate to meet your requested delivery. We will share the benefits of our established relationships with multiple carriers and pass those savings on to you. To take advantage of this new option, simply talk to your customer service representative when you are ready to place your order. Once your order is completed and in shipping, our staff will compare rates and service levels and select the one that best fits your needs. This option is available to customers with established terms or those that remit via credit card.

NOTE: A second debit for shipping charges will be charged against the credit card when the order ships.

NOTE: Additional freight and accessorial charges prepaid by Stylmark will be invoiced separately.

### **Customer Pick-Up Policy**

Once complete and packaged for shipment, customer pickup orders will be transacted and you will be invoiced accordingly. As always, our shipping team will notify you that your order is ready and provide you with the weights & dimensions of your order.

\* All orders are to be picked up as soon as possible (within 3 days) after you have been notified. If orders are not picked up within this timeframe, Stylmark reserves the right to apply additional holding charges, including shipping the order via best method at your expense.

### **Limited Warranty**

Stylmark products are warranted to be free from defects in workmanship and materials under normal use and service when properly installed. This warranty is limited to actual invoiced charges; we are not liable for any other damages or charges. Refer to Stylmark's complete warranty statement on page 9 for further details.

To place an ORDER or obtain a QUOTE, please call 800-328-2495 or 763-574-7474
Fax 763-574-1415 • info@stylmark.com

### **Anodizing Range Samples**

Stylmark strives to provide consistent and uniform anodized finishes; however, variation in gloss, light & dark, and tristimulus system values (RGB) should be expected. Additionally, because anodized coatings are translucent, appearance will vary with viewing angle and base level finish of material. Therefore, for critical installations, minimum/maximum samples which represent the acceptable range of variation in the finish should be requested & approved prior to processing any orders. Without approved range samples, Stylmark will produce orders using standard range tolerances around the target anodized finish.

### **Anodized Aluminum Racking Marks**

All anodized aluminum extrusion and parts must have electrical contact to the part to be anodized. Various contact types are used depending upon the size and geometry of the part being anodized. The electrical contact will leave racking marks on the finished parts. Racking marks include bolt marks, clip marks or thread marks. Most extrusions will include bolt marks, and for this reason, Stylmark's typical extrusion length is 2" over its nominal length, e.g., a 12 ft extrusion measures to 146". This way the user of the finished extrusion can trim the extrusion to size and have 12 ft of useable, finished material. Other anodized aluminum parts, such as anodized sheet aluminum may also have bolt or clip marks. Please verify allowable locations or contact Stylmark for options. Cut to length extrusions and machined parts may be racked using clips. Although clips leave smaller rack marks, they are generally placed in the least conspicuous locations possible as to minimize the appearance of the mark. It is important to communicate the critical surfaces & finish expectation to Stylmark so we can work with you to identify acceptable rack mark locations. Heavier materials, such as machined items or parts made from aluminum plate may require the electrical contact to be made in a tapped hole in the part. In this case, the rack mark will be in and around the threads of the tapped hole, where the bolt threads engage the part. If racking marks are a concern for the anodized materials on your project, you are encouraged to contact Stylmark, prior to placing your order, to discuss racking options.

### **Custom Color Charges**

Stylmark has an extensive library of colors. Custom colors will be subject to an additional charge. If you have a color to match or would like a custom color, please call for details.

\* Minimum order quantities and longer lead times will apply.

To place an ORDER or obtain a QUOTE, please call 800-328-2495 or 763-574-7474
Fax 763-574-1415 • info@stylmark.com

### **Order Quantity Tolerances**

Orders for non-stocked, made-to-order items are subject to a quantity range tolerance of +/- 10% and these items may also be subject to a minimum quantity per item. This includes all FTOE's (Finish-to-Order Extrusions) and all other products not held in Finished Goods inventory by Stylmark.

For example, for an order of 40 pieces of a made-to-order item, we may deliver 36-44 pieces, bill the actual quantity shipped at the quoted unit price and close the order.

### **Special Order Extrusion Quantity Tolerances**

All special-order extrusions are subject to quantity range tolerances as described below.

Extrusions Push	Piece Part Yield
300-400 pounds	+/- 35%
400-700 pounds	+/- 30%
700-1,000 pounds	+/- 25%
1,000-2,000 pounds	+/- 15%
2,000-5,000 pounds	+/- 10%
5,000-10,000 pounds	+/- 7%
10,000-30,000 pounds	+/- 5%

For example, an order for 200 pieces of a special-order extrusion may require a 300 lb extrusion push based upon profile weight. This push may yield 200 pieces +/- 35% of the extrusion. Stylmark will ship the entire yield (for this example 140-270 pieces) of the push and you will be invoiced for the quantity shipped at the quoted unit price.

### **Extrusion Dies and Tooling**

Unless otherwise designated in writing, all extrusion dies and tooling remains the property of Stylmark. We hold tooling for a minimum of two years. If no order is received in any two-year period, we reserve the right to dispose of the tooling.

<sup>\*</sup> Exact quantity orders will be subject to additional charges.

To place an ORDER or obtain a QUOTE, please call 800-328-2495 or 763-574-7474
Fax 763-574-1415 • info@stylmark.com

### **Design/Engineering Charges**

For customer requesting design or engineering work, a charge of \$150 per hour will apply.

#### **Patents**

On orders for customer-specified products, the customer agrees to protect and indemnify Stylmark against any infringement claims.

### **Shortages and Damaged Shipments**

Claims for shortages and damages must be submitted in writing within 5 days of order shipment. Receiver must note damage on BOL at time of delivery. Provide signed BOL, photos of damaged material and packaging to process a claim for replacement. Stylmark will file a freight claim for damage and shortages on prepaid shipments if notified within 5 days of receipt. Keep damaged goods and packaging for inspection until advised by the carrier to dispose of them.

### **Return Policy**

Stylmark's goal is 100% customer satisfaction. Returned materials should be wrapped for protection and tightly bundled to prevent movement in shipping. We cannot accept returns of materials that have been damaged during return shipment due to improper packaging. All returns are subject to Stylmark approval and require a RMA.

- \* Contact your Stylmark account representative and request a Return Material Authorization (RMA) number. Please do not return materials to us without first obtaining an RMA number. Provide an order or invoice number and reason for return request.
- \* Return the materials to us (shipped pre-paid) within 21 days of authorization, clearly marking each package with the RMA number. Include the RMA number on the packing slip. Returns shipped freight collect will be back charged for freight.
- \* Under normal conditions, returns are only allowed on standard stock items in standard finishes and will be subject to a restocking charge (typically 25% or \$50, whichever is greater).
- \* All material returned will be credited using quantity discount price unless referenced on invoice.
- \* Upon inspection and approval, a credit will be issued to your account.

## Stylmark Warranty Statement

Stylmark, Inc. warrants this product to be free from defects due to workmanship or materials, under normal use and service, for the following warranty period from date of shipment.

#### **Lighting Products:**

- Showcase & Flexis Shelf Lights with 24V LED: twenty-four (24) months
- LED Mirror Products: twenty-four (24) months
- Optima LED Light Boxes: twenty-four (24) months

All other products: thirty (30) days

Any product that is proven to be defective in workmanship or material is returned to Stylmark, Inc. within the applicable warranty period, in accordance with the procedure described below, Stylmark, Inc. will, at its option, either repair, replace or credit the customer for the purchase price of the product, in accordance with the procedure described below. This warranty extends only to persons or organizations that originally purchase the product from Stylmark, Inc.

The expressed warranty above constitutes the entire warranty of Stylmark, Inc. with respect to the products in this catalog and is in lieu of all other warranties, express or implied, including any warranty of merchantability or warranty of fitness for a particular purpose. In no event shall Stylmark, Inc. be responsible for any other costs or damages, including, but not limited to, lost revenue or profits, incidental, special or consequential damages of any nature whatsoever. Stylmark, Inc. products are designed to operate as a system. The use of other manufacturers' equipment in conjunction with Stylmark, Inc. products may be hazardous and therefore automatically voids all warranties. This warranty shall not apply to products that have been altered, improperly used or installed, subject to abnormal use or stress, or repaired by anyone other than Stylmark, Inc. authorized representative. Stylmark, Inc. will not pay labor charges or assume any responsibility for labor expended or material used to replace or repair any equipment without prior written authorization.

The following will apply to the return of any product to Stylmark, Inc. under this warranty:

- i. identified with Stylmark, Inc. Return Material Authorization Number;
- ii. listed individually with Sales Order Number or copy of invoice;
- iii. packed separately from other returns and protected from shipping damage;
- iv. returned to Stylmark, Inc. within the applicable warranty period;
- v. are received, transportation pre-paid (returns shipped collect will be back-charged for freight), within 21 days of authorization at (see address below):
- vi. and are found by Stylmark, Inc. inspection to be defective in workmanship or materials under normal use and service; will be handled in accordance with one of the two following procedures, as determined by Stylmark, Inc.:

Credit Procedure. Stylmark, Inc. will issue credit at the actual invoice amount if a copy of that invoice is attached to the packing list. Without an invoice, Stylmark, Inc. will credit using discount pricing.

Repair or Replacement Procedure. Stylmark, Inc. will, at its option, either repair or replace the product free of charge and return it or its replacement lowest cost transportation pre-paid. The replacement will be a functionally equivalent new product. Premium transportation will be used at customer's request and expense.

The warranty will not be honored if:

- i. product is damaged or missing parts or accessory items.
- ii. product exhibits evidence of field misapplications

Final disposition of any warranty claim will be determined solely by Stylmark, Inc. If inspection by Stylmark, Inc. does not disclose any defect covered by the warranty, the product will be returned or scrapped as instructed by the customer and Stylmark, Inc.'s regular service charges will apply. Products returned to the customer may be sent shipping charges collect.

If you have any questions relative to product returns to Stylmark, Inc., contact your Customer Service Representative: Stylmark, Inc.

Customer Care Department 6536 Main Street NE, PO Box 32008 Minneapolis, MN 55432 (800) 328-2495

### **Price List Column Descriptions**

	Cat.				Discount	Quantity	y Pricing	7	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
			(	5 Non-Buffed Non-Brushed					
(1)	(2)	(3)	(4)	Buffed or 6 Brushed					

- 1 Part Number = Stylmark's part number for the item.
- (2) **Description** = Brief description of the item.
- (3) Catalog Page Reference = This is where you will find the item in the Stylmark Catalog. The following abbreviations are used to indicate a section of the catalog: SP=Shelving Products, S=Showcases, FP=Framing and Partition Systems, AT=Architectural Trim and Moldings, BD=Backlit Displays and Transparency Frames, FR=Fitting Rooms, HA=Hardware and Accessories
- 4 View = Side profile of the extrusion's shape. Check-marks indicate mechanically finished surfaces for buffed/brushed finishes. Views are representative only they are not to scale or in proportion to each other.
- 5 Non-Buffed, Non-Brushed Finish = This includes Stylmark's Satin Natural Finish, number 020, and other non-buffed, non-brushed colored finishes. Minor material blemishes may appear in this finish, as it is not buffed or brushed.
- (6) Buffed or Brushed Finish = This includes the following Stylmark finishes (\* see table below).
- 7 **Discount Quantity Pricing Price** = This is the price of the item when ordered in quantities. All extrusions are priced per 12 foot stock length, unless indicated otherwise.

* Ref	item 6				
110	Buffed Brite Natural	123	Buffed Satin Black	216	Brushed Brite Brown
111	Buffed Brite Brass	124	Buffed Satin White Gold	217	Brushed Brite Pewter
112	Buffed Brite Bronze	126	Buffed Satin Brown	218	Brushed Brite Stainless Steel
113	Buffed Brite Black	127	Buffed Satin Pewter	220	Brushed Satin Natural
114	Buffed Brite White Gold	128	Buffed Satin Stainless Steel	228	Brushed Satin Stainless Steel
116	Buffed Brite Brown	210	Brushed Brite Natural	11BR	S80010 Buffed Brite
117	Buffed Brite Pewter	211	Brushed Brite Brass		Medium Light Brass
118	Buffed Brite Stainless Steel	212	Brushed Brite Bronze	11PV	VT80024 Buffed Brite
120	Buffed Satin Natural	213	Brushed Brite Black		Medium Light Pewter
121	Buffed Satin Brass	214	Brushed Brite White Gold		
122	Buffed Satin Bronze				

Many of the above listed finishes are sampled on our color/finish card; other sample color chips are available upon request.

Finishes other than those listed here are available. For painted, powder coated, or other custom colors and finishes, please call our Customer Service Department.

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
440007		DD43		Non-Buffed Non-Brushed	19.24	18.47	18.09	17.70	16.93
110007	Double Channel 9/16", 12 ft.	RD13		Buffed or Brushed	23.77	22.82	22.34	21.87	20.92
440000		22.43		Non-Buffed Non-Brushed	24.95	23.95	23.45	22.95	21.96
110008	Double Channel 13/16", 12 ft.	RD13		Buffed or Brushed	30.75	29.52	28.91	28.29	27.06
110009	Drop-In Track, 12 ft.	RD13	\$	Non-Buffed Non-Brushed	11.73	11.26	11.03	10.79	10.32
110010	G. 43.6	RD13		Non-Buffed Non-Brushed	18.53	17.79	17.42	17.05	16.31
110012	Shoe, 12 ft.	SC9	7	Buffed or Brushed	25.47	24.45	23.94	23.43	22.41
110011	Glide Shoe, 12 ft.	2013		Non-Buffed Non-Brushed	15.00	14.40	14.10	13.80	13.20
110014	(works with 110021 Glide Track)	RD13	7 2	Buffed or Brushed	19.43	18.65	18.26	17.88	17.10
				Non-Buffed Non-Brushed	17.84	17.13	16.77	16.41	15.70
110018	Deep Tee 3/4", 12 ft.	HA27		Buffed or Brushed	24.38	23.40	22.92	22.43	21.45
110019	Double Track, 12 ft.	RD13	_R_R_	Non-Buffed Non-Brushed	17.51	16.81	16.46	16.11	15.41
110021	Glide Track, 12 ft. (works with 110014 Glide Shoe)	RD13	الله الله	Non-Buffed Non-Brushed	15.16	14.55	14.25	13.95	13.34
		HA7	n n	Non-Buffed Non-Brushed	14.42	13.84	13.55	13.27	12.69
110022	Single Channel 9/16", 12 ft.	RD13	7	Buffed or Brushed	18.82	18.07	17.69	17.31	16.56
		HA10	n n	Non-Buffed Non-Brushed	16.49	15.83	15.50	15.17	14.51
110023	13/16" Single Channel, 12 ft.	RD13		Buffed or Brushed	23.38	22.44	21.98	21.51	20.57
		RD13	n n	Non-Buffed Non-Brushed	12.16	11.67	11.43	11.19	10.70
110024	0024 Edge Molding, 12 ft. HA10	HA10 SC5	>	Buffed or Brushed	15.56	14.94	14.63	14.32	13.69
		HA10 RD13	<b>√</b>	Non-Buffed Non-Brushed	17.27	16.58	16.23	15.89	15.20
110026	Edge Molding, 12 ft.	SC5 S8	[S	Buffed or Brushed	22.20	21.31	20.87	20.42	19.54



		Cat.				Discount	Quantity	y Pricing			
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+		
110027	Door Pull, 12 ft.	HA10		Non-Buffed Non-Brushed	19.85	19.06	18.66	18.26	17.47		
110027	Door Putt, 12 It.	RD13	) ~	Buffed or Brushed	25.83	24.80	24.28	23.76	22.73		
110028	Flush Door Pull, 12 ft.	HA23 RD13	1	Non-Buffed Non-Brushed	27.39	26.29	25.75	25.20	24.10		
110020	rtusii booi Futt, 12 ft.	SC5		Buffed or Brushed	37.75	36.24	35.49	34.73	33.22		
110029	Door Pull, 12 ft.	HA23	√	Non-Buffed Non-Brushed	33.14	31.81	31.15	30.49	29.16		
110029	D001 Full, 12 1t.	RD13		Buffed or Brushed	43.20	41.47	40.61	39.74	38.02		
110030	1/2" Apple 12 ft	HA3		Non-Buffed Non-Brushed	11.38	10.92	10.70	10.47	10.01		
110030	1/2" Angle, 12 ft.	SC15		Buffed or Brushed	15.70	15.07	14.76	14.44	13.82		
110024	2/4" Apple 12 ft	HA3	1143			Non-Buffed Non-Brushed	15.02	14.42	14.12	13.82	13.22
110034	3/4" Angle, 12 ft.		<i>^</i>	Buffed or Brushed	20.17	19.36	18.96	18.56	17.75		
440005	Slide Track, 12 ft.	RD13		Non-Buffed Non-Brushed	13.57	13.03	12.76	12.48	11.94		
110035	(use with 119006)	KDI3		Buffed or Brushed	16.64	15.97	15.64	15.31	14.64		
110036	Slide Double Channel, 12 ft.	RD13		Non-Buffed Non-Brushed	20.27	19.46	19.05	18.64	17.84		
110030	Side bodste chamet, 12 fe.	IND 13	U U U	Buffed or Brushed	22.47	21.57	21.12	20.67	19.77		
110050	1" x 1/2" Bar, 12 ft.	HA16	√ 	Non-Buffed Non-Brushed	67.20	64.51	63.17	61.82	59.14		
110030	1 × 1/2 bai, 121c.	TIATO	7	Buffed or Brushed	72.85	69.94	68.48	67.02	64.11		
110051	2" x 1/2" Bar, 12 ft.	HA16	<b>√</b>	Non-Buffed Non-Brushed	118.43	113.69	111.32	108.96	104.22		
110031	2 x 1/2 bai, 121t.	TIATO	7 <	Buffed or Brushed	129.60	124.42	121.82	119.23	114.05		
110061	Jamb, 12 ft.	HA32		Non-Buffed Non-Brushed	20.58	19.76	19.35	18.93	18.11		
110001	54.10, 12.10.	RD13		Buffed or Brushed	25.89	24.85	24.34	23.82	22.78		
110063	Double Channel Track, 12 ft.	RD13	ا کیا ح	Non-Buffed Non-Brushed	20.11	19.31	18.90	18.50	17.70		
110003	Double Chamiet Hack, 12 It.	INDIS	` []	Buffed or Brushed	26.32	25.27	24.74	24.21	23.16		

		Cat.				Discount	unt Quantity Pricing				
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+		
110065	Anti-lumn Chrin 12 ft	RD13	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Non-Buffed Non-Brushed	10.24	9.83	9.63	9.42	9.01		
110065	Anti-Jump Strip, 12 ft.	HA27		Buffed or Brushed	12.13	11.64	11.40	11.16	10.67		
110066	19° Shoe, 12 ft.	RD14		Non-Buffed Non-Brushed	44.53	42.75	41.86	40.97	27.21		
110000	17 Silve, 12 IC.	RD14		Buffed or Brushed	47.63	45.72	44.77	43.82	29.94		
110067	Deep Shoe, 12 ft.	RD14		Non-Buffed Non-Brushed	25.02	24.02	23.52	23.02	22.02		
110007	реер зное, 12 тс.	KD14		Buffed or Brushed	29.91	28.71	28.12	27.52	26.32		
110069	Door Pull, 12 ft.	HA23 RD14		Non-Buffed Non-Brushed	26.59	25.53	24.99	24.46	23.40		
110009	D001 Full, 12 It.	SC5		Buffed or Brushed	33.23	31.90	31.24	30.57	29.24		
110071		SC29	>[w][w]	Non-Buffed Non-Brushed	61.53	59.07	57.84	56.61	54.15		
110071		RD14	1	Buffed or Brushed	69.08	66.32	64.94	63.55	60.79		
110076	35° Deep Shoe, 12 ft.	RD14		Non-Buffed Non-Brushed	49.88	47.88	46.89	45.89	30.16		
110076	33 Deep 310e, 12 ft.			Buffed or Brushed	53.19	51.06	50.00	48.93	33.07		
440079	Channel Track 42 ft			Non-Buffed Non-Brushed	26.16	25.11	24.59	24.07	23.02		
110078	Channel Track, 12 ft.	RD14		Buffed or Brushed	31.76	30.49	29.85	29.22	27.95		
110079	Wood Door Track, 12 ft.	RD14		Non-Buffed Non-Brushed	18.90	18.14	17.77	17.39	16.63		
440000	T II Ch I 42 6	RD14		Non-Buffed Non-Brushed	20.36	19.55	19.14	18.73	17.92		
110080	Top U-Channel, 12 ft.	SC5 HA10		Buffed or Brushed	25.48	24.46	23.95	23.44	22.42		
140007	1/2" O.D. Tubo 2/44" 44:-1: 42.6	U A 2 O	V	Non-Buffed Non-Brushed	15.34	14.73	14.42	14.11	13.50		
110087 1/2" O.D. Tube, 3/64" thick, 12 ft.	HA29		Buffed or Brushed	17.26	16.57	16.22	15.88	15.19			
110090 Showcase Angle, 12 ft.	Showcase Angle 12 ft	HA3		Non-Buffed Non-Brushed	18.19	17.46	17.10	16.73	16.01		
110090	SHOWCASE ARIGHE, 12 IC.	ITAS	,	Buffed or Brushed	22.99	22.07	21.61	21.15	20.23		

		Cat.				Discount	Quantity	/ Pricing		
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+	
110093	13/16" Tee Molding, 12 ft.	HA27	\ 	Non-Buffed Non-Brushed	14.64	14.05	13.76	13.47	12.88	
110073	137 To Tee Moraling, 12 Te.	TIAZ/	<u> </u>	Buffed or Brushed	18.59	17.85	17.47	17.10	16.36	
110099	3/4" x 1/16" Reflector Strip, 12 ft.	HA16	>	Non-Buffed Non-Brushed	10.22	9.81	9.61	9.40	8.99	
110077	374 X 1710 Reflector 3trip, 121t.	SC29		Buffed or Brushed	14.61	14.03	13.73	13.44	12.86	
110102	O102 Top Rear Showcase Channel, 12 ft. RD	RD29	\ 	Non-Buffed Non-Brushed	68.17	65.44	64.08	62.72	59.99	
110102	Top Real Showcase Channet, 12 ft.	ND27		Buffed or Brushed	73.39	70.45	68.99	67.52	64.58	
110104	3/4" - 4° Slant Top Drawer Pull, 12 ft.	HA23	> 🗸	Non-Buffed Non-Brushed	42.00	40.32	39.48	38.64	36.96	
110104	(410101 - 3-3/4" Pull)	TIAZS		Buffed or Brushed	48.20	46.27	45.31	44.34	42.42	
110105	13/16" Slant Top Drawer Pull,	шлээ	> 1	Non-Buffed Non-Brushed	42.58	40.88	40.03	39.17	37.47	
110105	12 ft. (410103 - 3-3/4" Pull)	HA23	A23	Buffed or Brushed	49.09	47.13	46.14	45.16	43.20	
110106	Mullion 12 ft	Mullion, 12 ft.	RD14 HA32	78	Non-Buffed Non-Brushed	68.79	66.04	64.66	63.29	60.54
110100	mutton, 12 it.	SC15	_\V_ ,	Buffed or Brushed	74.85	71.86	70.36	68.86	65.87	
110107	Front Frame, 12 ft.	SC15		Non-Buffed Non-Brushed	25.96	24.92	24.40	23.88	22.84	
110107	Tronc France, 12 fc.	HA32		Buffed or Brushed	30.78	29.55	28.93	28.32	27.09	
110108	3/4" Flat Guard Drawer Pull, 12 ft.	HA23	>	Non-Buffed Non-Brushed	36.92	35.44	34.70	33.97	32.49	
110100	(410114 - 3-3/4" Pull)	TIAZJ		Buffed or Brushed	43.38	41.64	40.78	39.91	38.17	
110111	Drawer Pull with Label Holder, 12 ft.	HA23	>	Non-Buffed Non-Brushed	51.97	49.89	48.85	47.81	45.73	
110111	(410123 - 3-3/4" Pull)	HAZS		Buffed or Brushed	56.03	53.79	52.67	51.55	49.31	
110113	1" Square Tube, 1/16" thick, 12 ft.	HA30		Non-Buffed Non-Brushed	36.43	34.97	34.24	33.52	32.06	
110113	1 Square tube, 1710 tillen, 121t.	TIASU	7	Buffed or Brushed	59.28	56.91	55.72	54.54	52.17	
110114	1" Square Tube with Leg, 12 ft.	11430	√ .	Non-Buffed Non-Brushed	44.75	42.96	42.07	41.17	39.38	
110114	. Square ruse with Eeg, 12 It.	HA30	<u> </u>	Buffed or Brushed	53.29	51.16	50.09	49.03	46.90	

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
110119	Security Channel, 12 ft.	SC15		Non-Buffed Non-Brushed	18.26	17.53	17.16	16.80	16.07
110119	Security channet, 12 ft.	HA35		Buffed or Brushed	22.19	21.30	20.86	20.41	19.53
110122	Top and Side Glass Support, 12 ft.	SC15		Non-Buffed Non-Brushed	34.03	32.67	31.99	31.31	29.95
110122	Top and Side Gass support, 12 ft.	HA35		Buffed or Brushed	36.98	35.50	34.76	34.02	32.54
110124	Base Channel, 12 ft.	HA35		Non-Buffed Non-Brushed	20.99	20.15	19.73	19.31	18.47
	base sharrety 12 fer	11/133	حـمـس حـ	Buffed or Brushed	26.03	24.99	24.47	23.95	22.91
110125	Glazing Channel, 12 ft.	HA35	√ 	Non-Buffed Non-Brushed	16.98	16.30	15.96	15.62	14.94
110123	Guzing chamet, 12 ft.	TIASS	>	Buffed or Brushed	23.45	22.51	22.04	21.57	20.64
110127	Top Front Frame, 12 ft.	HA32	77	Non-Buffed Non-Brushed	17.81	17.10	16.74	16.39	15.67
110127	iop front frame, 12 fc.	SC15		Buffed or Brushed	23.15	22.22	21.76	21.30	20.37
110128	Top Frame Rear, 12 ft.	ft. SC5	SC5	Non-Buffed Non-Brushed	28.63	27.48	26.91	26.34	25.19
	135 13.113			Buffed or Brushed	33.67	32.32	31.65	30.98	29.63
110129	Bottom Frame, 12 ft.	SC4	> 2	Non-Buffed Non-Brushed	23.42	22.48	22.01	21.55	20.61
	,			Buffed or Brushed	25.25	24.24	23.74	23.23	22.22
110130	Rear Header, 12 ft.	SC4		Non-Buffed Non-Brushed	75.04	72.04	70.54	69.04	66.04
			7	Buffed or Brushed	82.14	78.85	77.21	75.57	72.28
110131	Front Vertical, 12 ft.	SC8		Non-Buffed Non-Brushed	26.03	24.99	24.47	23.95	22.91
			7	Buffed or Brushed	30.07	28.87	28.27	27.66	26.46
110132	Rear Vertical, 12 ft.	SC4		Non-Buffed Non-Brushed	59.37	57.00	55.81	54.62	52.25
		SC4		Buffed or Brushed	68.17	65.44	64.08	62.72	59.99
110133	Jamb, 12 ft.	SC4		Non-Buffed Non-Brushed	39.84	38.25	37.45	36.65	35.06
	,,		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Buffed or Brushed	51.92	49.84	48.80	47.77	45.69

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
			7 7	Non-Buffed Non-Brushed	13.32	12.79	12.52	12.25	11.72
110134	Channel, Wireway, 12 ft.	SC4	<u> </u>	Buffed or Brushed	18.66	17.91	17.54	17.17	16.42
			> 15	Non-Buffed Non-Brushed	43.62	41.88	41.00	40.13	38.39
110135	Reflector, Shell, 12 ft.	SC26		Buffed or Brushed	64.39	61.81	60.53	59.24	56.66
110127	Cover T with 4/4" Poture 12 ft	SC15	√ 	Non-Buffed Non-Brushed	18.68	17.93	17.56	17.19	16.44
110137	Cover T with 1/4" Return, 12 ft.	HA32	7	Buffed or Brushed	20.85	20.02	19.60	19.18	18.35
110110	Heavy Duty Shoe, 12 ft. (works with	SC5	1 11 11 1	Non-Buffed Non-Brushed	30.43	29.21	28.60	28.00	26.78
110140	Endcap Assembly 510241)	RD14		Buffed or Brushed	36.41	34.95	34.23	33.50	32.04
440444	43F° Dear Vertical 42 ft		7 80	Non-Buffed Non-Brushed	141.77	136.10	133.26	130.43	124.76
110141	135° Rear Vertical, 12 ft.			Buffed or Brushed	159.23	152.86	149.68	146.49	140.12
110142	135° Front Vertical, 12 ft.	SC8	XЛ	Non-Buffed Non-Brushed	18.81	18.06	17.68	17.31	16.55
110142	133 Front Vertical, 12 It.	SC8	/	Buffed or Brushed	24.32	23.35	22.86	22.37	21.40
110143	Rear Top Frame, Extended, 12 ft.		Z Z Z Z	Non-Buffed Non-Brushed	30.54	29.32	28.71	28.10	26.88
110143	inear top frame, Extended, 12 ft.			Buffed or Brushed	32.59	31.29	30.63	29.98	28.68
110144	lamb Unright 42.6	564		Non-Buffed Non-Brushed	18.07	17.35	16.99	16.62	15.90
110144	Jamb, Upright, 12 ft.	SC4	7	Buffed or Brushed	22.69	21.78	21.33	20.87	19.97
110145	Cover Channel, 12 ft.		7 (x	Non-Buffed Non-Brushed	21.24	20.39	19.97	19.54	18.69
110145	Cover Channet, 12 It.		<u> </u>	Buffed or Brushed	26.63	25.56	25.03	24.50	23.43
11014	Consists Ton Change 1, 42 ft	56.4	\	Non-Buffed Non-Brushed	20.04	19.24	18.84	18.44	17.64
110146	Security Top Channel, 12 ft.	SC4		Buffed or Brushed	24.44	23.46	22.97	22.48	21.51
140447	Channel 12 ft	56.4	√	Non-Buffed Non-Brushed	16.22	15.57	15.25	14.92	14.27
110147	Channel, 12 ft.	SC4		Buffed or Brushed	19.51	18.73	18.34	17.95	17.17

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
440450	4.4/2"4.4/2"4/9" Apple 42.5	1142		Non-Buffed Non-Brushed	47.51	45.61	44.66	43.71	41.81
110150	1-1/2" x 1-1/2" x 1/8" Angle, 12 ft.	HA3	^	Buffed or Brushed	55.76	53.53	52.41	51.30	49.07
110153	Heavy Duty Molding, 12 ft.	S9	7 1	Non-Buffed Non-Brushed	41.14	39.49	38.67	37.85	36.20
110155	neavy buty motuning, 12 It.	HA34		Buffed or Brushed	51.32	49.27	48.24	47.21	45.16
110156	Hinge Molding, 12 ft.	S8	7 1, 1 <	Non-Buffed Non-Brushed	27.50	26.40	25.85	25.30	24.20
110130	Timge motering, 12 It.	HA34		Buffed or Brushed	32.74	31.43	30.78	30.12	28.81
110157	Glazing Strip, 12 ft.	SC8	C	Non-Buffed Non-Brushed	10.36	9.95	9.74	9.53	9.12
440450	41. 4/21. 4/4/114	1142	>	Non-Buffed Non-Brushed	13.93	13.37	13.09	12.82	12.26
110159	1" x 1/2" x 1/16" Angle, 12 ft.	HA3	<u> </u>	Buffed or Brushed	18.72	17.97	17.60	17.22	16.47
	2.1/2" v.1.2/4" Tubo. 12.ft	HA30	<b>√</b>	Non-Buffed Non-Brushed	115.45	110.83	108.52	106.21	101.60
110160	2-1/2" x 1-3/4" Tube, 12 ft.		7 2	Buffed or Brushed	138.84	133.29	130.51	127.73	122.18
110162	4 2/44" Tap Channel 42 ft	HA7		Non-Buffed Non-Brushed	24.27	23.30	22.81	22.33	21.36
110162	1-3/16" Top Channel, 12 ft.	RD14		Buffed or Brushed	31.03	29.79	29.17	28.55	27.31
110164	Hingo Dieto 12 ft	ШАЗА		Non-Buffed Non-Brushed	10.41	9.99	9.79	9.58	9.16
110104	Hinge Plate, 12 ft.	HA34		Buffed or Brushed	16.86	16.19	15.85	15.51	14.84
440475	4" 4" 4 /4/" Arrela 42 ft	1142	7	Non-Buffed Non-Brushed	18.33	17.60	17.23	16.86	16.13
110165	1" x 1" x 1/16" Angle, 12 ft.	HA3	, L	Buffed or Brushed	22.50	21.60	21.15	20.70	19.80
140477	4" v 4 /0" Chris 42 54	Птас	√	Non-Buffed Non-Brushed	18.59	17.85	17.47	17.10	16.36
110166	1" x 1/8" Strip, 12 ft.	HA16		Buffed or Brushed	23.89	22.93	22.46	21.98	21.02
110167	2" x 2" X 1/8" Angle, 12 ft.	HA3	7	Non-Buffed Non-Brushed	65.61	62.99	61.67	60.36	57.74
110107	2 A 2 A 170 Aligie, 12 IL.	TIAS	<u>,</u>	Buffed or Brushed	77.93	74.81	73.25	71.70	68.58

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
110110	1.4.1211 2.4.411 4.4.011 1 4.2.6			Non-Buffed Non-Brushed	35.27	33.86	33.15	32.45	31.04
110168	1-1/2" x 3/4" x 1/8" Angle, 12 ft.	HA3	<i>N</i>	Buffed or Brushed	42.45	40.75	39.90	39.05	37.35
440474	4.4/4" 2./22" Flat Page 42.6	11146		Non-Buffed Non-Brushed	19.23	18.46	18.08	17.69	16.92
110171	1-1/4" x 3/32" Flat Bar, 12 ft.	HA16		Buffed or Brushed	24.03	23.07	22.59	22.11	21.15
110170	Constitut Trade 12 ft	SC66	> [32,32]	Non-Buffed Non-Brushed	30.32	29.11	28.50	27.89	26.68
110178	Security Track, 12 ft.	RD14		Buffed or Brushed	34.75	33.36	32.67	31.97	30.58
440490	[ [ ] ] ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [	HA3	>	Non-Buffed Non-Brushed	12.25	11.76	11.52	11.27	10.78
110180	5/8" x 7/16" x 1/16" Angle, 12 ft.	SC4	<u> </u>	Buffed or Brushed	17.04	16.36	16.02	15.68	15.00
110101	425° 11 11 12 6	11124		Non-Buffed Non-Brushed	44.52	42.74	41.85	40.96	39.18
110181	135° Molding, 12 ft.	HA36	\ \frac{1}{\lambda}	Buffed or Brushed	53.60	51.46	50.38	49.31	47.17
				Non-Buffed Non-Brushed	15.53	14.91	14.60	14.29	13.67
110182	1-1/4" x 3/8" x 1/16", Angle 12 ft.	HA3	, [	Buffed or Brushed	22.06	21.18	20.74	20.30	19.41
110102	5 . 5	SC15	√ - E	Non-Buffed Non-Brushed	30.28	29.07	28.46	27.86	26.65
110192	Front Frame with Lip, 12 ft.	HA32		Buffed or Brushed	35.18	33.77	33.07	32.37	30.96
110194	Cover Strip, 12 ft.	G16	<b>√</b>	Non-Buffed Non-Brushed	24.72	23.73	23.24	22.74	21.75
110171	COVER SERIES, 12 TC.	010		Buffed or Brushed	25.80	24.77	24.25	23.74	22.70
110195	Security Top and Side Glass Support,	SC15		Non-Buffed Non-Brushed	34.19	32.82	32.14	31.45	30.09
110173	12 ft.	HA35		Buffed or Brushed	37.11	35.63	34.88	34.14	32.66
110196	Transparency Frame, 12 ft.	S11		Non-Buffed Non-Brushed	52.93	50.81	49.75	48.70	46.58
110170	reasparency frame, 12 ft.	HA33	Λ.	Buffed or Brushed	60.62	58.20	56.98	55.77	53.35
110198	Face Frame, 12 ft.	S15		Non-Buffed Non-Brushed	26.29	25.24	24.71	24.19	23.14
		HA33		Buffed or Brushed	29.07	27.91	27.33	26.74	25.58

		Cat.			Discount Quantity Pricing						
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+		
	1-1/2" Diameter Half Round, 12 ft.		V	Non-Buffed Non-Brushed	28.18	27.05	26.49	25.93	24.80		
110200	(works with Endcap 310204 and Base 410443)	AT9		Buffed or Brushed	37.88	36.36	35.61	34.85	33.33		
440004	2" Diameter Half Round, 12 ft.	4.70	V	Non-Buffed Non-Brushed	33.89	32.53	31.86	31.18	29.82		
110201	(works with Endcaps 310205 and Base 410443)	AT9		Buffed or Brushed	39.97	38.37	37.57	36.77	35.17		
	3" Diameter Half Round, 12 ft.		<b>√</b>	Non-Buffed Non-Brushed	62.57	60.07	58.82	57.56	55.06		
110202	(works with Endcaps 310206, and Base 410540)	AT9		Buffed or Brushed	78.77	75.62	74.04	72.47	69.32		
		HA34		Non-Buffed Non-Brushed	23.01	22.09	21.63	21.17	20.25		
110204	Heavy Duty Hinge Plate, 12 ft.	S15		Buffed or Brushed	27.78	26.67	26.11	25.56	24.45		
			n n.	Non-Buffed Non-Brushed	38.59	37.05	36.27	35.50	33.96		
110208	Security Track, 12 ft.	RD14	7 29 95	Buffed or Brushed	46.47	44.61	43.68	42.75	40.89		
	4" Diameter Half Round, 12 ft.	.=	√	Non-Buffed Non-Brushed	80.09	76.89	75.28	73.68	70.48		
110210	(works with Endcap 310207 and Base 410458)	AT10		Buffed or Brushed	101.14	97.09	95.07	93.05	89.00		
	6" Diameter Half Round, 12 ft.	.=	V	Non-Buffed Non-Brushed	132.29	127.00	124.35	121.71	116.42		
110212	(works with Endcap 310209 and Base 412002)	AT10		Buffed or Brushed	161.85	155.38	152.14	148.90	142.43		
	Crown Wall Trim, 12 ft. (works			Non-Buffed Non-Brushed	79.68	76.49	74.90	73.31	70.12		
110214	with LH Endcap 310211, RH Endcap 310210, and Base 410458)	AT14	J 2	Buffed or Brushed	83.39	80.05	78.39	76.72	73.38		
				Non-Buffed Non-Brushed	196.94	189.06	185.12	181.18	173.31		
110215	2-Way 180° Vertical, 12 ft.	G16	\ \ \	Buffed or Brushed	205.28	197.07	192.96	188.86	180.65		
			√ п	Non-Buffed Non-Brushed	20.19	19.38	18.98	18.57	17.77		
110216	Door Stop Jamb, 12 ft.	HA32		Buffed or Brushed	27.33	26.24	25.69	25.14	24.05		
		S14	726	Non-Buffed Non-Brushed	90.25	86.64	84.84	83.03	79.42		
110220	Face Frame Mullion, 12 ft.	HA32	<u> </u>	Buffed or Brushed	94.61	90.83	88.93	87.04	83.26		

		Cat.				Discount	Quantity	y Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
440222	1-3/8" x 21/64" Rectangular Trim, 12	AT44	√	Non-Buffed Non-Brushed	23.34	22.41	21.94	21.47	20.54
110223	ft. (works with Endcap 310212 and Base 410443)	AT11	>	Buffed or Brushed	33.84	32.49	31.81	31.13	29.78
110224	Glazing, Jamb, without leg, 12 ft.	S10	√ 3	Non-Buffed Non-Brushed	14.54	13.96	13.67	13.38	12.80
110224	otazing, Jamb, Without leg, 12 ft.	310	> <b>_</b>	Buffed or Brushed	18.12	17.40	17.03	16.67	15.95
110225	1-1/2" x 1/2" Rectangular Trim, 12 ft. (works with Endcap 310213 and	AT11	√ √	Non-Buffed Non-Brushed	29.27	28.10	27.51	26.93	25.76
110223	Base 410443)	AIII	7	Buffed or Brushed	38.91	37.35	36.58	35.80	34.24
110226	3" x 3/4" Rectangular Trim, 12 ft.	AT11	√	Non-Buffed Non-Brushed	59.63	57.24	56.05	54.86	52.47
110226	(works with Endcap 310214 and Base 410540)	AT11		Buffed or Brushed	77.84	74.73	73.17	71.61	68.50
440227	4" x 3/4" Rectangular Trim, 12 ft.	AT4.4	√	Non-Buffed Non-Brushed	76.25	73.20	71.68	70.15	67.10
110227	(works with Endcap 310215 and Base 412272)	AT11	7	Buffed or Brushed	102.09	98.01	95.96	93.92	89.84
440220	5 . 5		√ 	Non-Buffed Non-Brushed	14.47	13.89	13.60	13.31	12.73
110228	Front Frame Molding, 12 ft.	HA32		Buffed or Brushed	22.02	21.14	20.70	20.26	19.38
110229	3-1/2" x 1/8" Rectangular Bar, 12 ft.	HA16	V	Non-Buffed Non-Brushed	60.77	58.34	57.12	55.91	53.48
110227	3-1/2 X 1/6 Nectangular bai, 12 ft.	HATO		Buffed or Brushed	71.54	68.68	67.25	65.82	62.96
110232	4" x 2" Rectangular Trim, 12 ft. (works with Endcap 310218 and Base	AT11		Non-Buffed Non-Brushed	75.48	72.46	70.95	69.44	66.42
110232	410458)	AIII	7	Buffed or Brushed	86.50	83.04	81.31	79.58	76.12
110233	1-3/8" Inside Cove, 12 ft. (works	AT14		Non-Buffed Non-Brushed	54.19	52.02	50.94	49.85	33.52
110233	with Endcap 310219 and Base 410443)	AI 14		Buffed or Brushed	58.72	56.37	55.20	54.02	37.51
140224	4" Cornice Trim, 12 ft. (works with	AT4.4	7	Non-Buffed Non-Brushed	69.72	66.93	65.54	64.14	61.35
110234	LH Endcap 310221, RH Endcap 310220 and Base 410458)	AT14	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Buffed or Brushed	80.05	76.85	75.25	73.65	70.44
110244	4-1/2" x 1-1/2" Stepped Trim, 12 ft.	AT4.4		Non-Buffed Non-Brushed	86.01	82.57	80.85	79.13	75.69
110244	(works with LH Endcap 310228, RH Endcap 310227 and Base 410458)	AT14	<u>, ,                                   </u>	Buffed or Brushed	103.33	99.20	97.13	95.06	90.93

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
440245	3" x 1.5" Rectangular Trim, 12 ft.	1744	√ √	Non-Buffed Non-Brushed	112.89	108.37	106.12	68.18	64.78
110245	(works with Endcap 310229 and Base 410540)	AT11		Buffed or Brushed	126.74	121.67	119.14	80.37	76.36
1102.10	1" X 1/2" Rectangular Trim, 12 ft.	1-11	√ √	Non-Buffed Non-Brushed	26.26	25.21	24.68	24.16	23.11
110248	(works with Base 411331)	AT11	7 8 2	Buffed or Brushed	35.65	34.22	33.51	32.80	31.37
110051	G. 511 42.6	RD14	√ \	Non-Buffed Non-Brushed	6.32	6.07	5.94	5.81	5.56
110251	Shoe Filler, 12 ft.	HA10		Buffed or Brushed	7.28	6.99	6.84	6.70	6.41
440250	D. II. 42 G	HA23	~~	Non-Buffed Non-Brushed	63.59	61.05	59.77	58.50	55.96
110258	Pull, 12 ft.	HAZ3		Buffed or Brushed	74.37	71.40	69.91	68.42	65.45
440270	5" x 3/4" Rectangular Trim, 12 ft.	4742	V	Non-Buffed Non-Brushed	70.15	67.34	65.94	64.54	61.73
110260	(works with Endcap 310233 and Base 412002)	AT13	> [	Buffed or Brushed	91.53	87.87	86.04	84.21	80.55
440277	3/4" Diameter Half Round, 12 ft.	470	V	Non-Buffed Non-Brushed	10.55	10.13	9.92	9.71	9.28
110267	(works with Endcap 310395 and Base 411331)	AT9		Buffed or Brushed	14.05	13.49	13.21	12.93	12.36
110268	Z-Strip for 1/4" Panel, 12 ft.	HA33 S11		Non-Buffed Non-Brushed	18.17	17.44	17.08	16.72	15.99
440270	6" x 3/4" Rectangular Trim, 12 ft.	1711	√	Non-Buffed Non-Brushed	112.59	108.09	105.83	103.58	99.08
110269	(works with Endcap 310235 and Base 412002)	AT11	> <u> </u>	Buffed or Brushed	155.83	149.60	146.48	143.36	137.13
110207	3" Radius Quarter Round, 12 ft.	AT//		Non-Buffed Non-Brushed	76.45	73.39	71.86	70.33	67.28
110286	(works with LH Endcap 310242, RH Endcap 310239 and Base 410540)	AT66		Buffed or Brushed	91.62	87.96	86.12	84.29	80.63
110289	Bottom Frame, Low Profile, 12 ft.	SC5	П	Non-Buffed Non-Brushed	19.33	18.56	18.17	17.78	17.01
110209	bottom frame, Low Fronte, 12 ft.	303	7 2 5	Buffed or Brushed	23.98	23.02	22.54	22.06	22.10

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
110290	1-1/2" Radius Quarter Round, 12 ft. (works with LH Endcap	AT6		Non-Buffed Non-Brushed	44.49	42.71	41.82	40.93	39.15
110290	310243, RH Endcap 310240, and base 410443)	AIO	Je	Buffed or Brushed	54.24	52.07	50.99	49.90	47.73
110293	2-1/2" x 1" Angle, 12 ft.	HA3	>	Non-Buffed Non-Brushed	39.30	37.73	36.94	36.16	34.58
110273	Z 1/Z X F Aligner, 12 fc.	TIAS	,	Buffed or Brushed	51.65	49.58	48.55	47.52	45.45
110294	1-1/2" x 1/2" Scalloped Rectangular, 12 ft. (works with Endcap 310241	AT11	√ 	Non-Buffed Non-Brushed	27.34	26.25	25.70	25.15	24.06
110271	and Base 410443)	AIII		Buffed or Brushed	35.87	34.44	33.72	33.00	31.57
110295	2" Half Round with 3/4" Returns, 12 ft. (works with Endcap 310205	AT6		Non-Buffed Non-Brushed	46.15	44.30	43.38	42.46	40.61
110273	and Base 410443)	Alo		Buffed or Brushed	60.25	57.84	56.64	55.43	53.02
110296	3/4" Radius Quarter Round, 12 ft. (works with LH Endcap 310374, RH	AT11		Non-Buffed Non-Brushed	15.77	15.14	14.82	14.51	13.88
	Endcap 310375 and Base 411331)			Buffed or Brushed	20.49	19.67	19.26	18.85	18.03
110298	1-1/2" Tee, 12 ft.	HA27		Non-Buffed Non-Brushed	44.54	42.76	41.87	40.98	39.20
				Buffed or Brushed	56.20	53.95	52.83	51.70	49.46
110299	1-1/4" Radius Quarter Round, 12 ft. (works with LH Endcap 310245, RH	AT6		Non-Buffed Non-Brushed	37.14	35.65	34.91	34.17	32.68
	Endcap 310244 and Base 410530)			Buffed or Brushed	51.90	49.82	48.79	47.75	45.67
110300	Extended Face Frame, 12 ft.	S11		Non-Buffed Non-Brushed	41.85	40.18	39.34	38.50	36.83
110300	Extended race frame, 12 ft.	HA33		Buffed or Brushed	50.10	48.10	47.09	46.09	44.09
440204	2-7/8" Fluted Trim, 12 ft. (works		√ √	Non-Buffed Non-Brushed	63.09	60.57	59.30	58.04	55.52
110301	with Endcap 310246 and Base 410540)	AT14		Buffed or Brushed	81.19	77.94	76.32	74.69	71.45
	2-1/4" x 1/2" Rectangular Trim, 12		<b>V</b>	Non-Buffed Non-Brushed	47.20	45.31	44.37	43.42	41.54
110304	ft. (work with Endcap 310251 and Base 410443)	AT11	7 1 1	Buffed or Brushed	64.55	61.97	60.68	59.39	56.80
44000-				Non-Buffed Non-Brushed	57.95	55.63	54.47	53.31	51.00
110305	7" x 1/16" Trim Strip, 8 ft.	HA16		Buffed or Brushed	70.94	68.10	66.68	65.26	62.43
110306	1-1/2" x 1-1/2" x 1/8" 135° Angle,	HA3	1	Non-Buffed Non-Brushed	52.51	50.41	49.36	48.31	46.21
110300	12 ft.	IIAS		Buffed or Brushed	67.95	65.23	63.87	62.51	59.80

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
110307	2" x 5/8" Rectangular Trim, 12 ft. (works with Endcap 310250 and Base	AT11	7	Non-Buffed Non-Brushed	43.05	41.33	40.47	39.61	37.88
110307	410443)	AIII		Buffed or Brushed	58.46	56.12	54.95	53.78	51.44
110308	2" Radius Quarter Round, 12 ft. (works with LH Endcap 310253, RH	AT6		Non-Buffed Non-Brushed	94.89	91.09	89.20	57.54	54.66
110300	Endcap 310252 and Base 410443)	7.1.0		Buffed or Brushed	101.00	96.96	94.94	62.92	59.77
110309	2-1/2" Radius Quarter Round, 12 ft. (works with LH Endcap 310255, RH	AT6	7	Non-Buffed Non-Brushed	99.73	95.74	93.75	60.29	57.27
110307	Endcap 310254and Base 410540)	Alo	12	Buffed or Brushed	106.38	102.12	100.00	66.13	62.83
110310	2-1/2" Diameter Half Round, 12 ft. (works with Endcap 310249 and Base	AT8	V	Non-Buffed Non-Brushed	63.85	61.30	60.02	58.74	38.88
110310	410540)	Alo		Buffed or Brushed	72.06	69.18	67.74	66.30	46.10
110315	1-1/2" Front Frame for Curving, 12		\ \ \	Non-Buffed Non-Brushed	47.39	45.49	44.55	43.60	29.72
110313	ft.		<u> </u>	Buffed or Brushed	56.87	54.60	53.46	52.32	38.07
110325	3" x 1" Stepped Trim, 12 ft. (works with LH Endcap 310259, RH Endcap	AT14		Non-Buffed Non-Brushed	103.42	99.28	97.21	63.51	60.34
110323	310260 and Base 410443)	AI 14		Buffed or Brushed	114.27	109.70	107.41	73.06	69.41
110328	1" Diameter Half Round, 12 ft. (works with Endcap 310323 and Base	AT8	1	Non-Buffed Non-Brushed	18.55	17.81	17.44	17.07	16.32
110320	411331)	Alo		Buffed or Brushed	27.66	26.55	26.00	25.45	24.34
110340	Reflector Strip, 12 ft.			Non-Buffed Non-Brushed	17.88	17.16	16.81	16.45	15.73
110341	Edge Molding with Log 42 ft	S13	\ >[d_	Non-Buffed Non-Brushed	25.92	24.88	24.36	23.85	22.81
110341	Edge Molding with Leg, 12 ft.	HA34		Buffed or Brushed	35.70	34.27	33.56	32.84	31.42
110348	13/16" I.D. Tube, .050" Thick, 12 ft.	HA29	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Non-Buffed Non-Brushed	23.45	22.51	22.04	21.57	20.64
110340	(.913 O.D.)	11047	1	Buffed or Brushed	34.06	32.70	32.02	31.34	29.97
110350	Heavy Duty Shoe, 12 ft. (works with	SC9	7   _	Non-Buffed Non-Brushed	45.62	43.80	42.88	41.97	40.15
1.0330	Endcap Assembly 510331)	RD10		Buffed or Brushed	55.34	53.13	52.02	50.91	48.70

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
110358	Anchor Channel for 2" WallMaker Sills, 12 ft.	G2		Non-Buffed Non-Brushed	56.95	54.67	53.53	52.39	50.12
110359	1"x2" WallMaker Flanged Header,	G10		Non-Buffed Non-Brushed	91.19	87.54	85.72	83.89	80.25
110339	smooth, 12 ft.	HA10		Buffed or Brushed	103.81	99.66	97.58	95.51	91.35
110360	1"x2" WallMaker Header, smooth,	G10		Non-Buffed Non-Brushed	59.78	57.39	56.19	55.00	52.61
110300	12 ft.	HA11		Buffed or Brushed	80.55	77.33	75.72	74.11	70.88
110361	1"x1" WallMaker Sill, 12 ft.	G7		Non-Buffed Non-Brushed	36.20	34.75	34.03	33.30	31.86
110301	TAT Wattmaker Sitt, 12 ft.	HA10		Buffed or Brushed	47.55	45.65	44.70	43.75	41.84
110372	Single Channel with Extended Leg,	RD14		Non-Buffed Non-Brushed	21.31	20.46	20.03	19.61	18.75
110372	12 ft.	HA35		Buffed or Brushed	26.67	25.60	25.07	24.54	23.47
110381	2-5/8" x 1/2" Streamline, 12 ft. (works with Endcap 310286 and Base	AT14		Non-Buffed Non-Brushed	69.53	66.75	65.36	63.97	43.88
110361	410540)	AI 14	  ->[	Buffed or Brushed	81.82	78.55	76.91	75.27	54.69
110382	2-5/8" x 1-3/4" Classic Cornice, 12 ft. (works with RH Endcap 310288,	AT14		Non-Buffed Non-Brushed	46.32	44.47	43.54	42.61	40.76
110362	LH Endcap 310287 and Base 410540)	AI 14		Buffed or Brushed	75.20	72.19	70.69	69.18	66.18
110383	3" x 2-1/2" Classic Cove, 12 ft. (works with LH Endcap 310292, RH	AT15		Non-Buffed Non-Brushed	94.80	91.01	89.11	87.22	83.42
110363	Endcap 310293 and Base 410540)	AITS	In the second second	Buffed or Brushed	97.27	93.38	91.43	89.49	85.60
110384	2" x 5/8" New Wave, 12 ft. (works with Endcap 310289 and Base	AT15	\ \ \	Non-Buffed Non-Brushed	55.34	53.13	52.02	50.91	33.11
110384	410443)	ALID		Buffed or Brushed	63.99	61.43	60.15	58.87	40.73
110385	2-3/16" x 1/2" Classic Trim, 12 ft. (works with LH Endcap 310290, RH	AT15		Non-Buffed Non-Brushed	31.32	30.07	29.44	28.81	27.56
110363	Endcap 310291 and Base 410443)	AIIJ	<b>1</b>	Buffed or Brushed	39.85	38.26	37.46	36.66	35.07
110391	Accent Strip for Curved Lengths, 12	HA16		Non-Buffed Non-Brushed	7.24	6.95	6.81	6.66	6.37
.10371	ft.	AIO	<u> </u>	Buffed or Brushed	11.04	10.60	10.38	10.16	9.72

		Cat.				Discount	Quantity	ntity Pricing		
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+	
110394	1/4" Class Sholf Edging 12 ft	HA35		Non-Buffed Non-Brushed	20.62	19.80	19.38	18.97	18.15	
110394	1/4" Glass Shelf Edging, 12 ft.	ПАЭЭ	<u></u>	Buffed or Brushed	25.02	24.02	23.52	23.02	22.02	
110395	3/8" Glass Shelf Edging, 12 ft.	HA35		Non-Buffed Non-Brushed	19.00	18.24	17.86	17.48	16.72	
110373	376 Glass shell Edging, 12 It.	HASS	<u></u>	Buffed or Brushed	25.48	24.45	23.95	23.44	22.42	
110398	Accent Strip for Straight Lengths,	HA16	√ √	Non-Buffed Non-Brushed	13.49	12.95	12.68	12.41	11.87	
110370	12 ft.	TIATO		Buffed or Brushed	18.66	17.91	17.54	17.17	16.42	
110400	2" x 1-1/2" Panel Molding, 12 ft. (works with LH Endcap 310386, RH	AT15	√ 1	Non-Buffed Non-Brushed	47.64	45.73	44.78	43.83	41.92	
110400	Endcap 310385 and Base 410443)	AITS	<i>N</i>	Buffed or Brushed	52.11	50.03	48.98	47.94	45.86	
110403	3/8" Face Frame, 12 ft.	HA33		Non-Buffed Non-Brushed	25.55	24.53	24.02	23.51	22.48	
110103	570 Face Frame, 12 fc.	S8	<u>L</u> ,	Buffed or Brushed	30.89	29.65	29.04	28.42	27.18	
110410	3/4" Square Trim, 12 ft. (works with	AT11	<b>√</b>	Non-Buffed Non-Brushed	29.47	28.29	27.70	27.11	25.93	
110110	Endcap 310403 and Base 411331)	AIII		Buffed or Brushed	34.04	32.68	32.00	31.32	29.96	
110412	Deep Pocket Shoe, 12 ft. (works with	RD14	7 4	Non-Buffed Non-Brushed	42.38	40.68	39.84	38.99	37.29	
	Endcap Assembly 510371)			Buffed or Brushed	59.10	56.74	55.55	54.37	52.01	
110413	3/4" x 4" Channel, 12 ft.	HA11		Non-Buffed Non-Brushed	158.49	152.15	148.98	145.81	139.47	
110413	374 X 4 Chamet, 12 ft.	ПАП		Buffed or Brushed	169.45	162.67	159.28	155.89	149.12	
110419	3" x 1/8" Bar, 12 ft.	HA16	V	Non-Buffed Non-Brushed	57.36	55.07	53.92	52.77	50.48	
110417	3 × 170 Bai, 12 1C.	HATO		Buffed or Brushed	66.09	63.45	62.12	60.80	58.16	
110420	3" X 1" Radius Step Trim, 12 ft. (works with LH endcap 310378, RH	AT15	7~	Non-Buffed Non-Brushed	78.69	75.54	73.97	48.93	46.48	
110-120	endcap 310377 and base 410540)	Airis	9/2	Buffed or Brushed	89.04	85.48	83.70	58.04	55.13	
110102	1/2   0 0 7 1 7 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2		<b>V</b>	Non-Buffed Non-Brushed	18.85	18.10	17.72	17.34	16.59	
110423	1/2" O.D. Tube, 5/64" thick, 12 ft.	HA29	,0~	Buffed or Brushed	19.74	18.95	18.56	18.16	17.37	
110424	1-1/2" x 1-1/2" Corner Trim,	AT15		Non-Buffed Non-Brushed	51.57	49.51	48.48	47.44	45.38	
	12 ft. (Works with base 410443)	15	<u> </u>	Buffed or Brushed	56.24	53.99	52.87	51.74	49.49	

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
110426	Glass End Stock Endcap Extrusion,	HA36		Non-Buffed Non-Brushed	47.60	45.70	44.74	43.79	41.89
110420	8 ft.	TIAGO		Buffed or Brushed	53.78	51.63	50.55	49.48	47.33
110428	Anchor Channel for 2-1/2" WallMaker Sills, 12 ft.	G6		Non-Buffed Non-Brushed	70.21	67.40	66.00	64.59	61.78
110432	1" Diameter Half Round with 3/8" Channel, 12 ft. (works with Endcaps	HA35		Non-Buffed Non-Brushed	35.83	34.40	33.68	32.96	31.53
110432	LH 310324 and RH 310325)	HAJJ	<u></u>	Buffed or Brushed	37.43	35.93	35.18	34.44	32.94
440424	2-9/16"x2-1/2" WallMaker Header,	642	>	Non-Buffed Non-Brushed	207.00	198.72	194.58	190.44	182.16
110434	12 ft.	G12	<u>                                    </u>	Buffed or Brushed	224.58	215.60	211.11	206.61	197.63
440444	4/4" Tring Channel 42 ft	CCE	<b>√</b>	Non-Buffed Non-Brushed	15.61	14.99	14.67	14.36	13.74
110441	1/4" Trim Channel, 12 ft.	SC5		Buffed or Brushed	23.91	22.95	22.48	22.00	21.04
110451	7/0" v 7/0" v 4/44" Apple 42 ft	шар	√ 	Non-Buffed Non-Brushed	17.65	16.94	16.59	16.24	15.53
110451	7/8" x 7/8" x 1/16" Angle, 12 ft.	HA3	7	Buffed or Brushed	24.70	23.71	23.22	22.72	21.74
110461	2" v 4" Channel 42 ft	HA10	7	Non-Buffed Non-Brushed	53.98	51.82	50.74	49.66	47.50
110401	2" x 1" Channel, 12 ft.	ПАТО	Λ	Buffed or Brushed	63.52	60.98	59.71	58.44	55.90
110465	5-3/4" x 2-1/4" Traditional American, 12 ft. (works with LH Endcap 310399	AT15	7	Non-Buffed Non-Brushed	131.08	125.84	123.22	120.59	115.35
110463	RH Endcap 310400 and Base 412002)	ALIS	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Buffed or Brushed	185.73	178.30	174.59	170.87	163.44
110471	Upright, Center, 12 ft.		П	Non-Buffed Non-Brushed	28.79	27.64	27.06	26.49	25.34
110472	Haright Wall 12 ft		> <b>PF</b> 44<	Non-Buffed Non-Brushed	88.76	85.21	83.43	81.66	78.11
110472	Upright, Wall, 12 ft.		<u></u>	Buffed or Brushed	99.44	95.46	93.47	91.48	87.51
440404	2"	640	√ √ <b>D_0</b>	Non-Buffed Non-Brushed	392.00	376.32	368.48	360.64	344.96
110481	2"x6" WallMaker Sill, 12 ft.	G10	7 4	Buffed or Brushed	425.79	408.76	400.24	391.73	374.70
110482	2"x4" WallMaker Sill, 12 ft.	G9	√ √ _ [] []	Non-Buffed Non-Brushed	272.26	261.37	255.92	250.48	239.59
110702	ZAT Matumanel Sitt, 12 II.	G,		Buffed or Brushed	298.88	286.92	280.95	274.97	263.01

		Cat.				Discount	Quantity	y Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
110483	2"x1-3/4" WallMaker Header, 12 ft.	G9	7	Non-Buffed Non-Brushed	107.72	103.41	101.26	99.10	94.79
110463	2 X1-3/4 Wallmaker fleader, 12 It.	d9	Le 51 	Buffed or Brushed	123.84	118.89	116.41	113.93	108.98
440507	1-1/4" Dia. Half Round with 1/2"	4.70	\	Non-Buffed Non-Brushed	29.20	28.03	27.45	26.86	25.70
110507	Return, 12 ft. (works with Base 410530 and Recessed Base 411185)	AT8		Buffed or Brushed	36.27	34.82	34.09	33.37	31.92
110521	Filler Strip 12 ft	G3	7	Non-Buffed Non-Brushed	11.96	11.48	11.24	11.00	10.52
110321	Filler Strip, 12 ft.	03	٨	Buffed or Brushed	15.39	14.77	14.47	14.16	13.54
440522	Backframe Header without Top	CC4E	√ 	Non-Buffed Non-Brushed	73.95	70.99	69.51	68.03	65.08
110523	Glass, 12 ft.	SC15	>	Buffed or Brushed	85.18	81.77	80.07	78.37	74.96
110520	1-21/32" x 1/8" Flat Stock, 12 ft.	ШАЛС	V	Non-Buffed Non-Brushed	33.60	32.26	31.58	30.91	29.57
110538	(0.10 crown on surface opposite grove)	HA16		Buffed or Brushed	41.42	39.76	38.93	38.11	36.45
110547	Cover, Smooth, Inside "H", 12 ft.		> <b>yy</b> <	Non-Buffed Non-Brushed	49.37	47.40	46.41	45.42	43.45
110347	Cover, Sillootti, Iliside H , 12 ft.		<b>T</b>	Buffed or Brushed	53.23	51.10	50.04	48.97	46.84
110548	Cover, Smooth, Outside "H", 12 ft.		> <b></b>	Non-Buffed Non-Brushed	35.36	33.95	33.24	32.53	31.12
110340	cover, smooth, outside 11 , 12 fc.		٨	Buffed or Brushed	41.03	39.39	38.57	37.75	36.11
110560	Rod, 3/4" Dia., 12 ft.	HA29	√ ·	Non-Buffed Non-Brushed	63.01	60.49	59.23	57.97	55.45
	100, 57 1 510., 12 10.	11,12,	1	Buffed or Brushed	68.68	65.93	64.56	63.19	60.44
110563	Pod 2" Dia 12 ft	HA29	V	Non-Buffed Non-Brushed	403.73	387.58	379.51	371.43	355.28
110363	Rod, 2" Dia., 12 ft.	ПАZ9		Buffed or Brushed	409.67	393.28	385.09	376.90	360.51
440572	W T. b 42 G	11420	√ 	Non-Buffed Non-Brushed	12.88	12.36	12.11	11.85	11.33
110573	Wireway Tube, 12 ft.	HA30		Buffed or Brushed	16.00	15.36	15.04	14.72	14.08
	Showcase Molding w/o Holes,	SC15	-	Non-Buffed Non-Brushed	12.42	11.92	11.67	11.43	10.93
110577	12 ft. (with holes 410099)	HA10		Buffed or Brushed	16.65	15.98	15.65	15.32	14.65
110582	Showcase Rail, 12 ft.	SC15	√ >	Non-Buffed Non-Brushed	46.94	45.06	44.12	43.18	41.31
				Buffed or Brushed	49.25	47.28	46.30	45.31	43.34

		Cat.				Discount	Quantity	y Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
110617	Sign Trim, 12 ft. (works with Base	AT15	1/2	Non-Buffed Non-Brushed	28.70	27.55	26.98	26.40	25.26
110617	110618)	AIIS	^	Buffed or Brushed	36.13	34.68	33.96	33.24	31.79
110618	Sign Trim Base, 12 ft. (works with Trim 110617)	AT16		Non-Buffed Non-Brushed	18.81	18.06	17.68	17.31	16.55
110622	2/4" v 1 1/2" v 1/9" Apglo 94"	HA4		Non-Buffed Non-Brushed	25.53	24.51	24.00	23.49	22.47
110622	3/4" x 1-1/2" x 1/8" Angle, 84"	па4	<u></u>	Buffed or Brushed	30.93	29.69	29.07	28.46	27.22
440430	1" x 2" x 1" Rectangular Trim, 12 ft.	AT44	√ 	Non-Buffed Non-Brushed	42.40	40.70	39.86	39.01	37.31
110639	(works with Base 410443, 410466) (works with endcap 310735)	AT11		Buffed or Brushed	54.63	52.44	51.35	50.26	48.07
	Top Rear Showcase Channel, for 1/2"		√ √	Non-Buffed Non-Brushed	74.46	71.48	69.99	68.50	65.52
110640	Glass, 12 ft.	SC15		Buffed or Brushed	92.34	88.65	86.80	84.95	81.26
			√	Non-Buffed Non-Brushed	131.47	126.21	123.58	120.95	115.69
110641	2" Square Tube, 1/8" Thick, 12 ft.	HA30	7	Buffed or Brushed	141.39	135.73	132.91	130.08	124.42
110646	Trim, Drawer, 12 ft.			Non-Buffed Non-Brushed	13.44	12.90	12.63	12.36	11.83
110/10	2 41 41 42 6	111.46	√ 	Non-Buffed Non-Brushed	136.01	130.57	127.85	125.13	119.69
110648	Bar, 1" x 1", 12 ft.	HA16	7	Buffed or Brushed	143.46	137.72	134.85	131.98	126.24
	Security Channel for 3/8" Glass, 12		<b>→</b>	Non-Buffed Non-Brushed	20.90	20.06	19.65	19.23	18.39
110649	ft.	SC12		Buffed or Brushed	22.47	21.57	21.12	20.67	19.77
		HA10	n n	Non-Buffed Non-Brushed	14.97	14.37	14.07	13.77	13.17
110650	3/8" Glass Channel, 12 ft.	SC15	7	Buffed or Brushed	17.46	16.76	16.41	16.06	15.36
			\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Non-Buffed Non-Brushed	23.52	22.58	22.11	21.64	20.70
110652	F Channel, 3/8" Glass 12 ft.			Buffed or Brushed	31.46	30.20	29.57	28.94	27.68
110/53	Front Frame with Security Lip for	CCAE	<b>√</b>	Non-Buffed Non-Brushed	32.74	31.43	30.78	30.12	28.81
110653	3/8" Glass, 12 ft.	SC15		Buffed or Brushed	38.08	36.56	35.80	35.03	33.51

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
110655	6 4/2" v 4/4" Par 40 ft	ПУ11	√	Non-Buffed Non-Brushed	166.76	160.09	156.75	153.42	146.75
110655	6-1/2" x 1/4" Bar, 10 ft.	HA11		Buffed or Brushed	180.51	173.29	169.68	166.07	158.85
110665	1/2" x 1/4" Rectangular Bar, 12 ft.	HA16	√	Non-Buffed Non-Brushed	28.02	26.90	26.34	25.78	24.66
110003	172 x 174 Nectangular bar, 12 ft.	TIATO	7	Buffed or Brushed	35.22	33.81	33.11	32.40	30.99
110666	3/8" Glass "F" Channel, 12 ft.		√ 	Non-Buffed Non-Brushed	26.86	25.79	25.25	24.71	23.64
110000	370 Glass 1 Chamlet, 12 ft.		7	Buffed or Brushed	34.69	33.30	32.61	31.91	30.53
110669	3/4" Column Molding, 12 ft.	FM17		Non-Buffed Non-Brushed	95.16	91.35	89.45	87.55	83.74
110007	374 Cotumn Motums, 12 It.	174(17		Buffed or Brushed	104.10	99.94	97.85	95.77	91.61
110670	1/4" Glass Shelf Edging, 12 ft.		\	Non-Buffed Non-Brushed	29.51	28.33	27.74	27.15	25.97
110070	174 Glass Shelt Loging, 12 fc.		7	Buffed or Brushed	32.61	31.31	30.65	30.00	28.70
110671	1/4" Glass "F" Channel with Unequal			Non-Buffed Non-Brushed	28.09	26.97	26.40	25.84	24.72
110071	Legs, 12 ft.			Buffed or Brushed	33.83	32.48	31.80	31.12	29.77
110672	3/4" Trim (works with Base 412007),	AT11	√ √	Non-Buffed Non-Brushed	11.31	10.86	10.63	10.41	9.95
110072	12 ft.	AIII	7	Buffed or Brushed	13.91	13.35	13.08	12.80	12.24
110674	Shelf Sign Holder, 12 ft.	HA33	1	Non-Buffed Non-Brushed	31.94	30.66	30.02	29.38	28.11
110071	Shell Signi Holder, 12 It.	11/23		Buffed or Brushed	35.84	34.41	33.69	32.97	31.54
110692	4 22/22" v 2/4" II Channel 40 ft	HA10	7	Non-Buffed Non-Brushed	26.06	25.02	24.50	23.98	22.93
110683	1-23/32" x 3/4" U-Channel, 10 ft.	ПАТО	Λ	Buffed or Brushed	34.13	32.76	32.08	31.40	30.03
			V	Non-Buffed Non-Brushed	35.46	34.04	33.33	32.62	31.20
110689	1/2" x 1/2" Bar Sq., 12 ft.	HA16	7	Buffed or Brushed	38.57	37.03	36.26	35.48	33.94
110691	U-Channel with Returns, 12 ft.	HA10		Non-Buffed Non-Brushed	18.78	18.03	17.65	17.28	16.53
110402	1/2" v 2/16" Flat Par 12 ft	ПУ45	<b>√</b>	Non-Buffed Non-Brushed	16.84	16.17	15.83	15.49	14.82
110693	1/2" x 3/16" Flat Bar, 12 ft.	HA16	۷.	Buffed or Brushed	18.02	17.30	16.94	16.58	15.86

		Cat.			Discount Quantity Pricing					
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+	
110697	1-1/2" x 1-1/4" Anchor Channel, 10 ft.	G15		Non-Buffed Non-Brushed	50.16	48.15	47.15	46.15	44.14	
110698	1-1/2" x 4" Sill, 10 ft.	G15		Non-Buffed Non-Brushed	196.98	189.10	185.16	181.22	173.34	
110090	1-1/2 X 4 Sitt, 10 It.	GIS		Buffed or Brushed	213.81	205.26	200.98	196.71	188.15	
110699	1-1/2" x 1-3/4" H Channel, 10 ft.	G16		Non-Buffed Non-Brushed	133.68	128.33	125.66	122.99	117.64	
			[] [] ^ ^	Buffed or Brushed	158.62	152.28	149.10	145.93	139.59	
110700	1-1/2" x 1-3/4" Top Channel, 10 ft.	G16	7	Non-Buffed Non-Brushed	74.84	71.85	70.35	68.85	65.86	
110700	1-1/2 x 1-3/4 top channet, fort.	010		Buffed or Brushed	85.43	82.01	80.30	78.60	75.18	
110705	5/8" X 3/4" x 1/16" Tube, 8 ft.	HA30	√ 	Non-Buffed Non-Brushed	17.81	17.10	16.74	16.39	15.67	
110703			<u> </u>	Buffed or Brushed	26.16	25.11	24.59	24.07	23.02	
110706	1-1/8" Diameter Rod, 12 ft.	HA29	1	Non-Buffed Non-Brushed	139.55	133.97	131.18	128.39	122.80	
110706			1	Buffed or Brushed	146.02	140.18	137.26	134.34	128.50	
110709	1-1/3" x 1/2" Rectangular Bar, 12 ft.	HA16	√ 	Non-Buffed Non-Brushed	93.58	89.84	87.97	86.09	82.35	
110709			7	Buffed or Brushed	103.26	99.13	97.06	95.00	90.87	
110710	Deflector Chall 20° Occasion with	5647		Non-Buffed Non-Brushed	68.35	65.62	64.25	62.88	60.15	
110719	Reflector Shell, 30° Opening with Security Glass Lip, 12 ft.	SC17		Buffed or Brushed	73.88	70.92	69.45	67.97	65.01	
110720		6647		Non-Buffed Non-Brushed	75.58	72.56	71.05	69.53	66.51	
110720	Reflector Shell, 30° Opening without Security Glass Lip, 12 ft.	SC17		Buffed or Brushed	90.45	86.83	85.02	83.21	79.60	
110725	U Channel 3/8" Glass with			Non-Buffed Non-Brushed	23.62	22.68	22.20	21.73	20.79	
110725	Extended Leg, 12 ft.			Buffed or Brushed	27.54	26.44	25.89	25.34	24.24	
110728	1-17/32" x 9/16" Angle 12 ft	HA3		Non-Buffed Non-Brushed	22.96	22.04	21.58	21.12	20.20	
110728	1-17/32" x 9/16" Angle, 12 ft.	IIAS		Buffed or Brushed	26.38	25.32	24.80	24.27	23.21	

		Cat.			Discount Quantity Pricing						
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+		
440730	Channel 2/0" Chan 42 G		1 1.	Non-Buffed Non-Brushed	31.52	30.26	29.63	29.00	19.23		
110730	Channel 3/8" Glass, 12 ft.	HA11		Buffed or Brushed	34.34	32.97	32.28	31.59	21.72		
110731	T	20	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Non-Buffed Non-Brushed	46.62	44.76	43.82	42.89	41.03		
110731	Tube, 1-5/8" x 3/4" Rectangle, 12 ft.	HA30	7	Buffed or Brushed	58.88	56.52	55.35	54.17	51.81		
				Non-Buffed Non-Brushed	40.53	38.91	38.10	37.29	35.67		
110734	Tee, 2" x 1/2", 10 ft.	HA27		Buffed or Brushed	43.36	41.63	40.76	39.89	38.16		
440705			√ √	Non-Buffed Non-Brushed	23.43	22.49	22.02	21.56	20.62		
110735	Tee, 3/4" x 1/2", 10 ft.	HA27		Buffed or Brushed	35.37	33.96	33.25	32.54	31.13		
	"L", 1" x 1/4", 10 ft.	НАЗ	>	Non-Buffed Non-Brushed	13.31	12.78	12.51	12.25	11.71		
110737				Buffed or Brushed	23.77	22.82	22.34	21.87	20.92		
110738	H-Channel, 7/16" x 1-3/4", 12 ft.			Non-Buffed Non-Brushed	78.82	75.67	74.09	72.51	69.39		
	Trim, 1" x 1", 12 ft., (Works with base 412007)	Trim, 1" x 1", 12 ft., (Works with		<b>√</b>	Non-Buffed Non-Brushed	30.24	29.03	28.43	27.82	26.61	
110739			\[ \langle \text{T} \]	Buffed or Brushed	34.37	33.00	32.31	31.62	30.25		
440744	Trin 20 B Harry 42 G	1745	1	Non-Buffed Non-Brushed	89.50	85.92	84.13	82.34	78.76		
110741	Trim, 2" Bullnose, 12 ft.	AT15		Buffed or Brushed	95.37	91.56	89.65	87.74	83.93		
1107.17	3" X 3" Square Tube, 1/8" Thick, 12		<b>√</b>	Non-Buffed Non-Brushed	203.69	195.54	191.47	187.39	179.25		
110747	ft.	HA30	7	Buffed or Brushed	225.35	216.34	211.83	207.32	198.31		
440750	11.5	112.44	7 2	Non-Buffed Non-Brushed	36.56	35.10	34.37	33.64	32.17		
110750	U Channel, 7/8" x 1-1/2", 12 ft.	HA11		Buffed or Brushed	41.65	39.98	39.15	38.32	36.65		
440757	11.511.27411.27411.42.5	117.40	7	Non-Buffed Non-Brushed	35.89	34.45	33.74	33.02	31.58		
110757	U Channel, 3/4" x 3/4", 12 ft.	HA10	<u> </u>	Buffed or Brushed	44.82	43.03	42.13	41.23	39.44		

		Cat.			Discount Quantity Pricing				
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
110760	U Channel, .938" x .313", 12 ft.	HA11	7	Non-Buffed Non-Brushed	14.68	14.09	13.80	13.51	12.92
110700	0 Channet, 1750 X 1515 , 121t.	HAIT		Buffed or Brushed	20.77	19.94	19.52	19.11	18.28
110764	Angle, 7/8" x 3/8" x 1/8", 12 ft.	HA4	7	Non-Buffed Non-Brushed	22.51	21.61	21.16	20.71	19.81
110704	Aligue, 770 × 370 × 170 , 12 lt.	ПАЧ	^	Buffed or Brushed	25.47	24.45	23.94	23.43	22.41
110787	Flat Bar, 1-1/2" x 1/8", 12 ft.	HA16	√	Non-Buffed Non-Brushed	26.64	25.57	25.04	24.51	23.44
110707	Trac Bui, T. 172 x 170 ; 121c.	HATO	^	Buffed or Brushed	37.43	35.93	35.18	34.44	32.94
110788	Flat Bar, 3/4" x 1/4", 12 ft.	HA16	>	Non-Buffed Non-Brushed	30.96	29.72	29.10	28.48	27.24
110700	Tac 5a, 57 1 X 17 1, 12 1c.		, <u>,</u>	Buffed or Brushed	39.70	38.11	37.32	36.52	34.94
440700	Tube, 1" x 1" x 1/8" 12 ft.	HA30	> \[ \] \	Non-Buffed Non-Brushed	63.35	60.82	59.55	58.28	55.75
110789				Buffed or Brushed	79.91	76.71	75.12	73.52	70.32
110790	3.5" Bullnose, 12 ft.		$\bigvee$	Non-Buffed Non-Brushed	132.42	127.12	124.47	121.83	116.53
110770			7 7	Buffed or Brushed	150.56	144.54	141.53	138.52	132.49
110800	Cover T, 1/2" Secure Lip, 12 ft.	SC17	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Non-Buffed Non-Brushed	32.31	31.02	30.37	29.73	28.43
110000				Buffed or Brushed	42.80	41.09	40.23	39.38	37.66
110810	Bar, 1/4" x 1/4", 12 ft.	HA16	<b>√</b>	Non-Buffed Non-Brushed	14.06	13.50	13.22	12.94	12.37
110010	Dai, 174 X 174, 1216.	HATO	7	Buffed or Brushed	18.02	17.30	16.94	16.58	15.86
110012			\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Non-Buffed Non-Brushed	160.40	153.98	150.78	147.57	141.15
110812	"J" Channel, 1.378" x 2.165", 12 ft.		, , , , , , , , , , , , , , , , , , ,	Buffed or Brushed	187.81	180.30	176.54	172.79	165.27
110813	Door Pull, Extended Grip, 12 ft.		V >	Non-Buffed Non-Brushed	38.54	37.00	36.23	35.46	33.92
	2.2. 2.3., 2.3.0.000 51.19, 12.10.		> [c]	Buffed or Brushed	49.16	47.19	46.21	45.23	43.26
110842	Fluted Trim, 12 ft.			Non-Buffed Non-Brushed	67.83	65.12	63.76	40.24	38.22
	, .		THEL	Buffed or Brushed	79.30	76.13	74.54	50.32	47.81

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
440044				Non-Buffed Non-Brushed	54.99	52.79	51.69	50.59	48.39
110844	Angle, 4.0" x 1/2" x 1/16", 12 ft.	HA3	,	Buffed or Brushed	66.01	63.37	62.05	60.73	58.09
110853	Post, Fluted, 12 ft.			Non-Buffed Non-Brushed	60.90	58.46	57.25	56.03	53.59
110033	rost, riuteu, 12 ft.			Buffed or Brushed	72.93	70.01	68.55	67.10	64.18
110854	Post, Single Groove, 12 ft.			Non-Buffed Non-Brushed	72.41	69.51	68.07	66.62	63.72
	Took, Single Groove, 12 te		W	Buffed or Brushed	84.34	80.97	79.28	77.59	74.22
110855	Post, Double Groove, 12 ft.		$\hat{\mathbf{X}}$	Non-Buffed Non-Brushed	78.86	75.71	74.13	72.55	69.40
110033	Toda, pouble Groote, 12 fei		<b>\$</b>	Buffed or Brushed	90.81	87.18	85.36	83.55	79.91
110863	Tube, Round, 1-1/4" dia x 1/16", 12 ft.	HA29		Non-Buffed Non-Brushed	37.37	35.88	35.13	34.38	32.89
110003				Buffed or Brushed	44.90	43.10	42.21	41.31	39.51
110866	Angle, 1.380" x 1.00" x .157", 12 ft.	HA4	>	Non-Buffed Non-Brushed	51.11	49.07	48.04	47.02	44.98
110000				Buffed or Brushed	61.62	59.16	57.92	56.69	54.23
110926	Bar, Square, 1-1/2" , 12 ft.	HA16		Non-Buffed Non-Brushed	342.27	328.58	321.73	314.89	301.20
440050		HA30	√ -	Non-Buffed Non-Brushed	87.24	83.75	82.01	80.26	76.77
110950	Tube, Square, 1-1/4" x .09", 12 ft.		7	Buffed or Brushed	98.99	95.03	93.05	91.07	87.11
			√ n	Non-Buffed Non-Brushed	40.37	38.76	37.95	37.14	35.53
110951	Door Pull, 1/4" Glass, 12 ft.		<u> </u>	Buffed or Brushed	52.23	50.14	49.10	48.05	45.96
			Π	Non-Buffed Non-Brushed	20.03	19.23	18.83	18.43	17.63
110959	3/4" x 3/8" x1/8" Tee, 12 ft.	HA27	>	Buffed or Brushed	32.00	30.72	30.08	29.44	28.16
			\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Non-Buffed Non-Brushed	92.67	88.96	87.11	54.05	51.35
110962	Channel, 5/8" X 1-7/8", 10 ft.	HA11	7     <	Buffed or Brushed	103.15	99.02	96.96	63.27	60.11
110073	Angle 44/2" v 2" 42 ft	шм	√ ∏ ,	Non-Buffed Non-Brushed	123.53	118.59	116.12	113.65	108.71
110963	Angle, 4-1/2" x 2", 12 ft.	HA4		Buffed or Brushed	140.94	135.30	132.48	129.66	124.03

		Cat.			Discount Quantity Pricing					
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+	
1400/F	Angle 4 27" v 542" 42 65			Non-Buffed Non-Brushed	29.27	28.10	27.51	26.93	18.89	
110965	Angle, 1.27" x .512", 12 ft.	HA4	<i>p</i>	Buffed or Brushed	34.09	32.73	32.04	31.36	23.12	
110966	Anglo 797" v 512" 12 ft	HA3	7	Non-Buffed Non-Brushed	20.92	20.08	19.66	19.25	13.44	
110900	Angle, .787" x .512", 12 ft.	ПАЗ	^	Buffed or Brushed	24.14	23.17	22.69	22.21	16.28	
440075	T 4 4/4" 4 00" 4/0" 42 G	11420	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Non-Buffed Non-Brushed	43.47	41.73	40.86	39.99	38.25	
110975	Tee, 1-1/4" x 1.00" x 1/8", 12 ft.	HA28		Buffed or Brushed	46.15	44.30	43.38	42.46	40.61	
110981	Channel, 3/4" x 1/2" x .125", 12 ft.	HA11		Non-Buffed Non-Brushed	27.78	26.67	26.11	25.56	24.45	
110001	Channel, 1-1/2" x 1-1/2" x 1/8", 12 ft.		7 2	Non-Buffed Non-Brushed	76.71	73.64	72.11	70.57	67.50	
110984		HA11	^	Buffed or Brushed	79.76	76.57	74.97	73.38	70.19	
	Angle, 2" x 2-3/4" x 1/8", 12 ft.	HA4	>	Non-Buffed Non-Brushed	88.49	84.95	83.18	81.41	77.87	
110986			<u> </u>	Buffed or Brushed	95.79	91.96	90.04	88.13	84.30	
440007	7" x 1/16" Trim Strip, 12 ft.	11447	√	Non-Buffed Non-Brushed	74.42	71.44	69.95	68.47	65.49	
110987		HA16		Buffed or Brushed	94.21	90.44	88.56	86.67	82.90	
110993	Trim Outside Corner 00° 12 ft		Д	Non-Buffed Non-Brushed	31.23	29.98	29.36	28.73	27.48	
110993	Trim, Outside Corner, 90°, 12 ft.	HA33	1	Buffed or Brushed	36.38	34.92	34.20	33.47	32.01	
110994	1/2" x 1" x .125" Angle, 12 ft.	HA4		Non-Buffed Non-Brushed	26.00	24.96	24.44	23.92	22.88	
110774	172 X I X.125 Aligle, 12 IC.	HA4		Buffed or Brushed	30.12	28.92	28.31	27.71	26.51	
110995	2" x 7/8" Tee, 12 ft.	HA27		Non-Buffed Non-Brushed	51.97	49.89	48.85	47.81	45.73	
110773	2 x 776 fee, 12 ft.	TIAZ7		Buffed or Brushed	59.54	57.16	55.97	54.78	52.40	
110996	1-1/8" x 1-1/8" x 1/8" Angle 12 ft	HA3		Non-Buffed Non-Brushed	38.60	37.06	36.28	35.51	33.97	
110770	1-1/8" x 1-1/8" x 1/8" Angle, 12 ft.	11/45		Buffed or Brushed	43.75	42.00	41.13	40.25	38.50	
110997	7/8" x 7/8" x .125" Angle, 12 ft.	HA4		Non-Buffed Non-Brushed	32.37	31.08	30.43	29.78	28.49	
11099/				Buffed or Brushed	35.22	33.81	33.11	32.40	30.99	

		Cat.			Discount Quantity Pricing					
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+	
			√ √ [L]	Non-Buffed Non-Brushed	472.41	453.51	444.07	434.62	415.72	
111007	2"x8" WallMaker Sill, 12 ft.	G11	7 2	Buffed or Brushed	502.45	482.35	472.30	462.25	442.16	
	1"x1-3/4" WallMaker Header	G7	-> <u> </u>	Non-Buffed Non-Brushed	60.32	57.91	56.70	55.49	53.08	
111010	w/groove, 12 ft.	HA11	7	Buffed or Brushed	67.94	65.22	63.86	62.50	59.79	
444044	2.4/2"0" WallMalian Cill. 42.55	642		Non-Buffed Non-Brushed	593.12	569.40	557.53	545.67	521.95	
111011	2-1/2"x8" WallMaker Sill, 12 ft.	G13	7	Buffed or Brushed	622.76	597.85	585.39	572.94	548.03	
	1"x2" WallMaker Flanged Header	G8		Non-Buffed Non-Brushed	90.84	87.21	85.39	83.57	79.94	
111012	w/groove, 12 ft.	HA11		Buffed or Brushed	103.47	99.33	97.26	95.19	91.05	
	1"x2" WallMaker Header w/ groove, 12 ft.	G8 HA11	T AL	Non-Buffed Non-Brushed	62.97	60.45	59.19	57.93	55.41	
111013			7	Buffed or Brushed	83.72	80.37	78.70	77.02	73.67	
111014	2-1/2"x6" WallMaker Sill, 12 ft.	-1/2"x6" WallMaker Sill, 12 ft. G13	C12		Non-Buffed Non-Brushed	441.68	424.01	415.18	406.35	388.68
111014		013	7 2	Buffed or Brushed	449.90	431.90	422.91	413.91	395.91	
111015	2-1/2"x4" WallMaker Sill, 12 ft.	G12		Non-Buffed Non-Brushed	291.62	279.96	274.12	268.29	256.63	
111013	2 //2 XT Watchatter Sitty 12 It.			Buffed or Brushed	317.99	305.27	298.91	292.55	279.83	
444049	F(0" O D Tube 002" third, 42 G	11430		Non-Buffed Non-Brushed	32.14	30.85	30.21	29.57	20.76	
111018	5/8" O.D. Tube, .063" thick, 12 ft.	HA29		Buffed or Brushed	37.48	35.98	35.23	34.48	25.45	
			> m2	Non-Buffed Non-Brushed	95.92	92.08	90.16	88.25	84.41	
111022	Post, Open Sell Rear, 12 ft.		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Buffed or Brushed	111.78	107.31	105.07	102.84	98.37	
111022	Port Open Sell Front 12 ft		√ <-	Non-Buffed Non-Brushed	99.08	95.12	93.14	91.15	87.19	
111023	Post, Open Sell Front, 12 ft.		<u>.</u>	Buffed or Brushed	114.10	109.54	107.25	104.97	100.41	
111024	3-7/8" v 1/8" " Bar 12 ft	HA16		Non-Buffed Non-Brushed	79.36	76.19	74.60	73.01	69.84	
111024	3-7/8" x 1/8" " Bar, 12 ft. (.145 crown)	TIATO		Buffed or Brushed	85.84	82.41	80.69	78.97	75.54	

		Cat.			Discount Quantity Pricing						
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+		
111025	1-1/4" x 3/16" Flat Bar, 12 ft.	HA16	√	Non-Buffed Non-Brushed	33.95	32.59	31.91	31.23	29.88		
111023	1-1/4 X 3/10 Flat Dai, 12 It.	ПАТО	7	Buffed or Brushed	38.97	37.41	36.63	35.85	34.29		
111026	3-7/8" x 1/8", Rectangle Bar, 12 ft.	HA16	V	Non-Buffed Non-Brushed	77.97	74.85	73.29	71.73	68.61		
111020	3770 X 170 , Rectarge Bui, 121t.	IIAIO		Buffed or Brushed	81.87	78.60	76.96	75.32	72.05		
111027	1" x 1/2" x 1/8" T-Shape, 12 ft.	HA28	>	Non-Buffed Non-Brushed	25.39	24.37	23.87	23.36	22.34		
111027	1 X 1/2 X 1/6 1-3nape, 12 it.	TIAZO	<b>\$</b>	Buffed or Brushed	30.80	29.57	28.95	28.34	27.10		
111029	4 2/0" v 4/2" v 4/0" T Chang 42 ft	HA28	<b>→</b>	Non-Buffed Non-Brushed	34.29	32.92	32.23	31.55	30.18		
111028	1-3/8" x 1/2" x 1/8" T-Shape, 12 ft.	ПАZO		Buffed or Brushed	43.07	41.35	40.49	39.62	37.90		
111029	1-1/4" x 1/8" Flat Bar, 12 ft.	HA16	7	Non-Buffed Non-Brushed	26.27	25.22	24.69	24.17	23.12		
111029	1-1/4 X 1/6 Hat bai, 12 H.			Buffed or Brushed	31.29	30.04	29.41	28.79	27.54		
		HA10	7	Non-Buffed Non-Brushed	16.03	15.39	15.07	14.75	14.11		
111033	1" x 1/4" U-Channel, 12 ft.		^	Buffed or Brushed	22.28	21.39	20.94	20.50	19.61		
111021	4444411 242211 1 42.6		>	Non-Buffed Non-Brushed	19.79	19.00	18.60	18.21	17.42		
111034	11/16" x 11/16" x 3/32" Angle, 12 ft.	HA4		Buffed or Brushed	29.27	28.10	27.51	26.93	25.76		
444025	1-3/16" x 1-3/16" x 3/32"		7 2	Non-Buffed Non-Brushed	40.14	38.53	37.73	36.93	35.32		
111035	Angle with 3/4" Return, 12 ft.	HA4		Buffed or Brushed	54.03	51.87	50.79	49.71	47.55		
444027	4.5041.0.7401.2.4201.7.42.6		√ 7	Non-Buffed Non-Brushed	37.21	35.72	34.98	34.23	32.74		
111036	1.594" x 0.719" x 3/32" Tee, 12 ft.	HA28		Buffed or Brushed	44.72	42.93	42.04	41.14	39.35		
111037	3/32" x 0.594" Bar, 12 ft.	HA16	√	Non-Buffed Non-Brushed	14.71	14.12	13.83	13.53	12.94		
111037	37.32 A 0.374 Dai, 12.10.	TIATO	> -	Buffed or Brushed	24.20	23.23	22.75	22.26	21.30		
111038	6.45" x 1/2" Bar, 12 ft.	11444	V	Non-Buffed Non-Brushed	452.18	434.09	425.05	416.01	397.92		
111036	0.73 X 1/2 bdl, 12 lt.	HA16	>	Buffed or Brushed	469.76	450.97	441.57	432.18	413.39		

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
111039	E 1/4" v 2 1/4" v 1/9" Aprilo 12 ft	HA4	1	Non-Buffed Non-Brushed	118.24	113.51	111.15	108.78	104.05
111039	5-1/4" x 2-1/4" x 1/8" Angle, 12 ft.	ПА <del>4</del>		Buffed or Brushed	137.41	131.91	129.17	126.42	120.92
111040	1-3/4" x 1/2" Bar, 12 ft.	HA16	√	Non-Buffed Non-Brushed	135.27	129.86	127.15	124.45	119.04
111040	1-3/4 X 1/2 Dai, 12 IC.	TIATO	7	Buffed or Brushed	150.29	144.28	141.27	138.27	132.26
111046	3/8" x 3/8" Square Bar with 0.110"	HA30	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Non-Buffed Non-Brushed	23.57	22.63	22.16	21.68	20.74
111040	dia hole, 12 ft.	TIASO	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Buffed or Brushed	31.01	29.77	29.15	28.53	27.29
111048	Door Pull, 1-1/2" x 3/4", 12 ft.		<b>V</b>	Non-Buffed Non-Brushed	57.36	55.07	53.92	52.77	34.91
111040	DOOI FUIL, 1-172 X 374 , 12 1C.		> \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Buffed or Brushed	66.33	63.68	62.35	61.02	42.80
444050	F" 4 (0" Posterale Post 42 ()	11446	√	Non-Buffed Non-Brushed	99.63	95.64	93.65	91.66	87.67
111050	5" x 1/8", Rectangle Bar, 12 ft.	HA16		Buffed or Brushed	103.52	99.38	97.31	95.24	91.10
444054	[ 2 / 4" 4 / 9"   Destaurilla   Dev. 42 / 6	11446	√	Non-Buffed Non-Brushed	112.80	108.29	106.03	103.78	99.26
111051	5-3/4" x 1/8" Rectangle Bar, 12 ft.	HA16		Buffed or Brushed	116.71	112.04	109.71	107.37	102.70
111053	Channel, Hat Header,	HA10		Non-Buffed Non-Brushed	48.93	46.97	45.99	45.02	43.06
111033	1-1/2" x 5/8", 12 ft.	HATO	>	Buffed or Brushed	58.64	56.29	55.12	53.95	51.60
111050	Tube, Rect. 1" x 3/4" x 1/8", 12 ft.	назо	<b>√</b>	Non-Buffed Non-Brushed	65.33	62.72	61.41	60.10	57.49
111058	Tube, Rect. 1 x 3/4 x 1/6 , 12 1t.	HA30		Buffed or Brushed	72.73	69.82	68.37	66.91	64.00
444050	D. J. 242 Div. 42 G	11420	1	Non-Buffed Non-Brushed	15.24	14.63	14.33	14.02	13.41
111059	Rod, .312 Dia., 12 ft.	HA29		Buffed or Brushed	22.54	21.64	21.19	20.74	19.84
444000	Door Dull 2 4 /2" 2 / 4" 42 5			Non-Buffed Non-Brushed	54.32	52.15	51.06	49.97	47.80
111060	Door Pull, 2-1/2" x 3/4", 12 ft.		7 < 1 7 <	Buffed or Brushed	68.39	65.65	64.29	62.92	60.18
444044	Por 2 4 /2" v. 070" 42 (	U144	√	Non-Buffed Non-Brushed	32.74	31.43	30.78	30.12	28.81
111061	Bar, 2-1/2" x .070", 12 ft.	HA16		Buffed or Brushed	36.67	35.20	34.47	33.74	32.27

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
			V	Non-Buffed Non-Brushed	46.47	44.61	43.68	42.75	40.89
111062	Angle, 1" x 1" x 1/4", 12 ft.	HA3	7	Buffed or Brushed	53.79	51.64	50.56	49.49	47.34
444040	Mal Para V 411 411 42 6	F4.4	I	Non-Buffed Non-Brushed	57.68	55.37	54.22	53.07	50.76
111068	Molding Y, 1" x 1" x 1", 12 ft.	F14	7/2	Buffed or Brushed	64.92	62.32	61.02	59.73	57.13
111071	Angle 4 4/4" v 4 4/4" v 4/9" 42 5t	HA3	7	Non-Buffed Non-Brushed	40.49	38.87	38.06	37.25	35.63
111071	Angle, 1-1/4" x 1-1/4" x 1/8", 12 ft.	ПАЗ	<u> </u>	Buffed or Brushed	50.94	48.90	47.88	46.86	44.83
444072	Channel, 1" X 1-1/2" with Groove,		7 <	Non-Buffed Non-Brushed	68.73	65.98	64.61	63.23	60.48
111072	12 ft.	HA10	! !	Buffed or Brushed	76.01	72.97	71.45	69.93	66.89
			<b>√</b>	Non-Buffed Non-Brushed	167.55	160.85	157.50	154.15	147.44
111073	Bar, 2-1/2" x 1/2", 12 ft.	HA16	> <u> </u>	Buffed or Brushed	181.60	174.34	170.70	167.07	159.81
			₹	Non-Buffed Non-Brushed	38.15	36.62	35.86	35.10	33.57
111077	Angle, 1-1/2" x 1/2" x 1/8", 12 ft.		N	Buffed or Brushed	45.46	43.64	42.73	41.82	40.00
			7	Non-Buffed Non-Brushed	128.80	123.65	121.07	118.50	113.34
111078	Bar, Rectangle 1-1/4" x 3/4", 12 ft.	HA16	7	Buffed or Brushed	142.85	137.14	134.28	131.42	125.71
111000	51. 11. 11. 562.51. 42.6		- <b>-</b>	Non-Buffed Non-Brushed	102.54	98.44	96.39	94.34	90.24
111082	Edge Moulding, .563 Column, 12 ft.		<del>`</del>	Buffed or Brushed	109.77	105.38	103.18	100.99	96.60
	Tube, Square 1-1/2" x 1-1/2" x .120,		√ ~	Non-Buffed Non-Brushed	101.55	97.49	95.46	93.43	89.36
111083	12 ft.	HA30	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Buffed or Brushed	115.58	110.96	108.65	106.33	101.71
		НА	, √	Non-Buffed Non-Brushed	79.86	76.67	75.07	73.47	70.28
111085	Angle, 2" x 1", Unequal Walls, 12 ft.	I IA	7	Buffed or Brushed	87.89	84.37	82.62	80.86	77.34
4,40==	Channel, 1-1/4" x 2", with Groove,	G7		Non-Buffed Non-Brushed	67.56	64.86	63.51	62.16	59.45
111089	12 ft. (End cap Part number 412456)	HA10	7 <	Buffed or Brushed	90.08	86.48	84.68	82.87	79.27

		Cat.				Discount	Quantity	/ Pricing	Pricing		
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+		
444004	Channel, 1-1/4" x 1", 12 ft.	G8		Non-Buffed Non-Brushed	42.91	41.19	40.34	39.48	37.76		
111091	(End cap Part number 412457)	HA10	7	Buffed or Brushed	55.66	53.43	52.32	51.21	48.98		
111094	Angle, 2" x 1" x 1/8", 12 ft.	HA4	7	Non-Buffed Non-Brushed	54.20	52.03	50.95	49.86	47.70		
111074	Angle, 2 × 1 × 1/0 , 12 1c.	IIA	<u>γ</u>	Buffed or Brushed	60.67	58.24	57.03	55.82	53.39		
444005	Fl. 1 D. 1 211 4 4 (011 42 G)	11144	√	Non-Buffed Non-Brushed	37.03	35.55	34.81	34.07	32.59		
111095	Flat Bar, 2" x 1/8", 12 ft.	HA16	<i>N</i>	Buffed or Brushed	43.12	41.40	40.53	39.67	37.95		
444007	A		7	Non-Buffed Non-Brushed	107.14	102.85	100.71	98.57	94.28		
111097	Angle, 2" x 4" x 1/8", 12 ft.	HA4	<u> </u>	Buffed or Brushed	119.23	114.46	112.08	109.69	104.92		
				Non-Buffed Non-Brushed	105.61	101.39	99.27	97.16	92.94		
111098	J-Channel, 2" x 1" x 3", 12 ft.		>	Buffed or Brushed	118.68	113.93	111.56	109.19	104.44		
444402	Common 2 00" v. 722" 42 fb	AT40	<b>V</b>	Non-Buffed Non-Brushed	57.42	55.12	53.97	52.83	50.53		
111103	Samsara, 3.99" x .722", 12 ft.	AT19		Buffed or Brushed	65.70	63.07	61.76	60.44	57.82		
444404	F	4740	1 1 1 1	Non-Buffed Non-Brushed	66.97	64.29	62.95	61.61	58.93		
111104	Equalizer, 3.99" x .723", 12 ft.	AT19	5	Buffed or Brushed	75.27	72.26	70.75	69.25	66.24		
44440=	C		, , , , ,	Non-Buffed Non-Brushed	89.08	85.52	83.74	81.95	78.39		
111107	Gamma, 3.99" x .972", 12 ft.	AT20	1 ллл)	Buffed or Brushed	97.38	93.48	91.54	89.59	85.69		
4444				Non-Buffed Non-Brushed	26.40	25.34	24.82	24.29	23.23		
111108	Angle, 3/4" x 3/4" x 1/8", 12 ft.			Buffed or Brushed	30.72	29.49	28.88	28.26	27.03		

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
119001	3/16" Black Vinyl Glazing Tape, (comes in 250 ft. coil)	HA36		Black Vinyl	.29/ft.	.28/ft.	.27/ft.	.27/ft.	.26/ft.
119003-01	7/32" Black Vinyl Glazing Tape (comes in 250 ft. coil)	HA36		Black Vinyl	.17/ft.	.16/ft.	.16/ft.	.16/ft.	.15/ft.
119003-02	7/32" Grey Vinyl Glazing Tape (comes in 250 ft. coil)	HA36		Grey Vinyl	.18/ft.	.17/ft.	.17/ft.	.17/ft.	.16/ft.
119004	1/4" Black Vinyl Glazing Tape (comes in 250 ft. coil)	HA36 RD15 FM15		Black Vinyl	.26/ft.	.25/ft.	.24/ft.	.24/ft.	.23/ft.
119006	Black Vinyl Track Slide Insert, 12 ft. (used with 110035)	FM15		Black Vinyl	13.09	13.34	13.07	12.79	12.23
119045-01	Glazing, 196.85 inches (5m)				78.00	74.88	73.32	71.76	68.64
119029	Vinyl Bumper - Natural Color 6 ft.	SC15		Natural Color	12.48	11.98	11.73	11.48	10.98
120017	Division Dec 42 ft		√ √	Non-Buffed Non-Brushed	10.84	10.41	10.19	9.97	9.54
120016	Division Bar, 12 ft.		<u> </u>	Buffed or Brushed	13.35	12.82	12.55	12.28	11.75
120029	Fixed Wirrer Frame 12 ft	FM11		Non-Buffed Non-Brushed	41.38	39.72	38.90	38.07	36.41
120029	Fixed Mirror Frame, 12 ft.	FMII	~ [	Buffed or Brushed	52.59	50.49	49.43	48.38	46.28
120020	Tri Man France 427"	FM4.4		Non-Buffed Non-Brushed	49.22	47.25	46.27	45.28	43.31
120030	Tri-Vue Frame, 137"	FM11	>[ <u>4</u> ]	Buffed or Brushed	60.43	58.01	56.80	55.60	53.18
120031	Top Hanger, 124"	FM11		Non-Buffed Non-Brushed	22.08	21.20	20.76	20.31	19.43
120032	Lower Hanger, 124"	FM11		Non-Buffed Non-Brushed	18.74	17.99	17.62	17.24	16.49
42022 /	D 17: 422	<b>-</b>		Non-Buffed Non-Brushed	17.36	16.67	16.32	15.97	15.28
120034	Panel Trim, 132"	FM11		Buffed or Brushed	24.11	23.15	22.66	22.18	21.22
420244	5/16" J Molding Without Holes, 12	E1115	√ √ <	Non-Buffed Non-Brushed	12.88	12.36	12.11	11.85	11.33
120041	ft. (see 420068 - with holes)	FM15		Buffed or Brushed	18.12	17.40	17.03	16.67	15.95

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
120050	Mirror Frame, 12 ft.	FM14	~ [ <u></u>	Buffed or Brushed	40.17	38.56	37.76	36.96	35.35
120052	Mount Bracket, 12 ft.	FM14		Non-Buffed Non-Brushed	12.42	11.92	11.67	11.43	10.93
120054	Mirror Frame, 12 ft.	FM14	7	Buffed or Brushed	29.57	28.39	27.80	27.20	26.02
420055	5/8" J Molding Without Holes, 12 ft.	E114 E	√	Non-Buffed Non-Brushed	17.28	16.59	16.24	15.90	15.21
120055	(420107 with holes)	FM15	} U	Buffed or Brushed	21.62	20.76	20.32	19.89	19.03
120057	Mirror Molding, 12 ft.	FM15		Non-Buffed Non-Brushed	13.97	13.41	13.13	12.85	12.29
120037	(420108 with holes)	FMID		Buffed or Brushed	18.00	17.28	16.92	16.56	15.84
120059	Column Edge Molding 12 ft	E441E		Non-Buffed Non-Brushed	39.55	37.97	37.18	36.39	34.80
120058	Column Edge Molding, 12 ft.	FM15		Buffed or Brushed	57.47	55.17	54.02	52.87	50.57
120059		FM14	√ 	Non-Buffed Non-Brushed	10.11	9.71	9.50	9.30	8.90
120039	5/16" x 5/8" Mirror Trim Angle, 12 ft.	HA3	7	Buffed or Brushed	15.88	15.24	14.93	14.61	13.97
120061	Mirror Divider Trim without holes, 12	FM15		Non-Buffed Non-Brushed	21.20	20.35	19.93	19.50	18.66
120061	ft. (420109 with holes)	FMIS	^	Buffed or Brushed	25.45	24.43	23.92	23.41	22.40
420042	45° T			Non-Buffed Non-Brushed	22.40	21.50	21.06	20.61	19.71
120062	45° Trim Mirror, 12 ft.	FM17	<u> </u>	Buffed or Brushed	27.32	26.23	25.68	25.13	24.04
	Column Corner without Slots, 150"			Non-Buffed Non-Brushed	54.53	52.35	51.26	50.17	47.99
120063	(420110 with slots)	FM16	> <b>~</b>	Buffed or Brushed	61.86	59.39	58.15	56.91	54.44
			-/	Non-Buffed Non-Brushed	66.75	64.08	62.75	61.41	58.74
120064	1-1/2" Radius Column Corner, 12 ft.	FM16		Buffed or Brushed	68.27	65.54	64.17	62.81	60.08
426245	00° 6 1 111 7 10 6	F		Non-Buffed Non-Brushed	46.03	44.19	43.27	42.35	40.51
120065	90° Column Mirror Trim, 12 ft.	FM17	>	Buffed or Brushed	54.97	52.77	51.67	50.57	48.37

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
420077	435° Column Trim 42.6	FM47		Non-Buffed Non-Brushed	40.02	38.42	37.62	36.82	35.22
120066	135° Column Trim, 12 ft.	FM17		Buffed or Brushed	57.26	54.97	53.82	52.68	50.39
120067	Outside Corner Molding, 12 ft.	FM17		Non-Buffed Non-Brushed	38.97	37.41	36.63	35.85	34.29
420070	To Man Marchael 427	E1144		Non-Buffed Non-Brushed	42.58	40.88	40.03	39.17	37.47
120070	Tri-Vue Wing Horizontal, 137"	FM11	~	Buffed or Brushed	52.18	50.09	49.05	48.01	45.92
120086	Angle 2" v 1/2" 12 ft	HA4	7	Non-Buffed Non-Brushed	66.76	64.09	62.75	61.42	58.75
120080	Angle, 3" x 1/2", 12 ft.	HA	^	Buffed or Brushed	77.52	74.42	72.87	71.32	68.22
129006	Gray Plastic Glazing Clip, 12 ft.	FM16		Non-Buffed Non-Brushed	13.73	13.18	12.91	12.63	12.08
130022	Header, Door Wardrobe, 12 ft.	RD17	7	Non-Buffed Non-Brushed	87.63	84.12	82.37	80.62	77.11
130022	meader, boor wardrobe, 12 ft.	KD17		Buffed or Brushed	101.73	97.66	95.63	93.59	89.52
130023	Threshold, Wardrobe Door, 12 ft.	RD17	Π-ΛΛ-Π	Non-Buffed Non-Brushed	48.33	46.40	45.43	44.46	42.53
130024	Top Rail, Wardrobe Door, 12 ft.		الما	Non-Buffed Non-Brushed	29.04	27.88	27.30	26.72	25.56
130024	Top Kait, Wardrobe Dool, 12 ft.			Buffed or Brushed	36.34	34.89	34.16	33.43	31.98
130025	Bottom Rail, Wardrobe Door, 12 ft.			Non-Buffed Non-Brushed	54.75	52.56	51.47	50.37	48.18
130023	Bottom Kait, Waldrobe Bool, 12 ft.			Buffed or Brushed	62.08	59.60	58.36	57.11	54.63
130026	Stile, Wardrobe Door, 79"	RD17	7	Non-Buffed Non-Brushed	22.49	21.59	21.14	20.69	19.79
130020	Series, Marcinette Boots, 77	NO17	57	Buffed or Brushed	33.26	31.93	31.26	30.60	29.27
130027	Stile, Wardrobe Door, 106"	RD17	>	Non-Buffed Non-Brushed	52.33	50.24	49.19	48.14	46.05
.30027	51.0, Mararabe 2001, 100	1017	24	Buffed or Brushed	73.82	70.87	69.39	67.91	64.96

		Cat.				Discount	Quantity	Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
130028	Stile Wardraha Door 05"	RD17	7 / ~	Non-Buffed Non-Brushed	24.48	23.50	23.01	22.52	21.54
130028	Stile, Wardrobe Door, 95"	KD17	57	Buffed or Brushed	34.67	33.28	32.59	31.90	30.51
139007	1/4" Black Vinyl Glazing, (comes in 500/ft. roll)	RD17		Black Vinyl	.21/ft.	.21/ft.	.21/ft.	.21/ft.	.21/ft.
150012	3-1/8" x 5/64" Strip, 8 ft.	HA16		Non-Buffed Non-Brushed	38.39	36.85	36.09	35.32	33.78
130012	3-176 X 3764 3trip, 6 ft.	TIATO	٨	Buffed or Brushed	53.64	51.49	50.42	49.35	47.20
150014	1-1/2" x 3/4" Tubular Bracket	HA27		Non-Buffed Non-Brushed	26.48	25.42	24.89	24.36	23.30
130014	Endcap, 12 ft.	TIAZI	<u> </u>	Buffed or Brushed	32.78	31.47	30.81	30.16	28.85
150015	1" x 1/2" Tubular Bracket Hanger,		+	Non-Buffed Non-Brushed	51.04	49.00	47.98	46.96	44.92
150015	8 ft.		7 4	Buffed or Brushed	70.18	67.37	65.97	64.57	61.76
470000				Non-Buffed Non-Brushed	28.81	27.66	27.08	26.51	25.35
170008	Wall Jamb Without Holes, 12 ft. (see 470012 for Wall Jamb with holes)	HA10	7 2	Buffed or Brushed	36.95	35.47	34.73	33.99	32.52
170000	Hondon Con. 12 ft	EMS	√ √ √	Non-Buffed Non-Brushed	21.24	20.39	19.97	19.54	18.69
170009	Header Cap, 12 ft.	FM3		Buffed or Brushed	28.82	27.67	27.09	26.51	25.36
170011	Corner Deet. 7 ft	FM3	> <b>E</b>	Non-Buffed Non-Brushed	52.82	50.71	49.65	48.59	46.48
170011	Corner Post, 7 ft.	FM3	- [M3] <	Buffed or Brushed	62.07	59.59	58.35	57.10	54.62
470042	lamb Handar 42 ft	E113		Non-Buffed Non-Brushed	35.98	34.54	33.82	33.10	31.66
170012	Jamb Header, 12 ft.	FM3		Buffed or Brushed	42.09	40.41	39.59	38.72	37.04
170013	E:II	Eu 2	V	Non-Buffed Non-Brushed	10.35	9.94	9.73	9.52	9.11
170013	Filler Strip for 170011, 7 ft.	FM3		Buffed or Brushed	13.13	12.60	12.34	12.08	11.55
470043.04	Filler Chris for 470044 0.0	E443	V	Non-Buffed Non-Brushed	11.00	10.56	10.34	10.12	9.68
170013-01	Filler Strip for 170011, 8 ft.	FM3	· · · · · · · · · · · · · · · · · · ·	Buffed or Brushed	13.76	13.21	12.93	12.66	12.11
170012.02	Filler Strip for 470044, 42 St	EMS	V	Non-Buffed Non-Brushed	13.86	13.31	13.03	12.75	12.20
170013-02	Filler Strip for 170014, 12 ft.	FM3		Buffed or Brushed	16.30	15.65	15.32	15.00	14.34

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
170014	Corner Port 12 ft	FM3	> [[m] <	Non-Buffed Non-Brushed	107.30	103.01	100.86	98.72	94.42
170014	Corner Post, 12 ft.	F/M3	> [M3] <	Buffed or Brushed	117.75	113.04	110.69	108.33	103.62
180055	3/8" O.D. Tube, 0.100" Thick, 12 ft.	HA29		Non-Buffed Non-Brushed	18.06	17.34	16.98	16.62	15.89
100033	370 C.D. 1dbc, 0.100 Thick, 12 fc.	TIAE?	O	Buffed or Brushed	23.22	22.29	21.83	21.36	20.43
180063	1-1/4" Tee, 12 ft.	HA28		Non-Buffed Non-Brushed	46.22	44.37	43.45	42.52	40.67
100003	1777 (66, 1216.	TIAZO		Buffed or Brushed	59.37	57.00	55.81	54.62	52.25
180077	1-1/4" Enlongated Reflector, 12 ft.	SC18	\ \( \sqrt{\frac{1}{2}} \)	Non-Buffed Non-Brushed	43.74	41.99	41.12	40.24	38.49
100077	1777 Emongaced Nettector, 72 Te.	3010	7 \	Buffed or Brushed	52.63	50.52	49.47	48.42	46.31
180079	Shell Reflector, 1-1/2" Dia., 12 ft.	SC18	1	Non-Buffed Non-Brushed	45.23	43.42	42.52	41.61	39.80
100077	Shett Reflector, 1-172 Dia., 121t.	3010		Buffed or Brushed	50.94	48.90	47.88	46.86	44.83
180107	Shell Reflector, 1" Dia., 12 ft.	SC17		Non-Buffed Non-Brushed	24.96	23.96	23.46	22.96	21.96
100107	shear acreector, 1 Dia., 12 ft.	3017	و	Buffed or Brushed	33.82	32.47	31.79	31.11	29.76
180117	Shell Reflector, Small, 12 ft.	SC18	> 2	Non-Buffed Non-Brushed	33.04	31.72	31.06	30.40	29.08
	5.64.16.16.65.			Buffed or Brushed	37.42	35.92	35.17	34.43	32.93
180118	Shell Reflector Small with Integrated	SC18	7 150	Non-Buffed Non-Brushed	43.37	41.64	40.77	39.90	38.17
100110	Tee, 12 ft.	50.0		Buffed or Brushed	56.72	54.45	53.32	52.18	49.91
180127	0.448" O.D. Tube, 0.162" thick, 12 ft.	HA29	$\sqrt{}$	Non-Buffed Non-Brushed	16.13	15.48	15.16	14.84	14.19
100127	o. Fig. 100 S.B. 100C, 0.102 tillett, 12 ft.	IIAZ)		Buffed or Brushed	18.97	18.21	17.83	17.45	16.69
180133	Shell Reflector 1" Dia. 12 ft.	SC18	1	Non-Buffed Non-Brushed	23.48	22.54	22.07	21.60	20.66
100133	Siece Nerreccoi i Sia. 12 it.	3010		Buffed or Brushed	30.39	29.17	28.57	27.96	26.74
180139	Shell Reflector, Top Front Frame,	SC18	- T	Non-Buffed Non-Brushed	57.60	55.30	54.14	52.99	50.69
150157	12 ft.	3010		Buffed or Brushed	64.71	62.12	60.83	59.53	56.94

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
400444	Shall Deflacted 4 28 Dig 42 ft	5540	\ \( \sqrt{2} \)	Non-Buffed Non-Brushed	38.70	37.15	36.38	35.60	34.06
180144	Shell Reflector, 1.3" Dia. 12 ft.	SC18		Buffed or Brushed	47.60	45.70	44.74	43.79	41.89
4004.47	Shall Deflactor Tanaday	5540	\[ \langle \]	Non-Buffed Non-Brushed	58.87	56.52	55.34	54.16	51.81
180147	Shell Reflector Teardrop, 1.5" Dia., 12 ft.	SC18	E STATE OF S	Buffed or Brushed	63.23	60.70	59.44	58.17	55.64
180150	Chall Deflector Transfer	SC18	75	Non-Buffed Non-Brushed	60.80	58.37	57.15	55.94	53.50
180150	Shell Reflector Teardrop, 1.5" Dia., 12 ft.	3010	> [5] V	Buffed or Brushed	67.99	65.27	63.91	62.55	59.83
100001	Tibe 4" v 4" 42 ft	G23	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Non-Buffed Non-Brushed	38.21	36.68	35.92	35.15	33.62
190001	Tube, 1" x 1", 12 ft.	GZ3	<u> </u>	Buffed or Brushed	42.41	40.71	39.87	39.02	37.32
190003	Sq. Tubo. 1" V 1" with Flance. 12 ft	G23	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Non-Buffed Non-Brushed	59.09	56.73	55.54	54.36	52.00
190003	Sq. Tube, 1" X 1" with Flange, 12 ft.	GZS		Buffed or Brushed	69.18	66.41	65.03	63.65	60.88
190007	Sq. Tube, 1" x 1" with 2 Flanges at	G23	7	Non-Buffed Non-Brushed	59.07	56.71	55.53	54.34	51.98
190007	180°, 12 ft.	GZ3		Buffed or Brushed	79.51	76.33	74.74	73.15	69.97
190014	Square 1" with Channel, 12 ft.	G23	√ ->	Non-Buffed Non-Brushed	47.71	45.80	44.85	43.89	41.98
190014	(works with end cap 241014)	G23	\ \ \ \ \ \	Buffed or Brushed	54.53	52.35	51.26	50.17	47.99
	Double Square 1" with Channel, 12			Non-Buffed Non-Brushed	46.51	44.65	43.72	42.79	40.93
190015	ft. (works with end cap 241015)	G23	7	Buffed or Brushed	52.55	50.45	49.40	48.35	46.24
190019	Channel, Single, 1" x 1-1/2", 12 ft.	G23	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Non-Buffed Non-Brushed	54.10	51.94	50.85	49.77	47.61
190019	(Works with endcap 390031)	GZS		Buffed or Brushed	67.54	64.84	63.49	62.14	59.44
190022	Channel, 4-Way, 2" x 2", 12 ft.	G24	>	Non-Buffed Non-Brushed	105.28	101.07	98.96	96.86	92.65
190022	(Works with endcap 241038)	U24	>	Buffed or Brushed	111.94	107.46	105.22	102.98	98.51

		Cat.				Discount	Quantity	ity Pricing		
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+	
190023	Channel, 3-Way, 1-1/2" x 2", 12 ft.	G24	>	Non-Buffed Non-Brushed	86.97	83.49	81.75	80.01	76.53	
190023	(Works with endcap 241001)	G24	>	Buffed or Brushed	102.66	98.55	96.50	94.45	90.34	
400004	Channel, Double, 1" x 2", 12 ft.	62.4	√ √ >	Non-Buffed Non-Brushed	68.75	66.00	64.63	63.25	60.50	
190026	(Works with endcap 241004)	G24	, , ,	Buffed or Brushed	79.92	76.72	75.12	73.53	70.33	
100010	Channel, Double, 1-1/2" x 1-1/2", 12		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Non-Buffed Non-Brushed	71.15	68.30	66.88	65.46	62.61	
190042	ft. (Works with endcap 241003)			Buffed or Brushed	88.07	84.55	82.79	81.02	77.50	
			√ ————————————————————————————————————	Non-Buffed Non-Brushed	14.10	13.54	13.25	12.97	12.41	
190054	Frame, .080" x 1", 8.5 ft.		> &	Buffed or Brushed	17.76	17.05	16.69	16.34	15.63	
190056	Back Frame, 1" Print Frame, 8.5 ft.		St. I	Non-Buffed Non-Brushed	11.73	11.26	11.03	10.79	10.32	
				Non-Buffed Non-Brushed	20.07	19.27	18.87	18.46	17.66	
190061	Snap Frame, 1-3/8", 8.5 ft.		> ( )	Buffed or Brushed	25.19	24.18	23.68	23.17	22.17	
190093	Back Frame, 1-3/8" PrintFrame, 102"			Non-Buffed Non-Brushed	29.31	28.14	27.55	26.97	25.79	
100120	Cl. 1 7501 4 0021 42 6		7	Non-Buffed Non-Brushed	39.08	37.52	36.74	35.95	34.39	
190128	Channel, .750" x 1.063", 12 ft.		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Buffed or Brushed	54.55	52.37	51.28	50.19	48.00	
400400	Double Channel, .750" x 1.378",		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Non-Buffed Non-Brushed	50.74	48.71	47.70	46.68	44.65	
190129	12 ft.		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Buffed or Brushed	68.28	65.55	64.18	62.82	60.09	
400470	Angle 48 v 48 425 42 6	1142		Non-Buffed Non-Brushed	31.58	30.32	29.69	29.05	27.79	
190172	Angle, 1" x 1" x .125, 12 ft.	HA3	>	Buffed or Brushed	45.81	43.98	43.06	42.15	40.31	
211042	Flat Head Machine Screw #6-32 x 3/8" Phil	S15		Zinc Plated Steel	0.05	0.05	0.05	0.05	0.05	

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
217008	Corner Bracket Plate with Screws			Zinc	0.30	0.30	0.30	0.30	0.30
218035	Fender Washer 1-1/2" O.D.	SC29	0		0.10	0.10	0.10	0.10	0.10
221014	Gray Bumper	FM11 RD15		Gray Rubber	0.30	0.30	0.30	0.30	0.30
221015	Clear Bumper	RD15		Clear Rubber	0.30	0.30	0.30	0.30	0.30
222012	1/8" x 3/16" Rivet			Steel Zinc	0.30	0.30	0.30	0.30	0.30
222023	Cartridge Rivet, 1821-0412		9	Steel	0.15	0.15	0.15	0.15	0.15
222025	Rivet, 1/8 x 0.085-0.135 Stl Zinc		9	Steel	0.10	0.10	0.10	0.10	0.10
224007	1" Piano Hinge without Holes, 8 ft. (see 419020 with holes)	HA34		Non-Buffed Non-Brushed	15.17	14.56	14.26	13.96	13.35
224008	1-1/2" Piano Hinge with Holes, 8 ft.	HA34 S15		Non-Buffed Non-Brushed	21.14	20.29	19.87	19.45	18.60
224009	1-1/2" Piano Hinge without Holes, 8 ft.	HA34 S15	Ğ	Non-Buffed Non-Brushed	18.60	17.86	17.48	17.11	16.37
224022	3-1/2" Brushed Nickel Butt Hinge	FM4	<b>9 9 9 8 8 9</b>	Brushed Nickel	15.17	15.17	15.17	15.17	15.17
226010	Felt Tape: 3/4" x 1/16" x 132"	HA36	Felt Tape Available in -01 Grey, -02 Brown and -03 Beige		5.79	5.79	5.79	5.79	5.10
226011	Felt Tape: 1-3/4" x 1/16" x 84"	HA36	Felt Tape Available in -01 Grey and -03 Beige	Felt Tape	9.39	9.39	9.39	9.39	8.26
226012	Felt Tape: 1-3/16" x 1/16" x 84"	HA36	Felt Tape Available in -01 Grey, 02 Brown and -03 Beige	Felt Tape	7.70	7.70	7.70	7.70	6.78
226013	WallMaker Glazing Vinyl, 1/2" (comes in 125ft. per roll)	G4	<b>b</b>	Black Rubber	.50/ft.	.50/ft.	.50/ft.	.50/ft.	.50/ft.
226014	Setting Block, 1/2" x 5/8" x 4"	G5		Black Rubber	0.90	0.90	0.90	0.90	0.90

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
226015	Setting Block, 1/4" x 5/8" x 4"	G5		Black Rubber	0.55	0.55	0.55	0.55	0.55
226016	WallMaker Glazing Vinyl, 1/4" (comes in 125 ft. roll)	G4	*	Black Rubber	.56/ft.	.56/ft.	.56/ft.	.56/ft.	.56/ft.
226019	Tape, Foam 1/4" x 5/16" x 14 ft.			Grey	1.44/ roll	1.44/ roll	1.44/ roll	1.44/ roll	1.44/ roll
226021	3/8" Glazing Strip	G4	T	Black Rubber	.36/ft.	.36/ft.	.36/ft	.36/ft.	.36/ft.
226022	3/8" Glazing Strip with Hook	G4	7	Black Rubber	.36/ft.	.36/ft.	.36/ft	.36/ft.	.36/ft.
226023	Glass Setting Tape, 100 ft. Roll			Black	.43/ft.	.43/ft.	.43/ft.	.43/ft.	.43/ft.
226024	Outside Rubber Glazing, 1/2" Glass	G4	•	Black Rubber	.31/ft.	.31/ft.	.31/ft.	.31/ft.	.31/ft.
226025	Inside Rubber Glazing, 1/2" Glass	G4	4	Black Rubber	.31/ft.	.31/ft.	.31/ft.	.31/ft.	.31/ft.
226027-01	9/16" x 1/16" Grey Felt, 8 ft.	G8		Grey Felt	8.33	8.33	8.33	8.33	7.33
227025	Suction Cup, 4-1/2" Dia, 80lbs Capacity				8.00	8.00	8.00	8.00	8.00
230028	Receptacle, Grounded	SC32			2.49	2.49	2.49	2.49	2.49
230056	Super Flex Conduit (3/8" I.D.), 250ft roll (No UL Listing / Recognition on conduit) Per Roll	SC31		Galvanized Steel	188.13	180.60	176.84	173.08	165.55
230056-01	Super Flex Conduit (3/8" I.D.), (No UL Listing / Recognition on conduit) 7 ft.	SC31	COLUMNIA	Galvanized Steel	5.46	5.24	5.13	5.02	4.80
230056-02	Super Flex Conduit (3/8" I.D.), (No UL Listing / Recognition on conduit) 4 ft.	SC31	Commission	Galvanized Steel	3.01	2.89	2.83	2.77	2.65
230056-04	Super Flex Conduit (3/8" I.D.), (No UL Listing / Recognition on conduit) Per ft.	SC31	COLUMN TO THE PARTY OF THE PART	Galvanized Steel	.97/ft.	.93/ft.	.91/ft.	.89/ft.	.85/ft.
230085	Switch, Rocker 20A 125-277 VAC	SC32			8.45	8.45	8.45	8.45	8.45

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
232006	Steel Bracket, 6" Anochrome	SC15 HA26 SH7	<u>ki</u>	Steel	3.92	3.92	3.92	3.92	3.92
232008	Steel Bracket, 8" Anochrome	SC15 HA26 SH7	<u>ki</u>	Steel	4.14	4.14	4.14	4.14	4.14
232010	Steel Bracket, 10" Anochrome	SC15 HA26 SH7	<u>ki</u>	Steel	4.35	4.35	4.35	4.35	4.35
232012	Steel Bracket, 12" Anochrome	SC43 HA26 SH7	<u>ki</u>	Steel	6.26	6.26	6.26	6.26	6.26
232014	Steel Bracket, 14" Anochrome	SC43 HA26 SH7	<u>ki</u>	Steel	7.43	7.43	7.43	7.43	7.43
232016	Steel Bracket, 16" Anochrome	SC43 HA26 SH7	<u>ki</u>	Steel	7.96	7.96	7.96	7.96	7.96
232023	Slotted Steel Standard, 3 ft.	SC16 HA26 SH7	§	Plated Steel	7.85	7.85	7.85	7.85	7.85
232028	Slotted Steel Standard, 8 ft.	SC16 HA26 SH7	& The state of the	Plated Steel	14.42	14.42	14.42	14.42	14.42
232045	135° Rectangular Glass Clip for 3/8" & 1/2" glass	G20		Buffed or Brushed	27.61	26.51	25.95	24.85	24.30
232056	Alu Clip	G23		Cast Zinc	4.51	4.51	4.51	4.51	4.51
241001-01 241001-03	Endcap for 190023, Plastic (01) Black, (03) Grey	G25		Plastic	0.96	0.96	0.96	0.96	0.84
241003-01	Endcap for 190042, Plastic (01) Black			Plastic	0.96	0.96	0.96	0.96	0.84
241004-01 241004-03	Endcap for 190026, Plastic (01) Black, (03) Grey	G25		Plastic	2.00	2.00	2.00	2.00	1.76
241009	Cap for Aluclip (#232056)			Plastic	0.09	0.09	0.09	0.09	0.09
241014-01	Endcap for 190014, Plastic (01) Black	G25		Plastic	0.96	0.96	0.96	0.96	0.84

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
241015-01 241015-03	Endcap, .995", Square (01) Black, (03) Grey	G25		Plastic	0.96	0.96	0.96	0.96	0.84
241038-01	Endcap for 190022, Plastic (01) Black			Plastic	0.96	0.96	0.96	0.96	0.84
310052	Retaining Ring for 511040			Carbon Spring Steel	0.80	0.77	0.75	0.74	0.70
310079	Ballast Box Cover	SC33		Black	6.64	6.37	6.24	6.11	5.84
310080	Ballast Box Tray	SC32		Galvanized Steel	2.65	2.54	2.49	2.44	2.33
310085	Ballast Box Insert Tray for Double Ballast Box	SC33		Galvanized Steel	6.58	6.32	6.19	6.05	5.79
310124	90° Connector for 230056 (No UL Listing / Recognition on connector)	SC29		Black	0.99	0.95	0.93	0.91	0.87
310130	Hinge Pin	S8		Zinc Plated	5.93	5.69	5.57	5.46	5.22
310204	Endcap for 110200	AT8		Buffed or Brushed	11.23	10.78	10.56	10.33	9.88
310205	Endcap for 110201 and 110295	AT8		Buffed or Brushed	10.22	9.81	9.61	9.40	8.99
310206	Endcap for 110202	AT8		Buffed or Brushed	10.99	10.55	10.33	10.11	9.67
310207	Endcap for 110210	AT8		Buffed or Brushed	11.86	11.39	11.15	10.91	10.44
310209	Endcap for 110212	AT8		Buffed or Brushed	11.68	11.21	10.98	10.75	10.28
310210	Endcap for 110214 - RH (LH-310211)	AT14		Buffed or Brushed	17.07	16.39	16.05	15.70	15.02
310211	Endcap for 110214 - LH (RH - 310210)	AT14		Buffed or Brushed	17.07	16.39	16.05	15.70	15.02
310212	Endcap for 110223	AT11		Buffed or Brushed	9.29	8.92	8.73	8.55	8.18

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
310213	Endcap for 110225	AT11		Buffed or Brushed	11.13	10.68	10.46	10.24	9.79
310214	Endcap for 110226	AT11		Buffed or Brushed	12.15	11.66	11.42	11.18	10.69
310215	Endcap for 110227	AT11		Buffed or Brushed	16.23	15.58	15.26	14.93	14.28
310218	Endcap for 110232	AT14	annor house	Buffed or Brushed	13.03	12.51	12.25	11.99	11.47
310219	Endcap for 110233	AT14		Buffed or Brushed	22.14	21.25	20.81	20.37	19.48
310227	Endcap for 110244 - LH (RH 310228)	AT14		Buffed or Brushed	17.52	16.82	16.47	16.12	15.42
310228	Endcap for 110244 - RH (LH 310227)	AT14		Buffed or Brushed	17.52	16.82	16.47	16.12	15.42
310229	Endcap for 110245			Buffed or Brushed	11.22	10.77	10.55	10.32	9.87
310233	Endcap for 110260	AT14		Buffed or Brushed	11.41	10.95	10.73	10.50	10.04
310235	Endcap for 110269	AT11		Buffed or Brushed	13.93	13.37	13.09	12.82	12.26
310239	Endcap for 110286 - RH (LH 310242)	AT6		Buffed or Brushed	15.48	14.86	14.55	14.24	13.62
310240	Endcap for 110290 - RH (LH 310243)	AT6		Buffed or Brushed	12.51	12.01	11.76	11.51	11.01
310241	Endcap for 110294	AT11		Buffed or Brushed	22.79	21.88	21.42	20.97	20.06
310242	Endcap for 110286 - LH (RH 310239)	AT6		Buffed or Brushed	15.48	14.86	14.55	14.24	13.62
310243	Endcap for 110290 - LH (RH 310240)	AT6		Buffed or Brushed	12.51	12.01	11.76	11.51	11.01
310244	Endcap for 110299 - RH (LH 310245)	AT6		Buffed or Brushed	13.27	12.74	12.47	12.21	11.68
310245	Endcap for 110299 - LH (RH 310244)	AT6		Buffed or Brushed	13.27	12.74	12.47	12.21	11.68
310249	Endcap for 110310	AT8		Buffed or Brushed	15.18	14.57	14.27	13.97	13.36

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
310250	Endcap, Rectangular for 110307	AT11	211111	Buffed or Brushed	8.92	8.56	8.38	8.21	7.85
310251	Endcap for 110304	AT9	E#3	Buffed or Brushed	14.27	13.70	13.41	13.13	12.56
310252	Endcap for 110308 - RH (LH 310253)	AT6		Buffed or Brushed	9.85	9.46	9.26	9.06	8.67
310253	Endcap for 110308 - LH (RH 310252)	AT6		Buffed or Brushed	9.85	9.46	9.26	9.06	8.67
310259	Endcap for 110325 - LH (RH 310260)	AT14		Buffed or Brushed	15.57	14.95	14.64	14.32	13.70
310260	Endcap for 110325 - RH (LH 310259)	AT14		Buffed or Brushed	15.57	14.95	14.64	14.32	13.70
310286	Endcap for 110381	AT14		Buffed or Brushed	16.02	15.38	15.06	14.74	14.10
310287	Endcap for 110382 - LH (RH 310288)	AT14		Buffed or Brushed	11.97	11.49	11.25	11.01	10.53
310288	Endcap for 110382 - RH (LH 310287)	AT14		Buffed or Brushed	11.97	11.49	11.25	11.01	10.53
310292	Endcap for 110383 - LH (RH 310293)	AT15		Buffed or Brushed	13.89	13.33	13.06	12.78	12.22
310293	Endcap for 110383 - RH (LH 310292)	AT15		Buffed or Brushed	13.89	13.33	13.06	12.78	12.22
310323	Endcap for 110328	AT8		Buffed or Brushed	6.44	6.18	6.05	5.92	5.67
310324	Endcap for 110432 - LH (RH 310325)			Buffed or Brushed	7.90	7.58	7.43	7.27	6.95
310325	Endcap for 110432 - RH (LH 310324)			Buffed or Brushed	7.90	7.58	7.43	7.27	6.95
310342	WallMaker Vertical Bracket		62	Non-Buffed Non-Brushed	3.22	3.09	3.03	2.96	2.83
310351	1-1/4" Piano Hinge w/Unequal Legs (without holes) 8 ft.	HA34 S15		Non-Buffed Non-Brushed	16.28	15.63	15.30	14.98	14.33
310354-01	90°Corner Bracket	G4	0000	Zinc	29.07	27.91	27.33	26.74	25.58

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
310354-02	135° Corner Bracket	G4	•••••	Zinc	75.00	72.00	70.50	69.00	66.00
310354-03	120° Corner Bracket	G4		Zinc	31.82	30.55	29.91	29.27	28.00
310374	Endcap for 110296 - LH (RH 310375)	AT6		Buffed or Brushed	8.83	8.48	8.30	8.12	7.77
310375	Endcap for 110296 - RH (LH 310374)	AT6		Buffed or Brushed	8.83	8.48	8.30	8.12	7.77
310377	Endcap for 110420 - RH (LH 310378)	AT15		Buffed or Brushed	17.58	16.88	16.53	16.17	15.47
310378	Endcap for 110420 - LH (RH 310377)	AT15		Buffed or Brushed	17.58	16.88	16.53	16.17	15.47
310385	Endcap for 110400 - RH (LH 310386)			Buffed or Brushed	13.23	12.70	12.44	12.17	11.64
310386	Endcap for 110400 - LH (RH 310385)			Buffed or Brushed	13.23	12.70	12.44	12.17	11.64
310395	Endcap for 110267	AT8		Buffed or Brushed	16.49	15.83	15.50	15.17	14.51
310399	Endcap for 110465 - LH (RH 310400)	AT15		Buffed or Brushed	21.86	20.99	20.55	20.11	19.24
310400	Endcap for 110465 - RH (LH 310399)	AT15		Buffed or Brushed	21.86	20.99	20.55	20.11	19.24
310403	Endcap for 110410	AT11		Buffed or Brushed	19.53	18.75	18.36	17.97	17.19
310577	Ballast Box Cover	SC33			6.01	5.77	5.65	5.53	5.29
310614	Endcap, Round Threaded			Non-Buffed Non-Brushed	8.33	8.00	7.83	7.66	7.33
310735	Endcap for 110639	AT11		Buffed or Brushed	12.74	12.23	11.98	11.72	11.21
330017-01	Unflocked Top Guide			Black Nylon	0.31	0.30	0.29	0.29	0.27
330017-02	Flocked Top Guide	RD17		Black Nylon	2.86	2.75	2.69	2.63	2.52

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
370006	SteelCoat Hook	FM4		Zinc	12.60	12.10	11.84	11.59	11.09
370008	Chrome Door Latch	FM4		Satin Chrome	18.89	18.13	17.76	17.38	16.62
370012	Strike Plate	FM4	0 0	Zinc	3.92	3.76	3.68	3.61	3.45
370013	Shoulder Screw			Zinc	0.26	0.25	0.24	0.24	0.23
380269	Endcap for 6815xx Series Reflector Assemblies	SS24	<b>S</b>	Buffed or Brushed	12.01	11.53	11.29	11.05	10.57
380270	LED 1-1/2" Reflector Mount Bracket (180079 Reflector)	SC29			4.94	4.74	4.64	4.54	4.35
380697	Anchor, Rotating Downtube Connector	SC23	6	Non-Buffed Non-Brushed	9.88	9.48	9.29	9.09	8.69
390031-01 390031-03	Endcap for 190019, Plastic (01) Black, (03) Grey"	G25		Plastic	0.53	0.51	0.50	0.49	0.47
391501	Spring, 1-3/8" PrintFrame, 1.410 Dia. SST		Ö	Stainless Steel	0.26	0.25	0.24	0.24	0.23
391505	Corner Bracket Plate			Galvanized Steel	1.34	1.29	1.26	1.23	1.18
391548	Spring, 1" PrintFrame, 0.940 Dia. SST		Ŏ	Stainless Steel	0.26	0.25	0.24	0.24	0.23
391551	Corner Gusset, 1" PrintFrame		٥٠٥٥	Galvanized Steel	1.04	1.00	0.98	0.96	0.92
391553	Corner Gusset, 1-3/8" PrintFrame			Galvanized Steel	1.56	1.50	1.47	1.44	1.37
391997	Slatwall Hanger for PrintFrame				6.88	6.60	6.47	6.33	6.05

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
	2-3/4" Door Pull		<u> </u>	Non-Buffed Non-Brushed	5.51	5.29	5.18	5.07	4.85
410001	(110027 - 12 ft.)	HA23		Buffed or Brushed	6.61	6.35	6.21	6.08	5.82
	2-3/4" Door Pull		100	Non-Buffed Non-Brushed	5.51	5.29	5.18	5.07	4.85
410002	(110029 - 12 ft.)	HA23	^	Buffed or Brushed	6.61	6.35	6.21	6.08	5.82
410050	1/2" Downtube 3/8" I.D. (36" length)	SC29	0	Non-Buffed Non-Brushed	5.27	5.06	4.95	4.85	4.64
	Showcase Molding with Holes,	2215		Non-Buffed Non-Brushed	19.35	18.58	18.19	17.80	17.03
410099	12 ft. (without holes 110577)	SC15	7 2	Buffed or Brushed	21.04	20.20	19.78	19.36	18.52
	Drawer Pull, 3-3/4" (for 3/4" Drawer)		<b>V</b>	Non-Buffed Non-Brushed	6.34	6.09	5.96	5.83	5.58
410101	(110104 - 12 ft.)	HA23		Buffed or Brushed	7.44	7.14	6.99	6.84	6.55
	Drawer Pull, 3-3/4" (for 13/16"		V	Non-Buffed Non-Brushed	5.51	5.29	5.18	5.07	4.85
410103	Drawer) (110105 - 12 ft.)	HA23		Buffed or Brushed	6.61	6.35	6.21	6.08	5.82
	3-3/4" Drawer Pull		N	Non-Buffed Non-Brushed	6.06	5.82	5.70	5.58	5.33
410114	(110108 - 12 ft.)	HA23	<	Buffed or Brushed	7.17	6.88	6.74	6.60	6.31
440422	3-3/4" Drawer Pull with Label Holder	11422	3,7<	Non-Buffed Non-Brushed	6.34	6.09	5.96	5.83	5.58
410123	(110111 - 12 ft.)	HA23	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Buffed or Brushed	7.44	7.14	6.99	6.84	6.55
440244	2" Hisaa Blata	CAE	Ov	Non-Buffed Non-Brushed	5.51	5.29	5.18	5.07	4.85
410311	2" Hinge Plate	S15		Buffed or Brushed	8.97	8.61	8.43	8.25	7.89
410242	Hingo Diato with Halos, 42 ft			Non-Buffed Non-Brushed	67.63	64.92	63.57	62.22	59.51
410312	Hinge Plate with Holes, 12 ft.			Buffed or Brushed	71.84	68.97	67.53	66.09	63.22
410366	1/8" Endcap for 110483 (2"x 1-3/4" Header)	G5		Buffed or Brushed	8.02	7.70	7.54	7.38	7.06
410367	1/8" Endcap for 110482 (2"x4" Sill)	G5		Buffed or Brushed	9.34	8.97	8.78	8.59	8.22

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
410381	Security Door Retainer (use with 110140, 110350 or 110412 shoe)	RD15		Non-Buffed Non-Brushed	1.31	1.26	1.23	1.21	1.15
410412	1/8" Encap for 110360, 111012 or 111013 (1"x2" Header)	G5		Buffed or Brushed	11.46	11.00	10.77	10.54	10.08
410413	1/8" Endcap for 110361 (1"x1" Sill)	G5		Buffed or Brushed	11.45	10.99	10.76	10.53	10.08
410443	1" Trim Base with Holes, 12 ft.	AT16		Non-Buffed Non-Brushed	19.02	18.26	17.88	17.50	16.74
410444	Security Door Retainer (use with 110012 Shoe)	RD15		Non-Buffed Non-Brushed	1.66	1.59	1.56	1.53	1.46
410454	1-7/8" Security Door Retainer	RD15		Non-Buffed Non-Brushed	2.59	2.49	2.43	2.38	2.28
410458	3" Trim Base, 12 ft.	AT16	<u> </u>	Non-Buffed Non-Brushed	45.94	44.10	43.18	42.26	40.43
410466	1" Recessed Trim Base, 12 ft.	AT16		Non-Buffed Non-Brushed	37.68	36.17	35.42	34.67	33.16
410530	5/8" Trim Base with Holes, 12 ft.	AT16	<u> </u>	Non-Buffed Non-Brushed	21.66	20.79	20.36	19.93	19.06
410540	2" Trim Base with Holes, 12 ft.	AT16	<u> </u>	Non-Buffed Non-Brushed	33.35	32.02	31.35	30.68	29.35
410542	1/2" Endcap for 110483 (2"x1-3/4" Header)	G7		Buffed or Brushed	17.66	16.95	16.60	16.25	15.54
410543	1/2" Endcap for 110482 (2"x4" Sill)	G7		Buffed or Brushed	22.63	21.72	21.27	20.82	19.91
410544	1/2" Endcap for 110481 (2"x6" Sill)	G7		Buffed or Brushed	24.90	23.90	23.41	22.91	21.91
410545	1/8" Endcap for 110481 (2"x6" Sill)	G7		Buffed or Brushed	15.90	15.26	14.95	14.63	13.99
410644	3" Recessed Trim Base with Holes, 12 ft.	AT16	4	Non-Buffed Non-Brushed	48.67	46.72	45.75	44.78	42.83

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
410896	1/8" Endcap for 110434 (2-1/2"x1- 3/4" Sill)	G7		Buffed or Brushed	10.81	10.38	10.16	9.95	9.51
411185	5/8" Recessed Trim Base, 12 ft.	AT16	<i>5</i> 15	Non-Buffed Non-Brushed	30.95	29.71	29.09	28.47	27.24
411331	3/4" Trim Base with Holes for Endcap, 12 ft.	AT17	2	Non-Buffed Non-Brushed	14.25	13.68	13.40	13.11	12.54
412002	4.50" Trim Base, 145.50"	AT17	<u></u>	Non-Buffed Non-Brushed	75.43	72.41	70.90	69.40	66.38
412007	5/8" Trim Base with Mounting Holes, 145.50"	AT17	~~	Non-Buffed Non-Brushed	17.38	16.68	16.34	15.99	15.29
412272	3" Trim Base with Mount Holes, 12 ft.	AT17		Non-Buffed Non-Brushed	46.73	44.86	43.93	42.99	41.12
412434	1/8" Endcap for 111007 (2"x8" Sill)	G5		Buffed or Brushed	22.05	21.17	20.73	20.29	19.40
412435	1/8" Endcap for 111011 (2-1/2"x 8" Sill)	G5		Buffed or Brushed	22.05	21.17	20.73	20.29	19.40
412436	1/8" Endcap for 111014 (2-1/2"x 6" Sill)	G5		Buffed or Brushed	19.29	18.52	18.13	17.75	16.98
412437	1/8" Endcap for 111015 (2-1/2"x 4" Sill)	G5		Buffed or Brushed	15.71	15.08	14.77	14.45	13.82
412443	Endcap for 111010 Top Channel			Buffed or Brushed	13.23	12.70	12.44	12.17	11.64
412444	Endcap for 111072 Top Channel			Buffed or Brushed	13.23	12.70	12.44	12.17	11.64
412456	Endcap for 111089 Top Channel			Buffed or Brushed	12.13	11.64	11.40	11.16	10.67
412457	Endcap for 111091 Top Channel			Buffed or Brushed	12.13	11.64	11.40	11.16	10.67
419007	Top Guide	RD15		Non-Buffed Non-Brushed	0.16	0.15	0.15	0.15	0.14

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
419020	1" Piano Hinge with Holes, 8 ft.	HA34		Non-Buffed Non-Brushed	27.93	26.81	26.25	25.70	24.58
419030	Vinyl Door Guide (use rivet 222012 - sold separately)	RD15		Non-Buffed Non-Brushed	0.38	0.36	0.36	0.35	0.33
419070	Plastic Snap Base Clip (green) for TrimMaker Extrusion with 2" Openings	AT18		Green Plastic	1.06	1.02	1.00	0.98	0.93
419071	Plastic Snap Base Clip (yellow) for TrimMaker Extrusion with 3" Openings	AT18		Yellow Plastic	1.06	1.02	1.00	0.98	0.93
419072	Plastic Snap Base Clip (orange) for TrimMaker Extrusion with 4.5" Openings	AT18	2	Orange Plastic	1.22	1.17	1.15	1.12	1.07
419073	Plastic Snap Base Clip (black) for TrimMaker Extrusion with 1" Openings	AT18		Black Plastic	1.22	1.17	1.15	1.12	1.07
419074	Plastic Snap Base Clip (grey) for TrimMaker Extrusion with 5/8" Openings	AT18		Grey Plastic	1.33	1.28	1.25	1.22	1.17
419076	Plastic Snap Base Clip (red) for TrimMaker Extrusion with 5/8" Openings	AT18		Red Plastic	1.33	1.28	1.25	1.22	1.17
419077	Plastic Snap Base Clip (blue) for TrimMaker Extrusion with 1" Openings	AT18		Blue Plastic	1.06	1.02	1.00	0.98	0.93
	5/16" J-Molding with Holes, 12 ft.		> []	Non-Buffed Non-Brushed	14.45	13.87	13.58	13.29	12.72
420068	(without Holes - 120041)	FM15		Buffed or Brushed	21.13	20.28	19.86	19.44	18.59
	5/8" J-Molding with Holes,		√ - □	Non-Buffed Non-Brushed	17.87	17.16	16.80	16.44	15.73
420107	12 ft. (without Holes - 120055)	FM15		Buffed or Brushed	23.74	22.79	22.32	21.84	20.89
	Mirror Divider Trim with Holes, 12 ft.		Î	Non-Buffed Non-Brushed	19.11	18.35	17.96	17.58	16.82
420108	(without holes 120057)	FM15	- F	Buffed or Brushed	23.96	23.00	22.52	22.04	21.08
420400	Mirror Divider Trim with Holes, 12 ft.	E1125		Non-Buffed Non-Brushed	29.07	27.91	27.33	26.74	25.58
420109	(without holes 120061)	FM15	<u> </u>	Buffed or Brushed	32.56	31.26	30.61	29.96	28.65
420110	Slotted Corner Column, 150" (with-	FM16	\ \\ \\	Non-Buffed Non-Brushed	59.12	56.76	55.57	54.39	52.03
420110	out slots 120063)	F/WI TO		Buffed or Brushed	64.42	61.84	60.55	59.27	56.69
429004	1/4" Glazing Wedge	FM14		Black	0.71	0.68	0.67	0.65	0.62

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
429007	Glazing Clip	FM14		Grey	0.87	0.84	0.82	0.80	0.77
450010	Aluminum Showcase Slotted Standard	HA24 SC16 SH5		Price per Inch / Cutting charge also applies	0.60	0.60	0.60	0.60	0.59
450013	Aluminum Slotted Wall Standard	HA24 SH7		Price per Inch / Cutting charge also applies	0.80	0.80	0.80	0.80	0.78
450020	Aluminum Showcase Heavy Duty Slotted Standard	HA25 SC19 SH6	7	Price per Inch / Cutting charge also applies	0.72	0.72	0.72	0.72	0.71
450021	Aluminum Rear Support for 450020	HA25 SC16 SH6		Price per Inch / Cutting charge also applies	0.33	0.33	0.33	0.33	0.32
450022	Aluminum Rear Support for 450010	SH7 HA24 SC10		Price per Inch / Cutting charge also applies	0.40	0.40	0.40	0.40	0.39
450023	Aluminum Heavy Duty Slotted Standard, 12 ft.				61.72	59.25	58.02	56.78	54.31
4=0040			. П	Non-Buffed Non-Brushed	27.84	26.73	26.17	25.61	24.50
470010	Door Jamb, 7 ft.	F2	7	Buffed or Brushed	34.34	32.97	32.28	31.59	30.22
470040	Wall Jamb with Holes, 12 ft. (with-	F2		Non-Buffed Non-Brushed	35.82	34.39	33.67	32.95	31.52
470012	out holes170008)	F2		Buffed or Brushed	49.25	47.28	46.30	45.31	43.34
480753	3/8" Threaded Washer 1" O.D.	SC30		Non-Buffed Non-Brushed	6.71	6.44	6.31	6.17	5.90
480756	Support Puck	SC30		Non-Buffed Non-Brushed	5.59	5.37	5.25	5.14	4.92
480757	3/8" Downtube 9/32" I.D.	SC30		Non-Buffed Non-Brushed	5.96	5.72	5.60	5.48	5.24
480941	7/16" Downtube 9/32" I.D.	SC30	0	Non-Buffed Non-Brushed	14.91	14.31	14.02	13.72	13.12
480943	7/16" Threaded Washer 1-1/4" O.D.	SC30		Non-Buffed Non-Brushed	6.71	6.44	6.31	6.17	5.90
480989	Endcap, 1.00 Dia Reflector 180133	SC25		Buffed or Brushed	17.91	17.19	16.84	16.48	15.76
480993	Connector, Downtube, 1.00 Dia. Reflector	SC25		Non-Buffed Non-Brushed	9.92	9.52	9.32	9.13	8.73

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
481042	Connector, Downtube Internal Rotating for 180133 1.00 Dia. Reflector	SC25		Non-Buffed Non-Brushed	23.30	22.37	21.90	21.44	20.50
481056	Endcap, RH Teardrop Reflector 180147	SC23		Buffed or Brushed	11.58	11.12	10.89	10.65	10.19
481057	Endcap, LH Teardrop Reflector 180147	SC23		Buffed or Brushed	11.58	11.12	10.89	10.65	10.19
490257	Double-Sided Cornerpiece			Non-Buffed Non-Brushed	21.20	20.35	19.93	19.50	18.66
510001	Wheel Assembly for 110012 (wheel code W1)	RD15	o		0.92	0.88	0.86	0.85	0.81
510006	Door Bumper Assembly	RD15			0.78	0.75	0.73	0.72	0.69
510014	1/2" Heavy Duty Door Stop Assembly	RD15			2.86	2.75	2.69	2.63	2.52
510015	3/4" Heavy Duty Door Stop Assembly	RD15			3.12	3.00	2.93	2.87	2.75
510016-02	Standard Door Pull Assembly, Natural	HA23		Natural	6.55	6.29	6.16	6.03	5.76
510016-03	Standard Door Pull Assembly, Black	HA23		Black	8.35	8.02	7.85	7.68	7.35
510041	Heavy Duty Wheel Assembly (wheel code W5)	RD15			1.05	1.01	0.99	0.97	0.92
510060	Heavy Duty Door Stop Assembly, 1/2"	RD15			2.86	2.75	2.69	2.63	2.52
510073	Mount Bracket Kit	SC30			6.24	5.99	5.87	5.74	5.49
510089	Mounting Bracket Assembly for 110107/110192	HA21 SC16			9.00	8.64	8.46	8.28	7.92
510101	Single Ballast Box	SC34		Aluminized Steel	18.20	17.47	17.11	16.74	16.02
510102	Double Ballast Box	SC35	A STATE OF THE STA	Aluminized Steel	30.35	29.14	28.53	27.92	26.71

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
510126	90° Reflector Mitre Bracket Assembly	HA21	•		6.20	5.95	5.83	5.70	5.46
510127	135° Reflector Mitre Bracket Assembly	HA21	<b>N</b>		6.20	5.95	5.83	5.70	5.46
510199-01	Chrome Cam Lock used with 110153 hinged door frame extrusion. 7/8" cam length, key retaining. Includes 2 keys. (Kenstan CLD03-type)	HA22 S15	<b>D</b>	Chrome	16.80	16.13	15.79	15.46	14.78
510199-02	Chrome Cam Lock used with 110153 hinged door frame extrusion. 7/8" cam length, key retaining. Includes 6 keys. (Kenstan CLD03-type)	HA22 S15		Chrome	20.88	20.04	19.63	19.21	18.37
510235	Hex Shelf Support Assembly	SC10	Tagasta Para Caraca Car		3.22	3.09	3.03	2.96	2.83
510237	Corner Bracket Assembly for Transparency Frame	S15 HA21	000000000000000000000000000000000000000		9.10	8.74	8.55	8.37	8.01
510238	Corner Bracket Assembly for Hinged Door	S15 HA21			9.10	8.74	8.55	8.37	8.01
510241	Endcap Assembly for 110140	RD15		Non-Buffed Non-Brushed	6.71	6.44	6.31	6.17	5.90
510245	Magnetic Latch and Strike Assembly	HA22	0		4.00	3.84	3.76	3.68	3.52
510246	Corner Bracket / Back Place Assembly for Transparence Face Frame Assembly	HA21			2.60	2.50	2.44	2.39	2.29
510249	Chrome Offset Cam Lock used with #710000 Series Showcase top or bottom hinged door. 7/8" cam w/ 1/4" offset, key retaining. Includes 2 keys. (Kenstan CLD03-type)	HA22		Chrome	16.33	15.68	15.35	15.02	14.37
510269	Chrome L-Cam Lock used with #710000 Series Showcase side hinged door. 5/8" cam w/ 1/2" L-bend, key retaining. Includes 2 keys. (Kenstan CLD03-type)	HA22		Chrome	17.97	17.25	16.89	16.53	15.81
510274	90° WallMaker Bracket Assembly	G4	00:1:00		37.44	35.94	35.19	34.44	32.95
510331	Endcap Assembly for 110350	RD15	<b>*</b>	Non-Buffed Non-Brushed	4.72	4.53	4.44	4.34	4.15

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
510349	Mini Latch Assembly	S15 HA22			21.01	20.17	19.75	19.33	18.49
510371	Edcap Assembly for 110412	RD15	₩ Pa	Non-Buffed Non-Brushed	8.32	7.99	7.82	7.65	7.32
510378	Downtube Flange	SC30	000		14.87	14.28	13.98	13.68	13.09
510440	135° WallMaker Bracket Assembly	G4	00:00		80.00	76.80	75.20	73.60	70.40
510458	WallMaker "T" Bracket Assembly Kit	G4			8.34	8.01	7.84	7.67	7.34
510459	WallMaker "L" Bracket Assembly Kit	G4			5.17	4.96	4.86	4.76	4.55
				Non-Buffed Non-Brushed	182.68	175.37	171.72	168.07	160.76
510529	WallMaker Smooth H-Assembly	G3		Buffed or Brushed	203.68	195.53	191.46	187.39	179.24
510540	120° WallMaker Bracket Assembly	G4			53.04	50.92	49.86	48.80	46.68
510571	180° Square Glass Clip for 3/8" & 1/2" glass	G19		Buffed or Brushed	27.34	26.25	25.70	25.15	24.06
510572	180° Round Glass Clip for 3/8" & 1/2" glass	G17		Buffed or Brushed	26.42	25.36	24.83	24.31	23.25
510582	Round, Wall Mount Glass Clip for 3/8" & 1/2" glass	G18		Buffed or Brushed	25.68	24.65	24.14	23.63	22.60
510583	Square, Wall Mount Glass Clip for 3/8" & 1/2" glass	G19		Buffed or Brushed	20.32	19.51	19.10	18.69	17.88
510584	90° Round Glass Clip for 3/8" & 1/2" glass	G18		Buffed or Brushed	40.32	38.71	37.90	37.09	35.48
510585	90° Square Glass Clip for 3/8" & 1/2" glass	G19		Buffed or Brushed	32.36	31.07	30.42	29.77	28.48
510586	135° Round Glass Clip for 3/8" & 1/2" glass	G18		Buffed or Brushed	42.74	41.03	40.18	39.32	37.61
510587	135° Square Glass Clip for 3/8" & 1/2" glass	G19		Buffed or Brushed	26.36	25.31	24.78	24.25	23.20

		Cat.				Discount	Quantity	y Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
510598	Ballast Box Accessory Kit (Screws, 12 and 18 Gauge Terminal Connector, Rocker Switch, Ballast Box Bracket and Knock-out Connector)	SC32			5.77	5.54	5.42	5.31	5.08
510599	Single Ballast Box Kit (Screws, Palnuts and Single Ballast Box Cover and Tray)	SC32		Black	29.68	28.49	27.90	27.31	26.12
510600	Single Ballast Box Kit with Accessories	SC33			27.79	26.68	26.12	25.57	24.46
510621	Flex Connector 3/8" I.D. Conduit	SC30			4.06	3.90	3.82	3.74	3.57
510622	Rigid Connector 1/2" Downtube	SC30			4.39	4.21	4.13	4.04	3.86
510625	Double Ballast Box Kit (Screws, Palnuts and Double Ballast Box Cover and Tray)	SC33			51.64	49.57	48.54	47.51	45.44
510626	Double Ballast Box with Accessories	SC33			60.65	58.22	57.01	55.80	53.37
510760	WallMaker Wireway Accombly	G3		Non-Buffed Non-Brushed	288.33	241.54	236.51	231.48	221.41
310760	WallMaker Wireway Assembly	03		Buffed or Brushed	317.33	241.54	236.51	231.48	221.41
F407/4	Well Malaca CO° Couran Assembly	63		Non-Buffed Non-Brushed	342.04	328.36	321.52	314.68	301.00
510761	WallMaker 90° Corner Assembly	G3		Buffed or Brushed	362.63	348.12	340.87	333.62	319.11
				Non-Buffed Non-Brushed	233.42	224.08	219.41	214.75	205.41
510763	WallMaker H-Assembly	G3		Buffed or Brushed	253.01	242.89	237.83	232.77	222.65
510808	Chrome Plunger Lock used with 110140, 110350 & 110412 rolling door shoe extrusions. 3/8" length plunger, key retaining. Includes 2 keys. (Kenstan PLD40-type)	RD15 HA22 SC5		Chrome	24.77	23.78	23.28	22.79	21.80
510955	180° Rectangular Glass Clip for 3/8" & 1/2" glass	G20		Buffed or Brushed	27.62	26.52	25.96	25.41	24.31
511008	90° Rectangular Glass Clip for 3/8" & 1/2" glass	G20		Buffed or Brushed	30.84	29.61	28.99	28.37	27.14

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
511040	Chrome Plunger Lock used with 110012 & 110067 rolling door shoe extrusions. Through-the-track plung- er, key retaining. Includes 2 keys. (Kenstan PLD49-type)	HA22 SC9 RD15		Steel Chrome Plated	27.29	26.20	25.65	25.11	24.02
511070	Kit Strut Fixing Mounting Base			Non-Buffed Non-Brushed	13.85	13.30	13.02	12.74	12.19
511079	Kit, Bracket 1.0 Dia., Vertical Glass Clamp		e	Non-Buffed Non-Brushed	25.95	24.91	24.39	23.87	22.84
511085	Kit, End Piece w/Insert			Non-Buffed Non-Brushed	11.50	11.04	10.81	10.58	10.12
511069	Kit, Support Fixing 90 Degree Mounting Flange				26.00	24.96	24.44	23.92	22.88
511178	Top Shoe Guide Assembly	RD15 SC15	STYLMARK		4.16	3.99	3.91	3.83	3.66
511179	90° Round Glass Clip for 5/8" & 3/4" glass	G18		Buffed or Brushed	39.88	38.28	37.49	36.69	35.09
511180	135° Round Glass Clip for 5/8" & 3/4" glass	G18		Buffed or Brushed	42.85	41.14	40.28	39.42	37.71
511181	180° Round Glass Clip for 5/8" & 3/4" glass	G17		Buffed or Brushed	26.24	25.19	24.67	24.14	23.09
511182	Round, Wall Mount Glass Clip for 5/8" & 3/4" glass	G18		Buffed or Brushed	24.09	23.13	22.64	22.16	21.20
511183	135° Rectangular Glass Clip for 5/8" & 3/4" glass	G21		Buffed or Brushed	27.09	26.01	25.46	24.92	23.84
511184	180° Rectangular Glass Clip for 5/8" & 3/4" glass	G20		Buffed or Brushed	30.04	28.84	28.24	27.64	26.44
511185	90° Rectangular Glass Clip for 5/8" & 3/4" glass	G20		Buffed or Brushed	29.70	28.51	27.92	27.32	26.14
511186	90° Square Glass Clip for 5/8" & 3/4" glass	G19		Buffed or Brushed	29.75	28.56	27.97	27.37	26.18



		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
511187	135° Square Glass Clip for 5/8" & 3/4" glass	G19		Buffed or Brushed	26.40	25.34	24.82	24.29	23.23
511188	180° Square Glass Clip for 5/8" & 3/4" glass	G19		Buffed or Brushed	25.91	24.87	24.36	23.84	22.80
511189	Square, Wall Mount Glass Clip for 5/8" & 3/4" glass	G19		Buffed or Brushed	20.45	19.63	19.22	18.81	18.00
511213	Kit, AXIA,50 pieces of Intermediate connector, 4" each	AT20			78.75	78.75	78.75	78.75	78.75
511215	Kit, AXIA , 10 pieces each of Starter/ End connectors, 4" each	AT20			39.90	39.90	39.90	39.90	39.90
520005	Mitre Bracket Assembly	HA21 FM14			1.55	1.49	1.46	1.43	1.36
520075	Cleat Mounting Accessory Kit for Admire LED Mirror		Ja:		19.76	18.97	18.57	18.18	17.39
530011	Wheel Assembly	RD17			18.36	17.63	17.26	16.89	16.16
530012	Decor Door Accessory Package				86.98	83.50	81.76	80.02	76.54
530024	T-Bolt Plunger Lock	RD17			35.00	33.60	32.90	32.20	30.80
550006-01	6" Shelf Blade Bracket (aluminum)	SC11 SH5 HA24		Non-Buffed Non-Brushed	14.99	14.39	14.09	13.79	13.19
550006-02	8" Shelf Blade Bracket (aluminum)	SC11 SH5 HA24		Non-Buffed Non-Brushed	15.75	15.12	14.81	14.49	13.86
550006-03	10" Shelf Blade Bracket (aluminum)	SC11 SH5 HA24		Non-Buffed Non-Brushed	16.61	15.95	15.61	15.28	14.62
550006-04	12" Shelf Blade Bracket (aluminum)	SC11 SH5 HA24		Non-Buffed Non-Brushed	17.22	16.53	16.19	15.84	15.15
550006-05	14" Shelf Blade Bracket (aluminum)	SC11 SH5 HA24		Non-Buffed Non-Brushed	17.86	17.15	16.79	16.43	15.72

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
550006-06	16" Shelf Blade Bracket (aluminum)	SC11 SH5 HA24		Non-Buffed Non-Brushed	18.61	17.87	17.49	17.12	16.38
550006-07	6" Shelf Blade Bracket (without lip - aluminum)	SC11 SH5 HA24		Non-Buffed Non-Brushed	14.99	14.39	14.09	13.79	13.19
550006-08	8" Shelf Blade Bracket (without lip - aluminum)	SC11 SH5 HA24		Non-Buffed Non-Brushed	15.75	15.12	14.81	14.49	13.86
550006-09	10" Shelf Blade Bracket (without lip - aluminum)	SC11 SH5 HA24		Non-Buffed Non-Brushed	16.61	15.95	15.61	15.28	14.62
550006-10	12" Shelf Blade Bracket (without lip - aluminum)	SC11 SH5 HA24		Non-Buffed Non-Brushed	17.22	16.53	16.19	15.84	15.15
550006-11	14" Shelf Blade Bracket. (without lip - aluminum)	SC11 SH5 HA24		Non-Buffed Non-Brushed	17.86	17.15	16.79	16.43	15.72
550006-12	16" Shelf Blade Bracket (without lip - aluminum)	SC11 SH5 HA24		Non-Buffed Non-Brushed	18.61	17.87	17.49	17.12	16.38
550007	Foot and Cap Assembly	SH6 SC16 HA24		Light Gray	1.25	1.20	1.18	1.15	1.10
550008	Chrome Bottom Cap Assembly for Steel Standard	HA26 SC16 SH7		Chrome	1.75	1.68	1.65	1.61	1.54
550009	Chrome Top Cap Assembly for Steel Standard	HA26 SC16 SH7		Chrome	2.25	2.16	2.12	2.07	1.98
550010-01	6" Tubular Shelf Bracket (aluminum)	SC11 HA25 SH6	4	Buffed or Brushed	19.00	18.24	17.86	17.48	16.72
550010-02	8" Tubular Shelf Bracket (aluminum)	SC11 HA25 SH6	4/	Buffed or Brushed	19.00	18.24	17.86	17.48	16.72
550010-03	10" Tubular Shelf Bracket (aluminum)	SC11 HA25 SH6		Buffed or Brushed	19.50	18.72	18.33	17.94	17.16
550010-04	12" Tubular Shelf Bracket (aluminum)	SC11 HA25 SH6		Buffed or Brushed	20.00	19.20	18.80	18.40	17.60
550010-05	14" Tubular Shelf Bracket (aluminum)	SC11 HA25 SH6		Buffed or Brushed	20.50	19.68	19.27	18.86	18.04

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
550010-06	16" Tubular Shelf Bracket(aluminum)	SC11 HA25 SH6	4	Buffed or Brushed	21.00	20.16	19.74	19.32	18.48
550011	Shelf End Clip for 550010	SC16 HA25 SH6		Zinc	4.15	3.98	3.90	3.82	3.65
550012	Shelf Center Clip for 550010	SC16 HA25 SH6		Zinc	1.48	1.42	1.39	1.36	1.30
550013	Glass End Clip for 550006	SC16 HA26 SH5		Zinc	2.60	2.50	2.44	2.39	2.29
550014	Glass Center Clip for 550006	SC16 HA26 SH5		Zinc	2.60	2.50	2.44	2.39	2.29
570003	Leveler Assembly	FM4 HA21			2.19	2.10	2.06	2.01	1.93
570004	Angle Bracket	FM4 HA21	00	Non-Buffed Non-Brushed	5.10	4.90	4.79	4.69	4.49
570005	Panel Clip (includes hardware and 4 clips)	FM4			5.98	5.74	5.62	5.50	5.26
570013	Pivot Hinge Assembly	FM4 HA21			12.74	12.23	11.98	11.72	11.21
570546	Drill Block Tool Accessory	FM4	\$ 60 % 60 \$ 60 \$ 60 \$ 60 \$ 60 \$ 60 \$ 60		41.40	39.74	38.92	38.09	36.43
580747-01	Wiring Harness Assy, 2-22A WG Wire w/2 Female Receptacles 156"	SC34			7.01	6.73	6.59	6.45	6.17
580817-01	Wiring Harness Cable 3 18A WG 156"	SC34	<b></b>		15.24	14.63	14.33	14.02	13.41
580818-01	Wiring Harness,3 18A WG 156"	SC34			15.28	14.67	14.36	14.06	13.45

		Cat.				Discount	Quantity	/ Pricing	
Part Number	Description	Page Ref.	View	Finish	1-5	6-10	11-24	25-99	100+
580824-01	Wiring Harness, 2 18AWG Power Track LVS		<b>~</b> €¶		18.64	17.89	17.52	17.15	16.40
590866	Wall Mounting Kit, includes wall anchors and screws				0.42	0.40	0.39	0.39	0.37

## Stock Length Rolling Door Kits

			Inclu	ıdes:				lon-Buffed Brushed F		Buff	ed or Bru Finish	shed
Part Number	Description	Wheels	Retainers	Jambs	Verticals	Cat. Page Ref.	Qty 1	Qty 6	Qty 11	Qty 1	Qty 6	Qty 11
610005-02	Standard Rolling Door Assembly with Removable Track, 12 ft.	8	No	No	n/a	RD5	89.11	85.49	83.72	105.11	100.85	98.76
610007-02	Economy Rolling Door Assembly, 12 Ft.	8	No	No	n/a	RD5	63.92	61.31	60.04	75.39	72.32	70.83
610060-02	Wood Rolling Door Assembly, 12 ft.	8	No	n/a	n/a	RD6	46.62	44.73	43.78	51.74	49.64	48.60
610099-02	Standard Rolling Door Assembly, 12 ft.	8	No	n/a	n/a	RD5	72.57	69.61	68.17	89.64	86.00	84.22
610143-02	Security Rolling Door Assembly, 12 ft 110008 Header, 110012 Shoe	8	8	Yes	Yes	RD7	182.16	175.07	171.65	223.33	214.60	210.35
610144-02	Security Rolling Door Assembly, 12 ft 110071 Header, 110012 Shoe	8	8	Yes	Yes	RD7	219.06	210.51	206.35	261.98	251.71	246.70
610145-02	Security Rolling Door Assembly, 12 ft 110102 Header, 110012 Shoe	8	8	Yes	Yes	RD7	225.70	216.88	212.59	266.29	255.85	250.75
610146-02	Security Wood Rolling Door Assembly, 12 ft 110162 Top Channel, 110208 Security Track	8	8	n/a	n/a	RD6	91.98	88.27	86.45	106.62	102.32	100.21
610165-02	Triple Track Rolling Door Assembly, 12 ft.	6	n/a	n/a	n/a	RD8	146.76	140.80	137.98	172.26	165.28	161.95
610183-02	Security Rolling Door Assembly, 12 ft 110102 Header, 110412 Shoe	8	8	Yes	n/a	RD9	229.21	221.31	217.51	264.29	254.98	250.49
610184-02	Security Rolling Door Assembly, 12 ft 110071 Header, 110412 Shoe	8	8	Yes	n/a	RD9	220.89	213.25	209.59	258.30	249.16	244.76
610185-02	Security Rolling Door Assembly, 12 ft 110008 Header, 110412 Shoe	8	8	Yes	n/a	RD9	183.99	177.81	174.89	219.65	212.05	208.41
610187-02	Heavy Duty Security Rolling Door Assembly, 12 ft 110008 Header, 110140 Shoe	8	8	Yes	Yes	RD10	242.84	235.36	231.77	283.05	273.96	269.57
610188-02	Heavy Duty Security Rolling Door Assembly, 12 ft 110071 Header, 110140 Shoe	8	8	Yes	Yes	RD10	279.74	270.79	266.48	321.70	311.07	305.92
610189-02	Heavy Duty Security Rolling Door Assembly, 12 ft 110102 Header, 110140 Shoe	8	8	Yes	Yes	RD10	286.38	277.17	272.72	326.01	315.21	309.97
610190-02	Security Rolling Door Assembly, 12 ft 110008 Header, 110350 Shoe	8	8	Yes	Yes	RD11	250.59	242.50	238.61	294.54	284.69	279.93
610191-02	Security Rolling Door Assembly, 12 ft 110071 Header, 110350 Shoe	8	8	Yes	Yes	RD11	241.87	234.14	230.44	277.85	268.68	264.26
610192-02	Security Rolling Door Assembly, 12 ft 110102 Header, 110350 Shoe	8	8	Yes	Yes	RD11	294.13	284.31	279.56	337.50	325.94	320.33


Note: Lock and vinyl are sold separately when 12' assemblies are ordered.




The ADMIRE LED Mirror from Stylmark combines budget-friendly design with flattering soft white LED lighting to a full length mirror perfect for fitting rooms.

## Admire LED Mirror

The simple styling will fit almost any decor. With the compact depth of the ADMIRE LED Mirror, fitting into your smaller rooms won't be a concern. Complement the fitting room experience and ease the buying decision with Stylmark's ADMIRE LED Mirror.



Admire LED Mirror Model 620105-01-OBWHT40111



Part # 520079- OBWHT40111 60° Wing Bracket



Part # 520078-OBWHT40111 45° Wing Bracket

## Admire LED Mirror

Contact your Stylmark representative for Admire mirror pricing.

Model	<b>Description</b> Note: White powder coat finish # OBWHT40111	Mirror Size (glass dimension)
620105-01-OBWHT40111	Admire LED Mirror - White (Hardwired)	28" x 60"
620105-02-OBWHT40111	Admire LED Mirror - White (Hardwired, On/Off Switch)	28" x 60"
620105-03-OBWHT40111	Admire LED Mirror - White (Plug-in Cord)	28" x 60"
620105-04-OBWHT40111	Admire LED Mirror - White (Plug-in Cord, On/Off Switch)	28" × 60"
620105-05-OBWHT40111	Admire LED Mirror - White (Low Light, On/Off Switch)	28" x 60"
620105-06-OBWHT40111	Admire LED Mirror - White (Low Light, Plug-in Cord, On/Off Switch)	28" x 60"
620105-07-OBWHT40111	Admire LED Mirror - White (Plug-in Cord, On/Off Switch)	28" x 72"
620106-01 OBWHT40111	Admire Mirror Wing	14" x 60"
620106-02 OBWHT40111	Admire Mirror Wing	14" x 72"
520078-OBWHT40111	45° Wing Bracket Kit (one kit required per wing, contains two brackets)	N/A
520079-OBWHT40111	60° Wing Bracket Kit (one kit required per wing, contains two brackets)	N/A
520075	Cleat Mounting Accessory Kit	N/A
227025	Glass Installation Suction Cup, 4-1/2" dia, 80 lb capacity	N/A


Admire LED Mirro Product Informat	
Data Sheet	971827
Installation Instructions	971826

## Cafe Barrier System

The Café Barrier System from Stylmark consists of a variety of components used to create partition systems. The Clamp system uses brackets to secure the 1/4" panel to the post and provides a clean, modern aesthetic. A more traditional look is achieved with the Channel system that uses recessed channels and plastic glazing to secure the panel. Post are sold in stock lengths (12') and in prefabricated 24" and 36" lengths for selected finishes. Optional accessories are available.


#### Panel Channel System

Prefabricated posts available in 24" or 36" lenghts Standard finishes: Satin Natural (020) or Satin Brass (021)



#### Panel Clamp System

Prefabricated posts available in 24" or 36" lenghts Standard finishes: Satin Natural (020) or Satin Brass (021)



# Cafe Barrier System Stocked Component Pricing

If alternative sizes are needed or if you want to fabricate your own barrier, Stylmark offers stocked length extrusion and hardware to order.

			Discou	ınt Quantity	Pricing	
Part Number	Description	1-5 Units	6-10 Units	11-24 Units	25-99 Units	100+ Units
491007-01-020	Smooth Post, 24" Length, 020 Finish (Extrusion 110853)	10.60	10.18	9.96	9.75	9.33
491007-01-021	Smooth Post, 24" Length, 021 Finish (Extrusion 110853)	10.60	10.18	9.96	9.75	9.33
491007-02-020	Smooth Post, 36" Length, 020 Finish (Extrusion 110853)	13.78	13.23	12.95	12.68	12.13
491007-02-021	Smooth Post, 36" Length, 021 Finish (Extrusion 110853)	13.78	13.23	12.95	12.68	12.13
491008-01-020	Single Channel Post, 24" Length, 020 Finish (Extrusion 110854)	15.64	15.01	14.70	14.39	13.76
491008-01-021	Single Channel Post, 24" Length, 021 Finish (Extrusion 110854)	15.64	15.01	14.70	14.39	13.76
491008-02-020	Single Channel Post, 36" Length, 020 Finish (Extrusion 110854)	18.82	18.07	17.69	17.31	16.56
491008-02-021	Single Channel Post, 36" Length, 021 Finish (Extrusion 110854)	18.82	18.07	17.69	17.31	16.56
491009-01-020	Double Channel Post, 24" Length, 020 Finish (Extrusion 110855)	16.27	15.62	15.29	14.97	14.32
491009-01-021	Double Channel Post, 24" Length, 021 Finish (Extrusion 110855)	16.27	15.62	15.29	14.97	14.32
491009-02-020	Double Channel Post, 36" Length, 020 Finish (Extrusion 110855)	19.77	18.98	18.58	18.19	17.40
491009-02-021	Double Channel Post, 36" Length, 021 Finish (Extrusion 110855)	19.77	18.98	18.58	18.19	17.40
119045	Glazing, 96" Length (use with channel post)	47.55	47.55	47.55	47.55	47.55
392706-01	Glazing, 24" Length (use with channel post)	12.80	12.29	12.03	11.78	11.26
392706-02	Glazing, 36" Length (use with channel post)	19.20	18.43	18.05	17.66	16.90
310614-020	Endcap, Round Threaded, 020 Finish	7.20	6.91	6.77	6.62	6.34
310614-021	Endcap, Round Threaded, 021 Finish	7.20	6.91	6.77	6.62	6.34
511085-020	Kit, End Cap w/Insert 020 Finish	11.50	11.04	10.81	10.58	10.12
511085-021	Kit, End Cap w/Insert 021 Finish	11.50	11.04	10.81	10.58	10.12
511079-020	Kit, 1.0 Dia Vertical Panel Clamp, 020 Finish	25.95	24.91	24.39	23.87	22.84
511079-021	Kit, 1.0 Dia Vertical Panel Clamp, 021 Finish	25.95	24.91	24.39	23.87	22.84
511069	Kit, Supporting Fixing 90 Deg Mtng Flange	26.00	24.96	24.44	23.92	22.88
511070-020	Kit, Mounting Base, 020 Finish	13.85	13.30	13.02	12.74	12.19
511070-021	Kit, Mounting Base, 021 Finish	13.85	13.30	13.02	12.74	12.19
511216-020	Accessory Kit, Table Top Clamp, 020 Finish	30.08	28.88	28.28	27.67	26.47
511216-021	Accessory Kit, Table Top Clamp, 021 Finish	30.08	28.88	28.28	27.67	26.47
110853	Smooth Post (used with panel clamps)	60.90	58.46	57.25	56.03	53.59
110854	Post, Single Channel	72.41	69.51	68.07	66.62	63.72
110855	Post, Double Channel	78.86	75.71	74.13	72.55	69.40



Stylmark, Inc. 6536 Main Street NE, PO Box 32008 Minneapolis, MN 55432

Phone: 800-328-2495 763-574-7474 Fax: 763-574-1415 stylmark.com info@stylmark.com